

Liiska Tijaabada pH

pH Testing Log

Somali

Shaqaalaha loo asteeyay waa inuu ku asteeyaa cabirka pH si waafaqsan tilmaamaha shirkada samaysay si loo hubiyo natiijooyin sax ah. Tijaabi qayb kasta oo kamid ah maadada la dhameeyay si loo hubiyo in pH-ka maadadu waafaqsan yahay xadiga muhiimka ah ee qorshaha HACCP. Kuqor waxyaabaha aad aragto iyo talaabooyin kasta oo toosin ah liiskaan. PIC ama maamulaha shaqada ku jira waa inuu xaqiijiyaa liiskaan asbuuc kasta.

English

The designated employee must calibrate pH meter according to manufacturer's instructions to ensure accurate results. Test each batch of finished product to ensure product pH meets your HACCP plan critical limit. Record observations and any corrective actions on this log. PIC or manager on duty must verify this log weekly.

Taariikhda (Date)	Magaca cuntada (Product name)	Xadi muhiim ah ee pH (pH critical limit)	pH-ka maadada (Product pH)	Dib u tijaabi pH-ka maadada (marka loo baahdo) (Retest product pH (as needed))	Erayada hore ee magaca shaqaalaha (Employee initials)

Marka aad isticmaalayso liisnaan tijaabada pH-ka

Haddii aad raacayso qorshaha HACCP oo la ogolaaday ee soo saarista cuntada TCS oo gaar ah, waxaad u adeegsan kartaa liisnaan diwaan haynta. U diyaari diiwaanka maamulka sharciyaynta markay codsadaan. Hay diiwaannada ugu yaraan lix bilood.

Mar kasta raac tilmaamaha soo-saaraha ee calaamadaynta iyo isticmaalka cabirka pH.

La xariir kormeerahaaga si uu kaaga caawiyo abuurista habraacyo waafaqsan shuruudaha HACCP.

When to use this pH testing log

If you are following an approved HACCP plan for specialized processing for TCS food, you may use this log for record-keeping. Make records available to the regulatory authority upon request. Keep records for at least six months.

Always follow manufacturer's instructions for pH meter calibration and use.

Contact your inspector for help developing procedures that comply with HACCP requirements.

Macluumaadka (Resources)

[Minnesota Department of Health Food Business Safety \(www.health.state.mn.us/foodbizsafety\)](http://www.health.state.mn.us/foodbizsafety)

Minnesota Department of Health
Food, Pools, and Lodging Services
PO Box 64975
St. Paul, MN 55164-0975
651-201-4500
health.foodlodging@state.mn.us
www.health.state.mn.us

JANAAYO 2019

Si aad xogtan ugu hesho qaab kale, wac: 651-201-4500 or 651-201-6000.

Minnesota Department of Agriculture
Food and Feed Safety Division
625 Robert Street N
St. Paul, MN 55155-2538
651-201-6027
MDA.FFSD.Info@state.mn.us
www.mda.state.mn.us

JANUARY 2019

To obtain this information in a different format, call: 651-201-4500 or 651-201-6000.