

Table 2. Cases of Selected Communicable Diseases Reported to the Minnesota Department of Health by District of Residence, 2009

Disease	District (population per U.S. Census 2009 estimates)									
	Metropolitan (2,810,414)	Northwestern (153,218)	Northeastern (320,342)	Central (715,467)	West Central (229,186)	South Central (286,956)	Southeastern (486,517)	Southwestern (218,293)	Unknown Residence	Total (5,220,393)
Anaplasmosis	84	40	43	123	5	5	13	4	0	317
Arboviral disease										
LaCrosse	0	0	0	0	0	0	0	0	0	0
West Nile	0	1	0	0	2	0	0	1	0	4
Babesiosis	10	4	0	9	3	1	4	0	0	31
Campylobacteriosis	442	19	28	127	39	46	110	88	0	899
Cryptosporidiosis	41	15	25	56	36	39	58	79	0	349
<i>Escherichia coli</i> O157 infection	57	4	2	23	12	6	22	4	0	130
Hemolytic Uremic Syndrome	8	2	1	4	1	0	0	0	0	16
Giardiasis	349	7	23	101	21	32	66	29	50	678
<i>Haemophilus influenzae</i> disease	36	8	10	5	4	4	10	2	0	79
HIV infection other than AIDS	319	3	3	19	5	4	13	4	0	370
AIDS (cases diagnosed in 2009)	159	2	2	10	1	3	6	1	0	184
Legionellosis	16	0	2	1	2	2	6	1	0	30
Listeriosis	2	0	0	0	0	0	1	0	0	3
Lyme disease	444	51	125	287	40	23	88	7	0	1,065
Meningococcal disease	12	0	2	1	1	0	0	0	0	16
Mumps	5	0	1	0	0	0	0	0	0	6
Pertussis	510	33	16	492	9	10	44	20	0	1,134
Salmonellosis	331	20	21	67	26	34	51	28	0	578
Sexually transmitted diseases	11,555	332	702	1,200	331	550	1,201	409	685	16,965
<i>Chlamydia trachomatis</i> - genital infections	9,395	292	634	1,074	304	501	1,038	367	581	14,186
Gonorrhea	1,764	39	61	104	26	40	140	35	93	2,302
Syphilis, total	218	1	1	11	0	6	16	2	8	263
Primary/secondary	66	0	1	2	0	0	1	1	0	71
Early latent*	43	0	0	3	0	0	0	0	0	46
Late latent**	69	0	5	6	1	3	6	3	3	96
Congenital	0	0	0	0	0	0	0	1	0	1
Other***	0	0	0	0	0	0	0	0	0	0
Shigellosis	60	1	0	5	1	3	7	2	0	79
<i>Streptococcus pneumoniae</i> disease	320	35	65	106	35	33	63	29	0	686
Streptococcal invasive disease - Group A	109	7	18	19	7	5	21	3	0	189
Streptococcal invasive disease - Group B	250	16	35	41	20	25	43	24	0	454
Toxic Shock Syndrome	4	0	2	0	0	1	1	0	0	8
Tuberculosis	128	1	1	9	1	0	15	6	0	161
Viral hepatitis, type A	20	0	0	4	2	2	2	0	0	30
Viral hepatitis, type B (acute infections only, not perinatal)	29	1	2	0	1	2	2	2	0	39
Viral hepatitis, type C (acute infections only)	7	1	2	1	3	0	1	0	0	15
Yersiniosis	7	0	0	0	2	1	3	0	0	13

* Duration ≤1 year

** Duration >1 year

*** Includes unstaged neurosyphilis, latent syphilis of unknown duration, and latent syphilis with clinical manifestations

County Distribution within Districts

Metropolitan - Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, Washington

Northwestern - Beltrami, Clearwater, Hubbard, Kittson, Lake of the Woods, Marshall, Pennington, Polk, Red Lake, Roseau

Northeastern - Aitkin, Carlton, Cook, Itasca, Koochiching, Lake, St. Louis

Central - Benton, Cass, Chisago, Crow Wing, Isanti, Kanabec, Mille Lacs, Morrison, Pine, Sherburne, Stearns, Todd, Wadena, Wright

West Central - Becker, Clay, Douglas, Grant, Mahanomen, Norman, Otter Tail, Pope, Stevens, Traverse, Wilkin

South Central - Blue Earth, Brown, Faribault, LeSueur, McLeod, Martin, Meeker, Nicollet, Sibley, Waseca, Watonwan

Southeastern - Dodge, Fillmore, Freeborn, Goodhue, Houston, Mower, Olmsted, Rice, Steele, Wabasha, Winona

Southwestern - Big Stone, Chippewa, Cottonwood, Jackson, Kandiyohi, Lac Qui Parle, Lincoln, Lyon, Murray, Nobles, Pipestone, Redwood, Renville, Rock, Swift, Yellow Medicine