

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

MINNESOTA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>52,882</b>	<b>1,712</b>	<b>5,518</b>	<b>13,841</b>	<b>18,995</b>	<b>3,845</b>	<b>8,971</b>
<i>Overweight</i> <sup>5</sup>	8,296 (15.7)	357 (20.9)	950 (17.2)	1,880 (13.6)	2,944 (15.5)	621 (16.2)	1,544 (17.2)
<i>Obese</i> <sup>5</sup>	2,332 (4.4)	117 (6.8)	236 (4.3)	560 (4.0)	766 (4.0)	189 (4.9)	464 (5.2)
<i>Very Obese</i> <sup>5</sup>	4,623 (8.7)	376 (22.0)	580 (10.5)	1,023 (7.4)	1,210 (6.4)	335 (8.7)	1,099 (12.3)
<b>2018 Total</b>	<b>56,895</b>	<b>1,844</b>	<b>6,030</b>	<b>14,761</b>	<b>20,397</b>	<b>4,059</b>	<b>9,804</b>
<i>Overweight</i>	9,017 (15.8)	412 (22.3)	987 (16.4)	2,009 (13.6)	3,200 (15.7)	677 (16.7)	1,732 (17.7)
<i>Obese</i>	2,548 (4.5)	143 (7.8)	262 (4.3)	606 (4.1)	820 (4.0)	171 (4.2)	546 (5.6)
<i>Very Obese</i>	4,769 (8.4)	379 (20.6)	603 (10.0)	1,021 (6.9)	1,256 (6.2)	351 (8.6)	1,159 (11.8)
<b>2017 Total</b>	<b>59,739</b>	<b>1,918</b>	<b>6,231</b>	<b>14,883</b>	<b>21,776</b>	<b>4,362</b>	<b>10,569</b>
<i>Overweight</i>	9,470 (15.9)	409 (21.3)	996 (16.0)	2,051 (13.8)	3,505 (16.1)	696 (16.0)	1,813 (17.2)
<i>Obese</i>	2,707 (4.5)	166 (8.7)	263 (4.2)	592 (4.0)	914 (4.2)	214 (4.9)	558 (5.3)
<i>Very Obese</i>	5,045 (8.4)	375 (19.6)	657 (10.5)	1,046 (7.0)	1,359 (6.2)	351 (8.0)	1,257 (11.9)
<b>2016 Total</b>	<b>62,513</b>	<b>2,075</b>	<b>6,470</b>	<b>14,758</b>	<b>23,396</b>	<b>4,645</b>	<b>11,169</b>
<i>Overweight</i>	9,984 (16.0)	468 (22.6)	1,046 (16.2)	2,024 (13.7)	3,724 (15.9)	757 (16.3)	1,965 (17.6)
<i>Obese</i>	2,828 (4.5)	198 (9.5)	266 (4.1)	578 (3.9)	951 (4.1)	231 (5.0)	604 (5.4)
<i>Very Obese</i>	5,065 (8.1)	394 (19.0)	633 (9.8)	914 (6.2)	1,437 (6.1)	395 (8.5)	1,292 (11.6)
<b>2015 Total</b>	<b>64,809</b>	<b>2,211</b>	<b>6,406</b>	<b>14,717</b>	<b>24,718</b>	<b>4,904</b>	<b>11,853</b>
<i>Overweight</i>	10,186 (15.7)	496 (22.4)	1,035 (16.2)	2,012 (13.7)	3,736 (15.1)	835 (17.0)	2,072 (17.5)
<i>Obese</i>	2,891 (4.5)	168 (7.6)	267 (4.2)	565 (3.8)	1,044 (4.2)	238 (4.9)	609 (5.1)
<i>Very Obese</i>	5,006 (7.7)	449 (20.3)	582 (9.1)	939 (6.4)	1,389 (5.6)	392 (8.0)	1,255 (10.6)
<b>2014 Total</b>	<b>62,640</b>	<b>2,139</b>	<b>5,860</b>	<b>13,635</b>	<b>24,608</b>	<b>4,729</b>	<b>11,669</b>
<i>Overweight</i>	9,317 (14.9)	472 (22.1)	813 (13.9)	1,686 (12.4)	3,641 (14.8)	762 (16.1)	1,943 (16.7)
<i>Obese</i>	2,802 (4.5)	197 (9.2)	244 (4.2)	565 (4.1)	936 (3.8)	232 (4.9)	628 (5.4)
<i>Very Obese</i>	5,071 (8.1)	420 (19.6)	581 (9.9)	926 (6.8)	1,459 (5.9)	395 (8.4)	1,290 (11.1)
<b>2013 Total</b>	<b>65,859</b>	<b>2,225</b>	<b>6,034</b>	<b>13,382</b>	<b>26,638</b>	<b>4,966</b>	<b>12,614</b>
<i>Overweight</i>	10,393 (15.8)	500 (22.5)	923 (15.3)	1,776 (13.3)	4,144 (15.6)	850 (17.1)	2,200 (17.4)
<i>Obese</i>	3,180 (4.8)	220 (9.9)	309 (5.1)	551 (4.1)	1,146 (4.3)	215 (4.3)	739 (5.9)
<i>Very Obese</i>	5,446 (8.3)	451 (20.3)	630 (10.4)	975 (7.3)	1,584 (5.9)	449 (9.0)	1,357 (10.8)
<b>2012 Total</b>	<b>70,105</b>	<b>2,262</b>	<b>5,925</b>	<b>13,565</b>	<b>29,524</b>	<b>5,189</b>	<b>13,640</b>
<i>Overweight</i>	11,222 (16.0)	514 (22.7)	990 (16.7)	1,896 (14.0)	4,493 (15.2)	913 (17.6)	2,416 (17.7)
<i>Obese</i>	3,328 (4.7)	188 (8.3)	286 (4.8)	605 (4.5)	1,206 (4.1)	256 (4.9)	787 (5.8)
<i>Very Obese</i>	5,576 (8.0)	466 (20.6)	617 (10.4)	930 (6.9)	1,682 (5.7)	438 (8.4)	1,443 (10.6)
<b>2011 Total</b>	<b>71,853</b>	<b>2,301</b>	<b>5,773</b>	<b>13,109</b>	<b>31,050</b>	<b>5,242</b>	<b>14,378</b>
<i>Overweight</i>	11,749 (16.4)	541 (23.5)	1,018 (17.6)	1,949 (14.9)	4,767 (15.4)	879 (16.8)	2,595 (18.0)
<i>Obese</i>	3,807 (5.3)	248 (10.8)	339 (5.9)	634 (4.8)	1,376 (4.4)	291 (5.6)	919 (6.4)
<i>Very Obese</i>	5,326 (7.4)	439 (19.1)	533 (9.2)	869 (6.6)	1,572 (5.1)	447 (8.5)	1,466 (10.2)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

AITKIN-ITASCA-KOOCHICHING	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>642</b>	<b>63</b>	<b>2</b>	<b>7</b>	<b>492</b>	<b>58</b>	<b>20</b>
Overweight	100 (15.6)	19 (30.2)	1 (****)	1 (****)	69 (14.0)	8 (13.8)	2 (****)
Obese	30 (4.7)	4 (6.3)	1 (****)	1 (****)	20 (4.1)	4 (6.9)	0
Very Obese	41 (6.4)	8 (12.7)	0	0	25 (5.1)	6 (10.3)	2 (****)
<b>2018 Total</b>	<b>730</b>	<b>75</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>551</b>	<b>77</b>	<b>24</b>
Overweight	101 (13.8)	12 (16.0)	1 (****)	0	74 (13.4)	11 (14.3)	3 (****)
Obese	33 (4.5)	4 (5.3)	0	0	24 (4.4)	5 (6.5)	0
Very Obese	58 (7.9)	17 (22.7)	0	0	34 (6.2)	7 (9.1)	0
<b>2017 Total</b>	<b>754</b>	<b>88</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>557</b>	<b>75</b>	<b>30</b>
Overweight	121 (16.0)	16 (18.2)	0	0	93 (16.7)	8 (10.7)	4 (13.3)
Obese	33 (4.4)	5 (5.7)	1 (****)	0	23 (4.1)	4 (5.3)	0
Very Obese	54 (7.2)	13 (14.8)	0	0	33 (5.9)	8 (10.7)	0
<b>2016 Total</b>	<b>797</b>	<b>101</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>590</b>	<b>73</b>	<b>26</b>
Overweight	133 (16.7)	16 (15.8)	0	3 (****)	97 (16.4)	14 (19.2)	3 (****)
Obese	36 (4.5)	10 (9.9)	0	0	23 (3.9)	3 (4.1)	0
Very Obese	59 (7.4)	18 (17.8)	0	0	34 (5.8)	6 (8.2)	1 (****)
<b>2015 Total</b>	<b>852</b>	<b>114</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>633</b>	<b>69</b>	<b>32</b>
Overweight	160 (18.8)	30 (26.3)	1 (****)	0	107 (16.9)	15 (21.7)	7 (21.9)
Obese	42 (4.9)	6 (5.3)	0	1 (****)	29 (4.6)	5 (7.2)	1 (3.1)
Very Obese	62 (7.3)	19 (16.7)	0	1 (****)	33 (5.2)	5 (7.2)	4 (12.5)
<b>2014 Total</b>	<b>868</b>	<b>112</b>	<b>0</b>	<b>&lt;5</b>	<b>656</b>	<b>58</b>	<b>38</b>
Overweight	154 (17.7)	28 (25.0)	0	****	101 (15.4)	14 (24.1)	10 (26.3)
Obese	47 (5.4)	11 (9.8)	0	****	33 (5.0)	1 (1.7)	2 (5.3)
Very Obese	73 (8.4)	20 (17.9)	0	****	41 (6.2)	5 (8.6)	6 (15.8)
<b>2013 Total</b>	<b>891</b>	<b>110</b>	<b>3</b>	<b>5</b>	<b>664</b>	<b>65</b>	<b>44</b>
Overweight	157 (17.6)	22 (20.0)	1 (****)	2 (****)	114 (17.2)	12 (18.5)	6 (13.6)
Obese	46 (5.2)	15 (13.6)	0	0	23 (3.5)	7 (10.8)	1 (2.3)
Very Obese	74 (8.3)	20 (18.2)	0	1 (****)	43 (6.5)	7 (10.8)	3 (6.8)
<b>2012 Total</b>	<b>961</b>	<b>110</b>	<b>2</b>	<b>5</b>	<b>729</b>	<b>78</b>	<b>37</b>
Overweight	142 (14.8)	22 (20.0)	0	1 (****)	101 (13.9)	15 (19.2)	3 (8.1)
Obese	53 (5.5)	4 (3.6)	0	0	39 (5.3)	6 (7.7)	4 (10.8)
Very Obese	83 (8.6)	24 (21.8)	0	0	48 (6.6)	9 (11.5)	2 (5.4)
<b>2011 Total</b>	<b>1,006</b>	<b>109</b>	<b>2</b>	<b>6</b>	<b>761</b>	<b>87</b>	<b>41</b>
Overweight	177 (17.6)	18 (16.5)	0	1 (****)	129 (17.0)	23 (26.4)	6 (14.6)
Obese	41 (4.1)	7 (6.4)	0	0	30 (3.9)	4 (4.6)	0
Very Obese	81 (8.1)	24 (22.0)	0	2 (****)	42 (5.5)	9 (10.3)	4 (9.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

ANOKA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>2,576</b>	<b>15</b>	<b>239</b>	<b>733</b>	<b>986</b>	<b>256</b>	<b>347</b>
Overweight	406 (15.8)	4 (****)	41 (17.2)	109 (14.9)	146 (14.8)	47 (18.4)	59 (17.0)
Obese	94 (3.6)	1 (****)	13 (5.4)	26 (3.5)	28 (2.8)	14 (5.5)	12 (3.5)
Very Obese	203 (7.9)	3 (****)	21 (8.8)	47 (6.4)	65 (6.6)	20 (7.8)	47 (13.5)
<b>2018 Total</b>	<b>2,685</b>	<b>19</b>	<b>223</b>	<b>760</b>	<b>1,050</b>	<b>250</b>	<b>383</b>
Overweight	430 (16.0)	5 (****)	38 (17.0)	107 (14.1)	165 (15.7)	46 (18.4)	69 (18.0)
Obese	98 (3.6)	2 (****)	14 (6.3)	30 (3.9)	33 (3.1)	5 (2.0)	14 (3.7)
Very Obese	188 (7.0)	3 (****)	16 (7.2)	45 (5.9)	63 (6.0)	24 (9.6)	37 (9.7)
<b>2017 Total</b>	<b>2,696</b>	<b>16</b>	<b>205</b>	<b>695</b>	<b>1,122</b>	<b>255</b>	<b>403</b>
Overweight	437 (16.2)	3 (****)	37 (18.0)	110 (15.8)	179 (16.0)	48 (18.8)	60 (14.9)
Obese	87 (3.2)	1 (****)	0	22 (3.2)	47 (4.2)	8 (3.1)	9 (2.2)
Very Obese	193 (7.2)	2 (****)	26 (12.7)	41 (5.9)	61 (5.4)	24 (9.4)	39 (9.7)
<b>2016 Total</b>	<b>2,667</b>	<b>17</b>	<b>180</b>	<b>656</b>	<b>1,182</b>	<b>230</b>	<b>402</b>
Overweight	415 (15.6)	2 (****)	27 (15.0)	95 (14.5)	193 (16.3)	38 (16.5)	60 (14.9)
Obese	117 (4.4)	1 (****)	6 (3.3)	30 (4.6)	47 (4.0)	13 (5.7)	20 (5.0)
Very Obese	169 (6.3)	3 (****)	17 (9.4)	42 (6.4)	58 (4.9)	19 (8.3)	30 (7.5)
<b>2015 Total</b>	<b>2,970</b>	<b>10</b>	<b>172</b>	<b>661</b>	<b>1,440</b>	<b>275</b>	<b>412</b>
Overweight	486 (16.4)	2 (****)	24 (14.0)	117 (17.7)	233 (16.2)	48 (17.5)	62 (15.0)
Obese	119 (4.0)	1 (****)	6 (3.5)	20 (3.0)	53 (3.7)	12 (4.4)	27 (6.6)
Very Obese	186 (6.3)	1 (****)	19 (11.0)	44 (6.7)	70 (4.9)	23 (8.4)	29 (7.0)
<b>2014 Total</b>	<b>2,827</b>	<b>13</b>	<b>168</b>	<b>619</b>	<b>1,357</b>	<b>275</b>	<b>395</b>
Overweight	452 (16.0)	1 (****)	29 (17.3)	90 (14.5)	220 (16.2)	56 (20.4)	56 (14.2)
Obese	93 (3.3)	2 (****)	7 (4.2)	15 (2.4)	44 (3.2)	11 (4.0)	14 (3.5)
Very Obese	221 (7.8)	2 (****)	21 (12.5)	42 (6.8)	83 (6.1)	22 (8.0)	51 (12.9)
<b>2013 Total</b>	<b>2,838</b>	<b>12</b>	<b>167</b>	<b>639</b>	<b>1,319</b>	<b>270</b>	<b>431</b>
Overweight	428 (15.1)	1 (****)	20 (12.0)	101 (15.8)	196 (14.9)	42 (15.6)	68 (15.8)
Obese	137 (4.8)	1 (****)	10 (6.0)	21 (3.3)	59 (4.5)	11 (4.1)	35 (8.1)
Very Obese	236 (8.3)	4 (****)	21 (12.6)	50 (7.8)	88 (6.7)	23 (8.5)	50 (11.6)
<b>2012 Total</b>	<b>2,976</b>	<b>15</b>	<b>155</b>	<b>652</b>	<b>1,434</b>	<b>252</b>	<b>468</b>
Overweight	502 (16.9)	4 (****)	30 (19.4)	108 (16.6)	222 (15.5)	52 (20.6)	86 (18.4)
Obese	131 (4.4)	1 (****)	8 (5.2)	37 (5.7)	55 (3.8)	13 (5.2)	17 (3.6)
Very Obese	214 (7.2)	3 (****)	16 (10.3)	48 (7.4)	77 (5.4)	18 (7.1)	52 (11.1)
<b>2011 Total</b>	<b>3,139</b>	<b>19</b>	<b>165</b>	<b>684</b>	<b>1,542</b>	<b>244</b>	<b>485</b>
Overweight	502 (16.0)	4 (****)	33 (20.0)	102 (14.9)	236 (15.3)	41 (16.8)	86 (17.7)
Obese	144 (4.6)	1 (****)	13 (7.9)	31 (4.5)	65 (4.2)	14 (5.7)	20 (4.1)
Very Obese	199 (6.3)	2 (****)	15 (9.1)	32 (4.7)	83 (5.4)	25 (10.2)	42 (8.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

BELTRAMI	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>912</b>	<b>489</b>	<b>&lt;5</b>	<b>5</b>	<b>331</b>	<b>63</b>	<b>23</b>
Overweight	158 (17.3)	101 (20.7)	0	0	44 (13.3)	12 (19.0)	1 (****)
Obese	63 (6.9)	38 (7.8)	1 (****)	0	19 (5.7)	2 (3.2)	3 (****)
Very Obese	172 (18.9)	145 (29.7)	0	0	19 (5.7)	6 (9.5)	2 (****)
<b>2018 Total</b>	<b>968</b>	<b>517</b>	<b>&lt;5</b>	<b>7</b>	<b>356</b>	<b>62</b>	<b>24</b>
Overweight	201 (20.8)	125 (24.2)	0	0	59 (16.6)	10 (16.1)	7 (****)
Obese	69 (7.1)	51 (9.9)	0	0	11 (3.1)	6 (9.7)	1 (****)
Very Obese	150 (15.5)	119 (23.0)	1 (****)	0	23 (6.5)	5 (8.1)	2 (****)
<b>2017 Total</b>	<b>1,075</b>	<b>579</b>	<b>&lt;5</b>	<b>12</b>	<b>376</b>	<b>72</b>	<b>33</b>
Overweight	235 (21.9)	148 (25.6)	0	0	70 (18.6)	11 (15.3)	6 (18.2)
Obese	80 (7.4)	54 (9.3)	0	0	20 (5.3)	2 (2.8)	4 (12.1)
Very Obese	179 (16.7)	136 (23.5)	2 (****)	0	31 (8.2)	8 (11.1)	2 (6.1)
<b>2016 Total</b>	<b>1,144</b>	<b>612</b>	<b>&lt;5</b>	<b>13</b>	<b>403</b>	<b>81</b>	<b>31</b>
Overweight	257 (22.5)	160 (26.1)	2 (****)	3 (****)	73 (18.1)	9 (11.1)	10 (32.3)
Obese	82 (7.2)	55 (9.0)	0	1 (****)	19 (4.7)	7 (8.6)	0
Very Obese	182 (15.9)	146 (23.9)	0	2 (****)	25 (6.2)	6 (7.4)	3 (9.7)
<b>2015 Total</b>	<b>1,231</b>	<b>670</b>	<b>&lt;5</b>	<b>11</b>	<b>402</b>	<b>105</b>	<b>40</b>
Overweight	263 (21.4)	166 (24.8)	1 (****)	2 (****)	67 (16.7)	18 (17.1)	9 (22.5)
Obese	82 (6.7)	49 (7.3)	0	0	26 (6.5)	5 (4.8)	2 (5.0)
Very Obese	202 (16.4)	169 (25.2)	0	1 (****)	17 (4.2)	11 (10.5)	4 (10.0)
<b>2014 Total</b>	<b>1,252</b>	<b>646</b>	<b>&lt;5</b>	<b>9</b>	<b>449</b>	<b>109</b>	<b>37</b>
Overweight	236 (18.8)	148 (22.9)	****	2 (****)	59 (13.1)	18 (16.5)	8 (21.6)
Obese	94 (7.5)	69 (10.7)	****	1 (****)	15 (3.3)	5 (4.6)	4 (10.8)
Very Obese	181 (14.5)	144 (22.3)	****	0	20 (4.5)	14 (12.8)	3 (8.1)
<b>2013 Total</b>	<b>1,363</b>	<b>720</b>	<b>&lt;5</b>	<b>11</b>	<b>467</b>	<b>121</b>	<b>42</b>
Overweight	292 (21.4)	187 (26.0)	****	4 (****)	68 (14.6)	26 (21.5)	7 (16.7)
Obese	99 (7.3)	75 (10.4)	****	1 (****)	17 (3.6)	5 (4.1)	1 (2.4)
Very Obese	205 (15.0)	170 (23.6)	****	0	19 (4.1)	10 (8.3)	5 (11.9)
<b>2012 Total</b>	<b>1,386</b>	<b>705</b>	<b>&lt;5</b>	<b>8</b>	<b>508</b>	<b>124</b>	<b>38</b>
Overweight	275 (19.8)	167 (23.7)	****	1 (****)	72 (14.2)	28 (22.6)	7 (18.4)
Obese	99 (7.1)	70 (9.9)	****	1 (****)	20 (3.9)	8 (6.5)	0
Very Obese	219 (15.8)	183 (26.0)	****	0	16 (3.1)	14 (11.3)	5 (13.2)
<b>2011 Total</b>	<b>1,412</b>	<b>696</b>	<b>&lt;5</b>	<b>5</b>	<b>544</b>	<b>121</b>	<b>42</b>
Overweight	279 (19.8)	174 (25.0)	****	0	81 (14.9)	21 (17.4)	3 (7.1)
Obese	130 (9.2)	107 (15.4)	****	1 (****)	12 (2.2)	6 (5.0)	4 (9.5)
Very Obese	221 (15.7)	168 (24.1)	****	0	23 (4.2)	25 (20.7)	3 (7.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

BENTON	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>410</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>98</b>	<b>231</b>	<b>46</b>	<b>30</b>
Overweight	64 (15.6)	1 (****)	0	8 (8.2)	36 (15.6)	11 (23.9)	8 (26.7)
Obese	18 (4.4)	1 (****)	0	4 (4.1)	9 (3.9)	2 (4.3)	2 (6.7)
Very Obese	25 (6.1)	0	0	6 (6.1)	15 (6.5)	3 (6.5)	1 (3.3)
<b>2018 Total</b>	<b>439</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>100</b>	<b>251</b>	<b>49</b>	<b>32</b>
Overweight	53 (12.1)	0	0	8 (8.0)	29 (11.6)	9 (18.4)	7 (21.9)
Obese	20 (4.6)	0	0	3 (3.0)	10 (4.0)	4 (8.2)	3 (9.4)
Very Obese	34 (7.7)	0	0	7 (7.0)	17 (6.8)	6 (12.2)	4 (12.5)
<b>2017 Total</b>	<b>453</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>105</b>	<b>258</b>	<b>52</b>	<b>33</b>
Overweight	77 (17.0)	1 (****)	0	16 (15.2)	41 (15.9)	11 (21.2)	8 (24.2)
Obese	22 (4.9)	0	0	4 (3.8)	13 (5.0)	4 (7.7)	1 (3.0)
Very Obese	34 (7.5)	1 (****)	0	3 (2.9)	24 (9.3)	5 (9.6)	1 (3.0)
<b>2016 Total</b>	<b>469</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>118</b>	<b>267</b>	<b>49</b>	<b>32</b>
Overweight	73 (15.6)	0	1 (****)	13 (11.0)	43 (16.1)	9 (18.4)	7 (21.9)
Obese	17 (3.6)	0	0	4 (3.4)	11 (4.1)	2 (4.1)	0
Very Obese	42 (9.0)	0	0	7 (5.9)	26 (9.7)	7 (14.3)	2 (6.2)
<b>2015 Total</b>	<b>444</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>81</b>	<b>276</b>	<b>54</b>	<b>28</b>
Overweight	76 (17.1)	1 (****)	0	10 (12.3)	47 (17.0)	10 (18.5)	8 (****)
Obese	19 (4.3)	0	0	2 (2.5)	13 (4.7)	2 (3.7)	2 (****)
Very Obese	22 (5.0)	0	0	3 (3.7)	11 (4.0)	6 (11.1)	2 (****)
<b>2014 Total</b>	<b>412</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>49</b>	<b>268</b>	<b>48</b>	<b>43</b>
Overweight	72 (17.5)	****	****	4 (8.2)	51 (19.0)	8 (16.7)	9 (20.9)
Obese	19 (4.6)	****	****	1 (2.0)	13 (4.9)	1 (2.1)	4 (9.3)
Very Obese	32 (7.8)	****	****	3 (6.1)	14 (5.2)	8 (16.7)	7 (16.3)
<b>2013 Total</b>	<b>410</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>36</b>	<b>286</b>	<b>52</b>	<b>33</b>
Overweight	61 (14.9)	****	****	1 (2.8)	47 (16.4)	6 (11.5)	6 (18.2)
Obese	15 (3.7)	****	****	1 (2.8)	10 (3.5)	1 (1.9)	3 (9.1)
Very Obese	29 (7.1)	****	****	5 (13.9)	16 (5.6)	5 (9.6)	3 (9.1)
<b>2012 Total</b>	<b>446</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>36</b>	<b>345</b>	<b>44</b>	<b>18</b>
Overweight	58 (13.0)	****	****	5 (13.9)	45 (13.0)	6 (13.6)	2 (****)
Obese	20 (4.5)	****	****	2 (5.6)	16 (4.6)	0	2 (****)
Very Obese	24 (5.4)	****	****	2 (5.6)	15 (4.3)	5 (11.4)	2 (****)
<b>2011 Total</b>	<b>495</b>	<b>5</b>	<b>&lt;5</b>	<b>31</b>	<b>376</b>	<b>56</b>	<b>25</b>
Overweight	80 (16.2)	2 (****)	****	4 (12.9)	56 (14.9)	9 (16.1)	9 (****)
Obese	24 (4.8)	0	****	4 (12.9)	24 (6.4)	9 (16.1)	0
Very Obese	23 (4.6)	1 (****)	****	1 (3.2)	14 (3.7)	4 (7.1)	2 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

BLUE EARTH	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>533</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>140</b>	<b>277</b>	<b>48</b>	<b>60</b>
Overweight	77 (14.4)	0	2 (****)	23 (16.4)	39 (14.1)	5 (10.4)	8 (13.3)
Obese	21 (3.9)	0	0	9 (6.4)	8 (2.9)	2 (4.2)	2 (3.3)
Very Obese	43 (8.1)	0	0	6 (4.3)	30 (10.8)	4 (8.3)	3 (5.0)
<b>2018 Total</b>	<b>561</b>	<b>&lt;5</b>	<b>11</b>	<b>127</b>	<b>328</b>	<b>36</b>	<b>57</b>
Overweight	84 (15.0)	0	2 (****)	15 (11.8)	52 (15.9)	6 (16.7)	9 (15.8)
Obese	32 (5.7)	0	0	9 (7.1)	21 (6.4)	0	2 (3.5)
Very Obese	42 (7.5)	1 (****)	0	3 (2.4)	24 (7.3)	4 (11.1)	10 (17.5)
<b>2017 Total</b>	<b>585</b>	<b>5</b>	<b>7</b>	<b>141</b>	<b>347</b>	<b>32</b>	<b>53</b>
Overweight	86 (14.7)	2 (****)	0	10 (7.1)	56 (16.1)	7 (21.9)	11 (20.8)
Obese	23 (3.9)	0	0	4 (2.8)	16 (4.6)	2 (6.2)	1 (1.9)
Very Obese	45 (7.7)	1 (****)	1 (****)	6 (4.3)	30 (8.6)	1 (3.1)	6 (11.3)
<b>2016 Total</b>	<b>591</b>	<b>5</b>	<b>8</b>	<b>132</b>	<b>366</b>	<b>30</b>	<b>50</b>
Overweight	101 (17.1)	2 (****)	2 (****)	24 (18.2)	65 (17.8)	4 (13.3)	4 (8.0)
Obese	26 (4.4)	1 (****)	0	4 (3.0)	18 (4.9)	1 (3.3)	2 (4.0)
Very Obese	33 (5.6)	0	0	5 (3.8)	21 (5.7)	1 (3.3)	6 (12.0)
<b>2015 Total</b>	<b>633</b>	<b>0</b>	<b>12</b>	<b>137</b>	<b>409</b>	<b>38</b>	<b>37</b>
Overweight	101 (16.0)	0	2 (****)	13 (9.5)	76 (18.6)	6 (15.8)	4 (10.8)
Obese	18 (2.8)	0	0	5 (3.6)	13 (3.2)	0	0
Very Obese	25 (3.9)	0	0	4 (2.9)	16 (3.9)	2 (5.3)	3 (8.1)
<b>2014 Total</b>	<b>608</b>	<b>0</b>	<b>10</b>	<b>115</b>	<b>416</b>	<b>24</b>	<b>43</b>
Overweight	80 (13.2)	0	0	16 (13.9)	52 (12.5)	6 (****)	6 (14.0)
Obese	25 (4.1)	0	0	6 (5.2)	17 (4.1)	2 (****)	0
Very Obese	33 (5.4)	0	0	7 (6.1)	20 (4.8)	2 (****)	4 (9.3)
<b>2013 Total</b>	<b>624</b>	<b>&lt;5</b>	<b>12</b>	<b>114</b>	<b>422</b>	<b>37</b>	<b>38</b>
Overweight	97 (15.5)	****	3 (****)	17 (14.9)	62 (14.7)	10 (27.0)	5 (13.2)
Obese	19 (3.0)	****	0	4 (3.5)	12 (2.8)	2 (5.4)	1 (2.6)
Very Obese	43 (6.9)	****	0	9 (7.9)	25 (5.9)	4 (10.8)	5 (13.2)
<b>2012 Total</b>	<b>698</b>	<b>&lt;5</b>	<b>7</b>	<b>123</b>	<b>464</b>	<b>53</b>	<b>49</b>
Overweight	102 (14.6)	****	0	16 (13.0)	68 (14.7)	9 (17.0)	8 (16.3)
Obese	29 (4.2)	****	0	3 (2.4)	21 (4.5)	3 (5.7)	2 (4.1)
Very Obese	47 (6.7)	****	0	10 (8.1)	27 (5.8)	4 (7.5)	6 (12.2)
<b>2011 Total</b>	<b>734</b>	<b>&lt;5</b>	<b>13</b>	<b>105</b>	<b>478</b>	<b>67</b>	<b>68</b>
Overweight	106 (14.4)	****	2 (****)	13 (12.4)	65 (13.6)	11 (16.4)	13 (19.1)
Obese	30 (4.1)	****	0	3 (2.9)	18 (3.8)	4 (6.0)	5 (7.4)
Very Obese	42 (5.7)	****	1 (****)	8 (7.6)	17 (3.6)	9 (13.4)	7 (10.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

<b>BROWN-NICOLLET</b>	<b>Undup Total<sup>2</sup></b>	<b>Amer Indian NH</b>	<b>Asian NH<sup>3</sup></b>	<b>Black/ African-Amer NH<sup>4</sup></b>	<b>White NH</b>	<b>&gt; 1 Race NH</b>	<b>Hispanic All Races</b>
<b>2019 Total</b>	<b>542</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>76</b>	<b>338</b>	<b>27</b>	<b>95</b>
Overweight	90 (16.6)	0	1 (****)	8 (10.5)	52 (15.4)	5 (****)	24 (25.3)
Obese	35 (6.5)	0	0	8 (10.5)	20 (5.9)	1 (****)	6 (6.3)
Very Obese	46 (8.5)	0	0	6 (7.9)	21 (6.2)	4 (****)	15 (15.8)
<b>2018 Total</b>	<b>574</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>78</b>	<b>347</b>	<b>24</b>	<b>120</b>
Overweight	102 (17.8)	0	0	12 (15.4)	61 (17.6)	7 (****)	22 (18.3)
Obese	32 (5.6)	0	0	5 (6.4)	17 (4.9)	3 (****)	7 (5.8)
Very Obese	43 (7.5)	0	0	3 (3.8)	24 (6.9)	3 (****)	13 (10.8)
<b>2017 Total</b>	<b>556</b>	<b>0</b>	<b>&lt;5</b>	<b>83</b>	<b>336</b>	<b>19</b>	<b>115</b>
Overweight	90 (16.2)	0	0	10 (12.0)	57 (17.0)	1 (****)	22 (19.1)
Obese	33 (5.9)	0	0	8 (9.6)	17 (5.1)	4 (****)	4 (3.5)
Very Obese	51 (9.2)	0	0	3 (3.6)	26 (7.7)	2 (****)	20 (17.4)
<b>2016 Total</b>	<b>614</b>	<b>&lt;5</b>	<b>5</b>	<b>87</b>	<b>388</b>	<b>19</b>	<b>115</b>
Overweight	97 (15.8)	0	0	7 (8.0)	70 (18.0)	3 (****)	17 (14.8)
Obese	35 (5.7)	0	0	3 (3.4)	19 (4.9)	1 (****)	12 (10.4)
Very Obese	51 (8.3)	0	0	3 (3.4)	38 (9.8)	0	10 (8.7)
<b>2015 Total</b>	<b>629</b>	<b>0</b>	<b>&lt;5</b>	<b>90</b>	<b>385</b>	<b>25</b>	<b>126</b>
Overweight	94 (14.9)	0	1 (****)	12 (13.3)	59 (15.3)	3 (****)	19 (15.1)
Obese	32 (5.1)	0	0	1 (1.1)	22 (5.7)	1 (****)	8 (6.3)
Very Obese	44 (7.0)	0	0	3 (3.3)	28 (7.3)	0	13 (10.3)
<b>2014 Total</b>	<b>582</b>	<b>0</b>	<b>&lt;5</b>	<b>75</b>	<b>351</b>	<b>28</b>	<b>124</b>
Overweight	85 (14.6)	0	****	10 (13.3)	57 (16.2)	6 (****)	12 (9.7)
Obese	27 (4.6)	0	****	3 (4.0)	11 (3.1)	1 (****)	12 (9.7)
Very Obese	50 (8.6)	0	****	4 (5.3)	30 (8.5)	1 (****)	15 (12.1)
<b>2013 Total</b>	<b>618</b>	<b>0</b>	<b>&lt;5</b>	<b>50</b>	<b>404</b>	<b>28</b>	<b>134</b>
Overweight	98 (15.9)	0	0	10 (20.0)	59 (14.6)	7 (****)	22 (16.4)
Obese	35 (5.7)	0	0	2 (4.0)	23 (5.7)	1 (****)	9 (6.7)
Very Obese	46 (7.4)	0	0	0	27 (6.7)	2 (****)	17 (12.7)
<b>2012 Total</b>	<b>637</b>	<b>0</b>	<b>&lt;5</b>	<b>47</b>	<b>423</b>	<b>24</b>	<b>142</b>
Overweight	111 (17.4)	0	0	6 (12.8)	74 (17.5)	6 (****)	25 (17.6)
Obese	29 (4.6)	0	0	2 (4.3)	17 (4.0)	2 (****)	8 (5.6)
Very Obese	45 (7.1)	0	0	0	25 (5.9)	0	20 (14.1)
<b>2011 Total</b>	<b>648</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>43</b>	<b>448</b>	<b>20</b>	<b>135</b>
Overweight	100 (15.4)	0	0	7 (16.3)	68 (15.2)	4 (****)	21 (15.6)
Obese	40 (6.2)	0	0	4 (9.3)	24 (5.4)	1 (****)	11 (8.1)
Very Obese	48 (7.4)	1 (****)	0	4 (9.3)	26 (5.8)	0	17 (12.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

CARLTON-COOK-LAKE-ST. LOUIS	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African- Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,885</b>	<b>180</b>	<b>6</b>	<b>67</b>	<b>1,248</b>	<b>287</b>	<b>97</b>
Overweight	310 (16.4)	36 (20.0)	1 (****)	7 (10.4)	193 (15.5)	60 (20.9)	13 (13.4)
Obese	92 (4.9)	15 (8.3)	0	1 (1.5)	48 (3.8)	21 (7.3)	7 (7.2)
Very Obese	137 (7.3)	20 (11.1)	2 (****)	3 (4.5)	83 (6.7)	26 (9.1)	3 (3.1)
<b>2018 Total</b>	<b>1,950</b>	<b>195</b>	<b>6</b>	<b>73</b>	<b>1,301</b>	<b>268</b>	<b>107</b>
Overweight	333 (17.1)	47 (24.1)	0	12 (16.4)	212 (16.3)	49 (18.3)	13 (12.1)
Obese	77 (3.9)	16 (8.2)	0	1 (1.4)	40 (3.1)	14 (5.2)	6 (5.6)
Very Obese	143 (7.3)	22 (11.3)	0	4 (5.5)	81 (6.2)	28 (10.4)	8 (7.5)
<b>2017 Total</b>	<b>2,215</b>	<b>210</b>	<b>8</b>	<b>80</b>	<b>1,501</b>	<b>299</b>	<b>117</b>
Overweight	386 (17.4)	38 (18.1)	1 (****)	9 (11.2)	253 (16.9)	59 (19.7)	26 (22.2)
Obese	91 (4.1)	13 (6.2)	0	1 (1.2)	63 (4.2)	10 (3.3)	4 (3.4)
Very Obese	157 (7.1)	28 (13.3)	0	7 (8.8)	79 (5.3)	34 (11.4)	9 (7.7)
<b>2016 Total</b>	<b>2,209</b>	<b>202</b>	<b>7</b>	<b>64</b>	<b>1,541</b>	<b>285</b>	<b>110</b>
Overweight	386 (17.5)	45 (22.3)	2 (****)	10 (15.6)	246 (16.0)	61 (21.4)	22 (20.0)
Obese	101 (4.6)	14 (6.9)	0	4 (6.2)	56 (3.6)	22 (7.7)	5 (4.5)
Very Obese	155 (7.0)	25 (12.4)	0	4 (6.2)	86 (5.6)	30 (10.5)	10 (9.1)
<b>2015 Total</b>	<b>2,279</b>	<b>183</b>	<b>12</b>	<b>57</b>	<b>1,612</b>	<b>294</b>	<b>121</b>
Overweight	371 (16.3)	47 (25.7)	1 (****)	7 (12.3)	231 (14.3)	60 (20.4)	25 (20.7)
Obese	108 (4.7)	17 (9.3)	0	4 (7.0)	56 (3.5)	22 (7.5)	9 (7.4)
Very Obese	151 (6.6)	20 (10.9)	0	3 (5.3)	94 (5.8)	18 (6.1)	16 (13.2)
<b>2014 Total</b>	<b>2,315</b>	<b>186</b>	<b>12</b>	<b>75</b>	<b>1,613</b>	<b>323</b>	<b>106</b>
Overweight	383 (16.5)	51 (27.4)	0	18 (24.0)	238 (14.8)	57 (17.6)	19 (17.9)
Obese	93 (4.0)	11 (5.9)	0	2 (2.7)	57 (3.5)	15 (4.6)	8 (7.5)
Very Obese	178 (7.7)	27 (14.5)	1 (****)	4 (5.3)	111 (6.9)	25 (7.7)	10 (9.4)
<b>2013 Total</b>	<b>2,524</b>	<b>217</b>	<b>12</b>	<b>72</b>	<b>1,761</b>	<b>349</b>	<b>113</b>
Overweight	424 (16.8)	47 (21.7)	2 (****)	15 (20.8)	266 (15.1)	70 (20.1)	24 (21.2)
Obese	126 (5.0)	23 (10.6)	0	3 (4.2)	79 (4.5)	14 (4.0)	7 (6.2)
Very Obese	208 (8.2)	36 (16.6)	1 (****)	5 (6.9)	118 (6.7)	34 (9.7)	14 (12.4)
<b>2012 Total</b>	<b>2,817</b>	<b>236</b>	<b>18</b>	<b>61</b>	<b>1,976</b>	<b>392</b>	<b>134</b>
Overweight	463 (16.4)	50 (21.2)	3 (****)	6 (9.8)	300 (15.2)	75 (19.1)	29 (21.6)
Obese	133 (4.7)	16 (6.8)	0	6 (9.8)	90 (4.6)	15 (3.8)	6 (4.5)
Very Obese	227 (8.1)	36 (15.3)	0	6 (9.8)	127 (6.4)	40 (10.2)	18 (13.4)
<b>2011 Total</b>	<b>3,025</b>	<b>235</b>	<b>19</b>	<b>77</b>	<b>2,135</b>	<b>418</b>	<b>141</b>
Overweight	487 (16.1)	49 (20.9)	2 (****)	15 (19.5)	318 (14.9)	74 (17.7)	29 (20.6)
Obese	163 (5.4)	26 (11.1)	0	4 (5.2)	102 (4.8)	21 (5.0)	10 (7.1)
Very Obese	200 (6.6)	36 (15.3)	1 (****)	2 (2.6)	108 (5.1)	36 (8.6)	17 (12.1)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

CARVER	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>348</b>	<b>&lt;5</b>	<b>12</b>	<b>77</b>	<b>151</b>	<b>17</b>	<b>89</b>
Overweight	46 (13.2)	0	0	11 (14.3)	16 (10.6)	3 (****)	16 (18.0)
Obese	6 (1.7)	0	1 (****)	1 (1.3)	1 (<1)	2 (****)	1 (1.1)
Very Obese	16 (4.6)	0	0	4 (5.2)	4 (2.6)	3 (****)	5 (5.6)
<b>2018 Total</b>	<b>367</b>	<b>&lt;5</b>	<b>8</b>	<b>97</b>	<b>152</b>	<b>16</b>	<b>93</b>
Overweight	41 (11.2)	0	1 (****)	10 (10.3)	13 (8.6)	1 (****)	16 (17.2)
Obese	7 (1.9)	0	0	3 (3.1)	2 (1.3)	0	2 (2.2)
Very Obese	20 (5.4)	0	0	6 (6.2)	7 (4.6)	2 (****)	5 (5.4)
<b>2017 Total</b>	<b>421</b>	<b>&lt;5</b>	<b>13</b>	<b>96</b>	<b>186</b>	<b>23</b>	<b>102</b>
Overweight	44 (10.5)	0	0	6 (6.2)	23 (12.4)	4 (****)	11 (10.8)
Obese	10 (2.4)	0	1 (****)	5 (5.2)	2 (1.1)	1 (****)	1 (1.0)
Very Obese	21 (5.0)	1 (****)	0	4 (4.2)	8 (4.3)	0	8 (7.8)
<b>2016 Total</b>	<b>406</b>	<b>&lt;5</b>	<b>18</b>	<b>84</b>	<b>168</b>	<b>24</b>	<b>109</b>
Overweight	46 (11.3)	0	1 (****)	8 (9.5)	23 (13.7)	3 (****)	11 (10.1)
Obese	5 (1.2)	0	0	1 (1.2)	1 (<1)	0	3 (2.8)
Very Obese	22 (5.4)	1 (****)	1 (****)	2 (2.4)	5 (3.0)	0	13 (11.9)
<b>2015 Total</b>	<b>412</b>	<b>&lt;5</b>	<b>13</b>	<b>77</b>	<b>181</b>	<b>23</b>	<b>115</b>
Overweight	52 (12.6)	0	0	8 (10.4)	25 (13.8)	4 (****)	15 (13.0)
Obese	12 (2.9)	0	1 (****)	1 (1.3)	3 (1.7)	0	7 (6.1)
Very Obese	16 (3.9)	1 (****)	1 (****)	2 (2.6)	5 (2.8)	0	7 (6.1)
<b>2014 Total</b>	<b>400</b>	<b>0</b>	<b>14</b>	<b>62</b>	<b>202</b>	<b>17</b>	<b>105</b>
Overweight	49 (12.2)	0	0	9 (14.5)	24 (11.9)	4 (****)	12 (11.4)
Obese	3 (<1)	****	****	****	****	****	****
Very Obese	18 (4.5)	0	2 (****)	4 (6.5)	6 (3.0)	0	6 (5.7)
<b>2013 Total</b>	<b>422</b>	<b>&lt;5</b>	<b>18</b>	<b>58</b>	<b>222</b>	<b>14</b>	<b>109</b>
Overweight	40 (9.5)	****	3 (****)	5 (8.6)	19 (8.6)	0	13 (11.9)
Obese	16 (3.8)	****	0	1 (1.7)	9 (4.1)	2 (****)	4 (3.7)
Very Obese	28 (6.6)	****	1 (****)	4 (6.9)	13 (5.9)	0	10 (9.2)
<b>2012 Total</b>	<b>422</b>	<b>&lt;5</b>	<b>19</b>	<b>55</b>	<b>199</b>	<b>24</b>	<b>123</b>
Overweight	74 (17.5)	****	3 (****)	6 (10.9)	40 (20.1)	3 (****)	22 (17.9)
Obese	10 (2.4)	****	0	3 (5.5)	4 (2.0)	0	3 (2.4)
Very Obese	20 (4.7)	****	0	4 (7.3)	6 (3.0)	1 (****)	9 (7.3)
<b>2011 Total</b>	<b>489</b>	<b>&lt;5</b>	<b>16</b>	<b>71</b>	<b>239</b>	<b>24</b>	<b>138</b>
Overweight	78 (16.0)	****	0	10 (14.1)	35 (14.6)	2 (****)	31 (22.5)
Obese	26 (5.3)	****	0	3 (4.2)	15 (6.3)	1 (****)	6 (4.3)
Very Obese	15 (3.1)	****	1 (****)	3 (4.2)	5 (2.1)	2 (****)	4 (2.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

CASS	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>445</b>	<b>197</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>167</b>	<b>48</b>	<b>30</b>
Overweight	73 (16.4)	36 (18.3)	0	1 (****)	20 (12.0)	11 (22.9)	5 (16.7)
Obese	24 (5.4)	13 (6.6)	0	0	6 (3.6)	4 (8.3)	1 (3.3)
Very Obese	65 (14.6)	40 (20.3)	0	0	16 (9.6)	6 (12.5)	3 (10.0)
<b>2018 Total</b>	<b>493</b>	<b>219</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>208</b>	<b>43</b>	<b>19</b>
Overweight	85 (17.2)	38 (17.4)	0	2 (****)	36 (17.3)	7 (16.3)	2 (****)
Obese	25 (5.1)	12 (5.5)	0	0	7 (3.4)	4 (9.3)	2 (****)
Very Obese	68 (13.8)	46 (21.0)	0	0	13 (6.2)	8 (18.6)	1 (****)
<b>2017 Total</b>	<b>506</b>	<b>201</b>	<b>&lt;5</b>	<b>0</b>	<b>250</b>	<b>37</b>	<b>17</b>
Overweight	87 (17.2)	34 (16.9)	0	0	43 (17.2)	7 (18.9)	3 (****)
Obese	32 (6.3)	17 (8.5)	0	0	10 (4.0)	4 (10.8)	1 (****)
Very Obese	67 (13.2)	42 (20.9)	0	0	18 (7.2)	7 (18.9)	0
<b>2016 Total</b>	<b>559</b>	<b>229</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>277</b>	<b>38</b>	<b>15</b>
Overweight	79 (14.1)	41 (17.9)	0	0	31 (11.2)	6 (15.8)	1 (****)
Obese	42 (7.5)	24 (10.5)	0	0	15 (5.4)	3 (7.9)	0
Very Obese	66 (11.8)	47 (20.5)	0	0	15 (5.4)	4 (10.5)	0
<b>2015 Total</b>	<b>569</b>	<b>258</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>255</b>	<b>39</b>	<b>14</b>
Overweight	82 (14.4)	51 (19.8)	0	1 (****)	21 (8.2)	6 (15.4)	3 (****)
Obese	34 (6.0)	20 (7.8)	0	0	9 (3.5)	4 (10.3)	1 (****)
Very Obese	73 (12.8)	52 (20.2)	0	0	12 (4.7)	9 (23.1)	0
<b>2014 Total</b>	<b>538</b>	<b>244</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>223</b>	<b>49</b>	<b>18</b>
Overweight	84 (15.6)	52 (21.3)	****	****	24 (10.8)	6 (12.2)	2 (****)
Obese	47 (8.7)	21 (8.6)	****	****	15 (6.7)	10 (20.4)	1 (****)
Very Obese	71 (13.2)	51 (20.9)	****	****	11 (4.9)	7 (14.3)	2 (****)
<b>2013 Total</b>	<b>581</b>	<b>256</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>248</b>	<b>57</b>	<b>17</b>
Overweight	114 (19.6)	59 (23.0)	****	****	40 (16.1)	9 (15.8)	5 (****)
Obese	45 (7.7)	26 (10.2)	****	****	15 (6.0)	3 (5.3)	1 (****)
Very Obese	91 (15.7)	63 (24.6)	****	****	15 (6.0)	10 (17.5)	3 (****)
<b>2012 Total</b>	<b>626</b>	<b>271</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>274</b>	<b>59</b>	<b>18</b>
Overweight	122 (19.5)	60 (22.1)	****	****	48 (17.5)	11 (18.6)	2 (****)
Obese	49 (7.8)	29 (10.7)	****	****	10 (3.6)	9 (15.3)	1 (****)
Very Obese	100 (16.0)	66 (24.4)	****	****	17 (6.2)	12 (20.3)	4 (****)
<b>2011 Total</b>	<b>710</b>	<b>276</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>335</b>	<b>69</b>	<b>26</b>
Overweight	130 (18.3)	70 (25.4)	****	****	41 (12.2)	14 (20.3)	5 (****)
Obese	55 (7.7)	24 (8.7)	****	****	22 (6.6)	7 (10.1)	2 (****)
Very Obese	79 (11.1)	53 (19.2)	****	****	12 (3.6)	9 (13.0)	4 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

CHISAGO	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>347</b>	<b>&lt;5</b>	<b>17</b>	<b>&lt;5</b>	<b>272</b>	<b>28</b>	<b>25</b>
Overweight	52 (15.0)	0	3 (****)	0	44 (16.2)	2 (****)	3 (****)
Obese	15 (4.3)	0	1 (****)	0	13 (4.8)	1 (****)	0
Very Obese	27 (7.8)	1 (****)	0	0	18 (6.6)	7 (****)	1 (****)
<b>2018 Total</b>	<b>358</b>	<b>&lt;5</b>	<b>16</b>	<b>&lt;5</b>	<b>286</b>	<b>31</b>	<b>21</b>
Overweight	49 (13.7)	0	1 (****)	0	38 (13.3)	5 (16.1)	5 (****)
Obese	14 (3.9)	0	0	1 (****)	13 (4.5)	0	0
Very Obese	32 (8.9)	2 (****)	1 (****)	1 (****)	25 (8.7)	2 (6.5)	1 (****)
<b>2017 Total</b>	<b>378</b>	<b>5</b>	<b>13</b>	<b>&lt;5</b>	<b>302</b>	<b>29</b>	<b>27</b>
Overweight	56 (14.8)	3 (****)	1 (****)	1 (****)	36 (11.9)	10 (****)	5 (****)
Obese	8 (2.1)	0	0	0	8 (2.6)	0	0
Very Obese	30 (7.9)	1 (****)	2 (****)	0	23 (7.6)	2 (****)	2 (****)
<b>2016 Total</b>	<b>400</b>	<b>7</b>	<b>9</b>	<b>&lt;5</b>	<b>327</b>	<b>30</b>	<b>26</b>
Overweight	55 (13.8)	3 (****)	1 (****)	0	41 (12.5)	6 (20.0)	4 (****)
Obese	19 (4.8)	0	0	1 (****)	15 (4.6)	1 (3.3)	2 (****)
Very Obese	28 (7.0)	0	1 (****)	0	20 (6.1)	3 (10.0)	4 (****)
<b>2015 Total</b>	<b>411</b>	<b>6</b>	<b>7</b>	<b>0</b>	<b>336</b>	<b>31</b>	<b>31</b>
Overweight	60 (14.6)	3 (****)	1 (****)	0	46 (13.7)	3 (9.7)	7 (22.6)
Obese	20 (4.9)	1 (****)	1 (****)	0	14 (4.2)	3 (9.7)	1 (3.2)
Very Obese	24 (5.8)	0	0	0	21 (6.2)	2 (6.5)	1 (3.2)
<b>2014 Total</b>	<b>392</b>	<b>7</b>	<b>6</b>	<b>&lt;5</b>	<b>327</b>	<b>21</b>	<b>28</b>
Overweight	52 (13.3)	1 (****)	1 (****)	****	41 (12.5)	6 (****)	3 (****)
Obese	20 (5.1)	0	0	****	17 (5.2)	0	3 (****)
Very Obese	27 (6.9)	4 (****)	0	****	18 (5.5)	1 (****)	4 (****)
<b>2013 Total</b>	<b>461</b>	<b>5</b>	<b>5</b>	<b>&lt;5</b>	<b>393</b>	<b>22</b>	<b>32</b>
Overweight	62 (13.4)	0	1 (****)	****	56 (14.2)	3 (****)	2 (6.2)
Obese	23 (5.0)	0	0	****	20 (5.1)	0	3 (9.4)
Very Obese	30 (6.5)	3 (****)	1 (****)	****	17 (4.3)	3 (****)	6 (18.8)
<b>2012 Total</b>	<b>453</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>393</b>	<b>31</b>	<b>20</b>
Overweight	60 (13.2)	****	****	****	55 (14.0)	3 (9.7)	1 (****)
Obese	20 (4.4)	****	****	****	17 (4.3)	2 (6.5)	1 (****)
Very Obese	27 (6.0)	****	****	****	18 (4.6)	4 (12.9)	5 (****)
<b>2011 Total</b>	<b>516</b>	<b>9</b>	<b>6</b>	<b>&lt;5</b>	<b>430</b>	<b>33</b>	<b>34</b>
Overweight	80 (15.5)	1 (****)	1 (****)	****	67 (15.6)	5 (15.2)	6 (17.6)
Obese	21 (4.1)	1 (****)	0	****	16 (3.7)	1 (3.0)	3 (8.8)
Very Obese	40 (7.8)	0	1 (****)	****	29 (6.7)	5 (15.2)	4 (11.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

COUNTRYSIDE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>579</b>	<b>12</b>	<b>39</b>	<b>7</b>	<b>379</b>	<b>23</b>	<b>119</b>
Overweight	117 (20.2)	2 (****)	10 (25.6)	0	75 (19.8)	3 (****)	27 (22.7)
Obese	38 (6.6)	1 (****)	2 (5.1)	3 (****)	24 (6.3)	1 (****)	7 (5.9)
Very Obese	56 (9.7)	6 (****)	5 (12.8)	1 (****)	27 (7.1)	3 (****)	14 (11.8)
<b>2018 Total</b>	<b>626</b>	<b>16</b>	<b>42</b>	<b>8</b>	<b>399</b>	<b>20</b>	<b>141</b>
Overweight	127 (20.3)	2 (****)	11 (26.2)	1 (****)	75 (18.8)	6 (****)	32 (22.7)
Obese	37 (5.9)	2 (****)	4 (9.5)	0	19 (4.8)	2 (****)	10 (7.1)
Very Obese	61 (9.7)	3 (****)	6 (14.3)	1 (****)	31 (7.8)	1 (****)	19 (13.5)
<b>2017 Total</b>	<b>646</b>	<b>17</b>	<b>36</b>	<b>16</b>	<b>413</b>	<b>21</b>	<b>143</b>
Overweight	108 (16.7)	5 (****)	10 (27.8)	1 (****)	74 (17.9)	2 (****)	16 (11.2)
Obese	31 (4.8)	2 (****)	3 (8.3)	0	20 (4.8)	1 (****)	5 (3.5)
Very Obese	62 (9.6)	2 (****)	7 (19.4)	2 (****)	33 (8.0)	3 (****)	15 (10.5)
<b>2016 Total</b>	<b>657</b>	<b>9</b>	<b>26</b>	<b>17</b>	<b>448</b>	<b>20</b>	<b>137</b>
Overweight	135 (20.5)	2 (****)	6 (****)	1 (****)	97 (21.7)	4 (****)	25 (18.2)
Obese	38 (5.8)	2 (****)	5 (****)	0	23 (5.1)	0	8 (5.8)
Very Obese	55 (8.4)	2 (****)	1 (****)	3 (****)	29 (6.5)	1 (****)	19 (13.9)
<b>2015 Total</b>	<b>699</b>	<b>11</b>	<b>26</b>	<b>13</b>	<b>478</b>	<b>24</b>	<b>147</b>
Overweight	136 (19.5)	3 (****)	7 (****)	1 (****)	92 (19.2)	4 (****)	29 (19.7)
Obese	35 (5.0)	0	1 (****)	2 (****)	22 (4.6)	0	10 (6.8)
Very Obese	42 (6.0)	1 (****)	4 (****)	0	17 (3.6)	1 (****)	19 (12.9)
<b>2014 Total</b>	<b>687</b>	<b>12</b>	<b>21</b>	<b>17</b>	<b>478</b>	<b>19</b>	<b>140</b>
Overweight	117 (17.0)	1 (****)	5 (****)	2 (****)	81 (16.9)	4 (****)	24 (17.1)
Obese	35 (5.1)	3 (****)	2 (****)	0	16 (3.3)	2 (****)	12 (8.6)
Very Obese	46 (6.7)	1 (****)	3 (****)	0	28 (5.9)	2 (****)	12 (8.6)
<b>2013 Total</b>	<b>690</b>	<b>8</b>	<b>15</b>	<b>9</b>	<b>521</b>	<b>18</b>	<b>119</b>
Overweight	111 (16.1)	1 (****)	2 (****)	1 (****)	85 (16.3)	2 (****)	20 (16.8)
Obese	31 (4.5)	0	2 (****)	0	18 (3.5)	2 (****)	9 (7.6)
Very Obese	55 (8.0)	1 (****)	3 (****)	1 (****)	36 (6.9)	3 (****)	11 (9.2)
<b>2012 Total</b>	<b>753</b>	<b>15</b>	<b>9</b>	<b>13</b>	<b>568</b>	<b>23</b>	<b>125</b>
Overweight	121 (16.1)	2 (****)	4 (****)	1 (****)	84 (14.8)	5 (****)	25 (20.0)
Obese	28 (3.7)	0	0	0	20 (3.5)	1 (****)	7 (5.6)
Very Obese	61 (8.1)	2 (****)	3 (****)	2 (****)	38 (6.7)	2 (****)	14 (11.2)
<b>2011 Total</b>	<b>796</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>620</b>	<b>16</b>	<b>118</b>
Overweight	116 (14.6)	1 (****)	4 (****)	3 (****)	86 (13.9)	3 (****)	19 (16.1)
Obese	48 (6.0)	0	3 (****)	2 (****)	31 (5.0)	1 (****)	11 (9.3)
Very Obese	70 (8.8)	3 (****)	1 (****)	3 (****)	47 (7.6)	2 (****)	14 (11.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

CROW WING	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>644</b>	<b>35</b>	<b>&lt;5</b>	<b>5</b>	<b>521</b>	<b>52</b>	<b>28</b>
Overweight	100 (15.5)	8 (22.9)	0	0	75 (14.4)	13 (25.0)	4 (****)
Obese	41 (6.4)	1 (2.9)	0	0	34 (6.5)	2 (3.8)	4 (****)
Very Obese	46 (7.1)	4 (11.4)	1 (****)	1 (****)	26 (5.0)	9 (17.3)	5 (****)
<b>2018 Total</b>	<b>634</b>	<b>26</b>	<b>&lt;5</b>	<b>8</b>	<b>509</b>	<b>58</b>	<b>31</b>
Overweight	124 (19.6)	5 (****)	0	0	99 (19.4)	13 (22.4)	7 (22.6)
Obese	27 (4.3)	5 (****)	0	0	18 (3.5)	1 (1.7)	3 (9.7)
Very Obese	44 (6.9)	4 (****)	0	1 (****)	28 (5.5)	8 (13.8)	3 (9.7)
<b>2017 Total</b>	<b>690</b>	<b>23</b>	<b>0</b>	<b>6</b>	<b>563</b>	<b>64</b>	<b>34</b>
Overweight	132 (19.1)	8 (****)	0	3 (****)	101 (17.9)	14 (21.9)	6 (17.6)
Obese	43 (6.2)	4 (****)	0	0	34 (6.0)	3 (4.7)	2 (5.9)
Very Obese	46 (6.7)	5 (****)	0	0	30 (5.3)	7 (10.9)	4 (11.8)
<b>2016 Total</b>	<b>742</b>	<b>19</b>	<b>&lt;5</b>	<b>8</b>	<b>607</b>	<b>80</b>	<b>27</b>
Overweight	132 (17.8)	2 (****)	1 (****)	0	108 (17.8)	15 (18.8)	6 (****)
Obese	32 (4.3)	3 (****)	0	0	25 (4.1)	3 (3.8)	1 (****)
Very Obese	55 (7.4)	4 (****)	0	0	41 (6.8)	10 (12.5)	0
<b>2015 Total</b>	<b>768</b>	<b>19</b>	<b>&lt;5</b>	<b>9</b>	<b>635</b>	<b>79</b>	<b>25</b>
Overweight	133 (17.3)	5 (****)	0	1 (****)	111 (17.5)	11 (13.9)	5 (****)
Obese	28 (3.6)	2 (****)	0	0	22 (3.5)	3 (3.8)	1 (****)
Very Obese	47 (6.1)	2 (****)	1 (****)	2 (****)	29 (4.6)	13 (16.5)	0
<b>2014 Total</b>	<b>764</b>	<b>12</b>	<b>0</b>	<b>10</b>	<b>646</b>	<b>74</b>	<b>22</b>
Overweight	110 (14.4)	1 (****)	0	1 (****)	88 (13.6)	15 (20.3)	5 (****)
Obese	37 (4.8)	2 (****)	0	2 (****)	27 (4.2)	6 (8.1)	0
Very Obese	47 (6.2)	1 (****)	0	0	34 (5.3)	8 (10.8)	4 (****)
<b>2013 Total</b>	<b>839</b>	<b>15</b>	<b>&lt;5</b>	<b>9</b>	<b>737</b>	<b>54</b>	<b>23</b>
Overweight	121 (14.4)	5 (****)	****	5 (****)	99 (13.4)	9 (16.7)	3 (****)
Obese	48 (5.7)	1 (****)	****	0	39 (5.3)	4 (7.4)	4 (****)
Very Obese	54 (6.4)	2 (****)	****	0	43 (5.8)	7 (13.0)	2 (****)
<b>2012 Total</b>	<b>967</b>	<b>8</b>	<b>&lt;5</b>	<b>9</b>	<b>868</b>	<b>50</b>	<b>29</b>
Overweight	140 (14.5)	2 (****)	****	1 (****)	125 (14.4)	9 (18.0)	3 (****)
Obese	46 (4.8)	1 (****)	****	0	37 (4.3)	6 (12.0)	2 (****)
Very Obese	52 (5.4)	2 (****)	****	0	44 (5.1)	5 (10.0)	1 (****)
<b>2011 Total</b>	<b>1,021</b>	<b>8</b>	<b>&lt;5</b>	<b>7</b>	<b>937</b>	<b>48</b>	<b>19</b>
Overweight	148 (14.5)	1 (****)	****	1 (****)	131 (14.0)	12 (25.0)	3 (****)
Obese	44 (4.3)	0	****	0	41 (4.4)	3 (6.2)	0
Very Obese	45 (4.4)	3 (****)	****	0	37 (3.9)	2 (4.2)	3 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

DAKOTA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>2,835</b>	<b>10</b>	<b>138</b>	<b>953</b>	<b>728</b>	<b>237</b>	<b>769</b>
Overweight	388 (13.7)	3 (****)	15 (10.9)	113 (11.9)	118 (16.2)	29 (12.2)	110 (14.3)
Obese	121 (4.3)	0	7 (5.1)	38 (4.0)	27 (3.7)	6 (2.5)	43 (5.6)
Very Obese	206 (7.3)	0	8 (5.8)	65 (6.8)	38 (5.2)	19 (8.0)	76 (9.9)
<b>2018 Total</b>	<b>3,115</b>	<b>13</b>	<b>145</b>	<b>1,062</b>	<b>773</b>	<b>252</b>	<b>870</b>
Overweight	462 (14.8)	1 (****)	20 (13.8)	153 (14.4)	112 (14.5)	35 (13.9)	141 (16.2)
Obese	134 (4.3)	0	8 (5.5)	43 (4.0)	20 (2.6)	11 (4.4)	52 (6.0)
Very Obese	219 (7.0)	1 (****)	7 (4.8)	62 (5.8)	39 (5.0)	16 (6.3)	94 (10.8)
<b>2017 Total</b>	<b>3,055</b>	<b>15</b>	<b>147</b>	<b>1,012</b>	<b>792</b>	<b>256</b>	<b>833</b>
Overweight	449 (14.7)	3 (****)	14 (9.5)	153 (15.1)	109 (13.8)	36 (14.1)	134 (16.1)
Obese	122 (4.0)	0	6 (4.1)	47 (4.6)	23 (2.9)	8 (3.1)	38 (4.6)
Very Obese	231 (7.6)	0	12 (8.2)	57 (5.6)	50 (6.3)	13 (5.1)	99 (11.9)
<b>2016 Total</b>	<b>3,203</b>	<b>19</b>	<b>158</b>	<b>975</b>	<b>905</b>	<b>274</b>	<b>872</b>
Overweight	457 (14.3)	6 (****)	25 (15.8)	130 (13.3)	136 (15.0)	35 (12.8)	125 (14.3)
Obese	120 (3.7)	1 (****)	2 (1.3)	32 (3.3)	41 (4.5)	9 (3.3)	35 (4.0)
Very Obese	221 (6.9)	2 (****)	11 (7.0)	58 (5.9)	39 (4.3)	20 (7.3)	91 (10.4)
<b>2015 Total</b>	<b>3,340</b>	<b>17</b>	<b>145</b>	<b>984</b>	<b>969</b>	<b>267</b>	<b>958</b>
Overweight	481 (14.4)	2 (****)	18 (12.4)	141 (14.3)	123 (12.7)	42 (15.7)	155 (16.2)
Obese	139 (4.2)	1 (****)	6 (4.1)	35 (3.6)	37 (3.8)	12 (4.5)	48 (5.0)
Very Obese	252 (7.5)	3 (****)	7 (4.8)	72 (7.3)	47 (4.9)	22 (8.2)	101 (10.5)
<b>2014 Total</b>	<b>3,294</b>	<b>18</b>	<b>134</b>	<b>946</b>	<b>1,021</b>	<b>235</b>	<b>940</b>
Overweight	445 (13.5)	1 (****)	9 (6.7)	110 (11.6)	136 (13.3)	30 (12.8)	159 (16.9)
Obese	133 (4.0)	1 (****)	3 (2.2)	31 (3.3)	35 (3.4)	11 (4.7)	52 (5.5)
Very Obese	255 (7.7)	4 (****)	8 (6.0)	71 (7.5)	58 (5.7)	14 (6.0)	100 (10.6)
<b>2013 Total</b>	<b>3,432</b>	<b>10</b>	<b>139</b>	<b>942</b>	<b>1,096</b>	<b>267</b>	<b>978</b>
Overweight	531 (15.5)	0	17 (12.2)	130 (13.8)	174 (15.9)	40 (15.0)	170 (17.4)
Obese	138 (4.0)	0	4 (2.9)	41 (4.4)	42 (3.8)	9 (3.4)	42 (4.3)
Very Obese	237 (6.9)	2 (****)	9 (6.5)	64 (6.8)	51 (4.7)	15 (5.6)	96 (9.8)
<b>2012 Total</b>	<b>3,507</b>	<b>15</b>	<b>145</b>	<b>913</b>	<b>1,177</b>	<b>233</b>	<b>1,024</b>
Overweight	520 (14.8)	0	20 (13.8)	122 (13.4)	170 (14.4)	44 (18.9)	164 (16.0)
Obese	144 (4.1)	0	5 (3.4)	41 (4.5)	35 (3.0)	9 (3.9)	54 (5.3)
Very Obese	251 (7.2)	2 (****)	6 (4.1)	61 (6.7)	72 (6.1)	12 (5.2)	98 (9.6)
<b>2011 Total</b>	<b>3,710</b>	<b>15</b>	<b>154</b>	<b>933</b>	<b>1,210</b>	<b>282</b>	<b>1,116</b>
Overweight	556 (15.0)	1 (****)	16 (10.4)	134 (14.4)	160 (13.2)	45 (16.0)	200 (17.9)
Obese	180 (4.9)	2 (****)	5 (3.2)	45 (4.8)	48 (4.0)	16 (5.7)	64 (5.7)
Very Obese	232 (6.3)	0	11 (7.1)	58 (6.2)	48 (4.0)	16 (5.7)	99 (8.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

DES MOINES VALLEY	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>259</b>	<b>&lt;5</b>	<b>13</b>	<b>11</b>	<b>153</b>	<b>16</b>	<b>65</b>
Overweight	51 (19.7)	0	2 (****)	0	35 (22.9)	1 (****)	13 (20.0)
Obese	11 (4.2)	0	1 (****)	0	5 (3.3)	0	5 (7.7)
Very Obese	28 (10.8)	1 (****)	0	2 (****)	17 (11.1)	1 (****)	7 (10.8)
<b>2018 Total</b>	<b>258</b>	<b>&lt;5</b>	<b>13</b>	<b>10</b>	<b>142</b>	<b>22</b>	<b>70</b>
Overweight	43 (16.7)	0	2 (****)	1 (****)	26 (18.3)	2 (****)	12 (17.1)
Obese	13 (5.0)	0	0	0	6 (4.2)	2 (****)	5 (7.1)
Very Obese	22 (8.5)	1 (****)	1 (****)	1 (****)	13 (9.2)	1 (****)	5 (7.1)
<b>2017 Total</b>	<b>262</b>	<b>&lt;5</b>	<b>12</b>	<b>7</b>	<b>137</b>	<b>35</b>	<b>70</b>
Overweight	48 (18.3)	0	0	0	23 (16.8)	6 (17.1)	19 (27.1)
Obese	7 (2.7)	0	0	0	7 (5.1)	0	0
Very Obese	21 (8.0)	1 (****)	0	0	11 (8.0)	5 (14.3)	4 (5.7)
<b>2016 Total</b>	<b>274</b>	<b>&lt;5</b>	<b>11</b>	<b>8</b>	<b>154</b>	<b>32</b>	<b>68</b>
Overweight	53 (19.3)	0	3 (****)	2 (****)	29 (18.8)	6 (18.8)	13 (19.1)
Obese	10 (3.6)	0	0	1 (****)	5 (3.2)	1 (3.1)	3 (4.4)
Very Obese	24 (8.8)	1 (****)	0	0	10 (6.5)	6 (18.8)	7 (10.3)
<b>2015 Total</b>	<b>297</b>	<b>&lt;5</b>	<b>19</b>	<b>5</b>	<b>151</b>	<b>49</b>	<b>72</b>
Overweight	56 (18.9)	0	2 (****)	1 (****)	31 (20.5)	9 (18.4)	13 (18.1)
Obese	11 (3.7)	0	0	0	8 (5.3)	1 (2.0)	2 (2.8)
Very Obese	27 (9.1)	0	2 (****)	0	9 (6.0)	6 (12.2)	10 (13.9)
<b>2014 Total</b>	<b>286</b>	<b>0</b>	<b>19</b>	<b>&lt;5</b>	<b>152</b>	<b>42</b>	<b>70</b>
Overweight	39 (13.6)	0	1 (****)	****	17 (11.2)	2 (4.8)	18 (25.7)
Obese	20 (7.0)	0	0	****	11 (7.2)	4 (9.5)	5 (7.1)
Very Obese	25 (8.7)	0	1 (****)	****	15 (9.9)	2 (4.8)	7 (10.0)
<b>2013 Total</b>	<b>307</b>	<b>0</b>	<b>16</b>	<b>&lt;5</b>	<b>177</b>	<b>41</b>	<b>70</b>
Overweight	50 (16.3)	0	3 (****)	1 (****)	21 (11.9)	6 (14.6)	19 (27.1)
Obese	11 (3.6)	0	0	0	5 (2.8)	2 (4.9)	4 (5.7)
Very Obese	25 (8.1)	0	1 (****)	0	15 (8.5)	1 (2.4)	8 (11.4)
<b>2012 Total</b>	<b>312</b>	<b>0</b>	<b>10</b>	<b>&lt;5</b>	<b>193</b>	<b>39</b>	<b>67</b>
Overweight	52 (16.7)	0	2 (****)	0	29 (15.0)	4 (10.3)	17 (25.4)
Obese	18 (5.8)	0	1 (****)	0	12 (6.2)	2 (5.1)	3 (4.5)
Very Obese	17 (5.4)	0	2 (****)	1 (****)	5 (2.6)	1 (2.6)	8 (11.9)
<b>2011 Total</b>	<b>330</b>	<b>0</b>	<b>23</b>	<b>&lt;5</b>	<b>194</b>	<b>34</b>	<b>77</b>
Overweight	53 (16.1)	0	1 (****)	0	29 (14.9)	4 (11.8)	19 (24.7)
Obese	17 (5.2)	0	0	0	11 (5.7)	1 (2.9)	5 (6.5)
Very Obese	27 (8.2)	0	4 (****)	0	11 (5.7)	1 (2.9)	11 (14.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

DODGE-STEELE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>585</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>100</b>	<b>287</b>	<b>40</b>	<b>152</b>
Overweight	99 (16.9)	0	0	7 (7.0)	48 (16.7)	10 (25.0)	34 (22.4)
Obese	26 (4.4)	0	0	3 (3.0)	15 (5.2)	3 (7.5)	5 (3.3)
Very Obese	65 (11.1)	0	0	22 (22.0)	22 (7.7)	2 (5.0)	19 (12.5)
<b>2018 Total</b>	<b>624</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>101</b>	<b>318</b>	<b>38</b>	<b>160</b>
Overweight	104 (16.7)	0	0	12 (11.9)	49 (15.4)	8 (21.1)	35 (21.9)
Obese	25 (4.0)	0	0	4 (4.0)	14 (4.4)	1 (2.6)	6 (3.8)
Very Obese	57 (9.1)	0	0	14 (13.9)	19 (6.0)	4 (10.5)	20 (12.5)
<b>2017 Total</b>	<b>671</b>	<b>&lt;5</b>	<b>5</b>	<b>94</b>	<b>344</b>	<b>42</b>	<b>186</b>
Overweight	121 (18.0)	0	0	11 (11.7)	61 (17.7)	5 (11.9)	44 (23.7)
Obese	32 (4.8)	0	0	7 (7.4)	16 (4.7)	5 (11.9)	4 (2.2)
Very Obese	53 (7.9)	0	0	7 (7.4)	22 (6.4)	2 (4.8)	22 (11.8)
<b>2016 Total</b>	<b>740</b>	<b>&lt;5</b>	<b>6</b>	<b>92</b>	<b>386</b>	<b>59</b>	<b>197</b>
Overweight	135 (18.2)	0	1 (****)	12 (13.0)	81 (21.0)	8 (13.6)	33 (16.8)
Obese	37 (5.0)	0	1 (****)	8 (8.7)	13 (3.4)	3 (5.1)	12 (6.1)
Very Obese	69 (9.3)	0	0	4 (4.3)	29 (7.5)	8 (13.6)	28 (14.2)
<b>2015 Total</b>	<b>752</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>100</b>	<b>383</b>	<b>52</b>	<b>214</b>
Overweight	112 (14.9)	0	0	12 (12.0)	57 (14.9)	7 (13.5)	36 (16.8)
Obese	31 (4.1)	0	0	3 (3.0)	13 (3.4)	5 (9.6)	10 (4.7)
Very Obese	67 (8.9)	0	0	10 (10.0)	23 (6.0)	3 (5.8)	31 (14.5)
<b>2014 Total</b>	<b>726</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>95</b>	<b>389</b>	<b>53</b>	<b>183</b>
Overweight	121 (16.7)	****	****	11 (11.6)	64 (16.5)	10 (18.9)	35 (19.1)
Obese	25 (3.4)	****	****	3 (3.2)	12 (3.1)	2 (3.8)	8 (4.4)
Very Obese	54 (7.4)	****	****	8 (8.4)	18 (4.6)	6 (11.3)	22 (12.0)
<b>2013 Total</b>	<b>814</b>	<b>3</b>	<b>5</b>	<b>99</b>	<b>434</b>	<b>70</b>	<b>203</b>
Overweight	129 (15.8)	1 (****)	0	13 (13.1)	69 (15.9)	15 (21.4)	31 (15.3)
Obese	45 (5.5)	0	0	6 (6.1)	25 (5.8)	1 (1.4)	13 (6.4)
Very Obese	53 (6.5)	0	1 (****)	8 (8.1)	17 (3.9)	5 (7.1)	22 (10.8)
<b>2012 Total</b>	<b>880</b>	<b>3</b>	<b>6</b>	<b>111</b>	<b>487</b>	<b>62</b>	<b>211</b>
Overweight	161 (18.3)	0	1 (****)	23 (20.7)	77 (15.8)	16 (25.8)	44 (20.9)
Obese	40 (4.5)	0	0	4 (3.6)	21 (4.3)	2 (3.2)	13 (6.2)
Very Obese	62 (7.0)	0	0	9 (8.1)	25 (5.1)	4 (6.5)	24 (11.4)
<b>2011 Total</b>	<b>956</b>	<b>&lt;5</b>	<b>6</b>	<b>92</b>	<b>545</b>	<b>69</b>	<b>242</b>
Overweight	139 (14.5)	0	2 (****)	15 (16.3)	77 (14.1)	11 (15.9)	34 (14.0)
Obese	47 (4.9)	0	0	8 (8.7)	25 (4.6)	2 (2.9)	12 (5.0)
Very Obese	73 (7.6)	0	0	8 (8.7)	36 (6.6)	2 (2.9)	27 (11.2)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

<b>FARIBAULT-MARTIN</b>	<b>Undup Total<sup>2</sup></b>	<b>Amer Indian NH</b>	<b>Asian NH<sup>3</sup></b>	<b>Black/ African- Amer NH<sup>4</sup></b>	<b>White NH</b>	<b>&gt; 1 Race NH</b>	<b>Hispanic All Races</b>
<b>2019 Total</b>	<b>396</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>257</b>	<b>11</b>	<b>125</b>
Overweight	66 (16.7)	0	0	1 (****)	37 (14.4)	2 (****)	26 (20.8)
Obese	12 (3.0)	0	0	0	8 (3.1)	1 (****)	3 (2.4)
Very Obese	58 (14.6)	0	0	0	30 (11.7)	0	28 (22.4)
<b>2018 Total</b>	<b>403</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>255</b>	<b>12</b>	<b>134</b>
Overweight	63 (15.6)	0	0	0	39 (15.3)	1 (****)	23 (17.2)
Obese	30 (7.4)	0	0	0	17 (6.7)	1 (****)	12 (9.0)
Very Obese	61 (15.1)	0	0	0	25 (9.8)	2 (****)	34 (25.4)
<b>2017 Total</b>	<b>398</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>255</b>	<b>17</b>	<b>120</b>
Overweight	87 (21.9)	1 (****)	1 (****)	0	54 (21.2)	1 (****)	30 (25.0)
Obese	29 (7.3)	0	0	0	14 (5.5)	1 (****)	14 (11.7)
Very Obese	40 (10.1)	0	0	0	18 (7.1)	2 (****)	20 (16.7)
<b>2016 Total</b>	<b>435</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>314</b>	<b>18</b>	<b>98</b>
Overweight	82 (18.9)	0	0	0	58 (18.5)	2 (****)	22 (22.4)
Obese	18 (4.1)	0	0	0	9 (2.9)	2 (****)	7 (7.1)
Very Obese	46 (10.6)	0	0	0	26 (8.3)	3 (****)	17 (17.3)
<b>2015 Total</b>	<b>458</b>	<b>&lt;5</b>	<b>0</b>	<b>&lt;5</b>	<b>326</b>	<b>18</b>	<b>107</b>
Overweight	77 (16.8)	1 (****)	0	1 (****)	50 (15.3)	2 (****)	23 (21.5)
Obese	21 (4.6)	0	0	0	14 (4.3)	1 (****)	6 (5.6)
Very Obese	47 (10.3)	0	0	1 (****)	23 (7.1)	2 (****)	21 (19.6)
<b>2014 Total</b>	<b>485</b>	<b>&lt;5</b>	<b>0</b>	<b>&lt;5</b>	<b>369</b>	<b>22</b>	<b>91</b>
Overweight	85 (17.5)	****	0	****	63 (17.1)	1 (****)	21 (23.1)
Obese	41 (8.5)	****	0	****	25 (6.8)	1 (****)	15 (16.5)
Very Obese	48 (9.9)	****	0	****	33 (8.9)	2 (****)	12 (13.2)
<b>2013 Total</b>	<b>503</b>	<b>&lt;5</b>	<b>0</b>	<b>6</b>	<b>371</b>	<b>21</b>	<b>104</b>
Overweight	86 (17.1)	0	0	0	62 (16.7)	2 (****)	22 (21.2)
Obese	31 (6.2)	0	0	0	24 (6.5)	0	7 (6.7)
Very Obese	44 (8.7)	0	0	0	27 (7.3)	0	17 (16.3)
<b>2012 Total</b>	<b>533</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>390</b>	<b>25</b>	<b>112</b>
Overweight	90 (16.9)	0	0	1 (****)	65 (16.7)	2 (****)	22 (19.6)
Obese	38 (7.1)	0	0	0	29 (7.4)	1 (****)	8 (7.1)
Very Obese	38 (7.1)	0	0	0	19 (4.9)	4 (****)	15 (13.4)
<b>2011 Total</b>	<b>551</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>6</b>	<b>396</b>	<b>23</b>	<b>124</b>
Overweight	96 (17.4)	0	0	1 (****)	57 (14.4)	3 (****)	35 (28.2)
Obese	31 (5.6)	1 (****)	0	1 (****)	19 (4.8)	4 (****)	6 (4.8)
Very Obese	37 (6.7)	0	0	0	24 (6.1)	1 (****)	12 (9.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

<b>FILLMORE-HOUSTON</b>	<b>Undup Total<sup>2</sup></b>	<b>Amer Indian NH</b>	<b>Asian NH<sup>3</sup></b>	<b>Black/ African- Amer NH<sup>4</sup></b>	<b>White NH</b>	<b>&gt; 1 Race NH</b>	<b>Hispanic All Races</b>
<b>2019 Total</b>	<b>310</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>274</b>	<b>18</b>	<b>14</b>
Overweight	46 (14.8)	0	0	0	39 (14.2)	2 (****)	5 (****)
Obese	19 (6.1)	0	1 (****)	0	17 (6.2)	1 (****)	0
Very Obese	17 (5.5)	0	0	0	16 (5.8)	0	1 (****)
<b>2018 Total</b>	<b>329</b>	<b>&lt;5</b>	<b>0</b>	<b>5</b>	<b>275</b>	<b>32</b>	<b>16</b>
Overweight	74 (22.5)	0	0	2 (****)	56 (20.4)	11 (34.4)	5 (****)
Obese	11 (3.3)	0	0	0	10 (3.6)	0	1 (****)
Very Obese	18 (5.5)	1 (****)	0	0	15 (5.5)	2 (6.2)	0
<b>2017 Total</b>	<b>357</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>7</b>	<b>298</b>	<b>27</b>	<b>23</b>
Overweight	64 (17.9)	0	0	1 (****)	49 (16.4)	8 (****)	6 (****)
Obese	19 (5.3)	0	0	0	16 (5.4)	3 (****)	0
Very Obese	14 (3.9)	1 (****)	0	0	10 (3.4)	2 (****)	1 (****)
<b>2016 Total</b>	<b>355</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>5</b>	<b>306</b>	<b>22</b>	<b>19</b>
Overweight	59 (16.6)	2 (****)	0	0	49 (16.0)	5 (****)	3 (****)
Obese	12 (3.4)	0	0	1 (****)	10 (3.3)	0	1 (****)
Very Obese	21 (5.9)	1 (****)	0	0	18 (5.9)	1 (****)	1 (****)
<b>2015 Total</b>	<b>347</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>5</b>	<b>307</b>	<b>16</b>	<b>17</b>
Overweight	50 (14.4)	0	0	1 (****)	43 (14.0)	3 (****)	3 (****)
Obese	18 (5.2)	0	0	1 (****)	13 (4.2)	2 (****)	2 (****)
Very Obese	24 (6.9)	1 (****)	0	0	22 (7.2)	0	1 (****)
<b>2014 Total</b>	<b>329</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>296</b>	<b>12</b>	<b>16</b>
Overweight	42 (12.8)	0	****	****	38 (12.8)	2 (****)	0
Obese	19 (5.8)	0	****	****	17 (5.7)	0	1 (****)
Very Obese	22 (6.7)	0	****	****	18 (6.1)	2 (****)	2 (****)
<b>2013 Total</b>	<b>334</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>310</b>	<b>8</b>	<b>13</b>
Overweight	56 (16.8)	0	0	0	54 (17.4)	1 (****)	1 (****)
Obese	19 (5.7)	0	0	0	19 (6.1)	0	0
Very Obese	20 (6.0)	0	0	0	17 (5.5)	0	3 (****)
<b>2012 Total</b>	<b>363</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>334</b>	<b>18</b>	<b>9</b>
Overweight	46 (12.7)	0	0	0	43 (12.9)	3 (****)	0
Obese	21 (5.8)	0	0	0	21 (6.3)	0	0
Very Obese	22 (6.1)	0	0	0	19 (5.7)	1 (****)	2 (****)
<b>2011 Total</b>	<b>413</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>383</b>	<b>20</b>	<b>9</b>
Overweight	74 (17.9)	0	0	0	68 (17.8)	5 (****)	1 (****)
Obese	24 (5.8)	0	0	0	23 (6.0)	1 (****)	0
Very Obese	21 (5.1)	0	0	0	20 (5.2)	1 (****)	0

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

<b>FREEBORN</b>	<b>Undup Total<sup>2</sup></b>	<b>Amer Indian NH</b>	<b>Asian NH<sup>3</sup></b>	<b>Black/ African- Amer NH<sup>4</sup></b>	<b>White NH</b>	<b>&gt; 1 Race NH</b>	<b>Hispanic All Races</b>
<b>2019 Total</b>	<b>379</b>	<b>0</b>	<b>55</b>	<b>12</b>	<b>177</b>	<b>19</b>	<b>116</b>
Overweight	45 (11.9)	0	6 (10.9)	2 (****)	19 (10.7)	2 (****)	16 (13.8)
Obese	35 (9.2)	0	2 (3.6)	1 (****)	22 (12.4)	1 (****)	9 (7.8)
Very Obese	48 (12.7)	0	3 (5.5)	4 (****)	20 (11.3)	2 (****)	19 (16.4)
<b>2018 Total</b>	<b>398</b>	<b>0</b>	<b>59</b>	<b>12</b>	<b>198</b>	<b>15</b>	<b>114</b>
Overweight	72 (18.1)	0	9 (15.3)	4 (****)	36 (18.2)	5 (****)	18 (15.8)
Obese	19 (4.8)	0	2 (3.4)	0	8 (4.0)	0	9 (7.9)
Very Obese	43 (10.8)	0	5 (8.5)	1 (****)	18 (9.1)	1 (****)	18 (15.8)
<b>2017 Total</b>	<b>426</b>	<b>0</b>	<b>47</b>	<b>15</b>	<b>211</b>	<b>20</b>	<b>133</b>
Overweight	79 (18.5)	0	8 (17.0)	1 (****)	38 (18.0)	3 (****)	29 (21.8)
Obese	20 (4.7)	0	1 (2.1)	0	10 (4.7)	1 (****)	8 (6.0)
Very Obese	37 (8.7)	0	6 (12.8)	1 (****)	14 (6.6)	3 (****)	13 (9.8)
<b>2016 Total</b>	<b>461</b>	<b>&lt;5</b>	<b>57</b>	<b>23</b>	<b>249</b>	<b>18</b>	<b>114</b>
Overweight	69 (15.0)	0	5 (8.8)	0	40 (16.1)	2 (****)	22 (19.3)
Obese	23 (5.0)	0	1 (1.8)	1 (****)	13 (5.2)	1 (****)	7 (6.1)
Very Obese	43 (9.3)	0	4 (7.0)	3 (****)	18 (7.2)	2 (****)	16 (14.0)
<b>2015 Total</b>	<b>530</b>	<b>0</b>	<b>37</b>	<b>31</b>	<b>274</b>	<b>22</b>	<b>166</b>
Overweight	84 (15.8)	0	5 (13.5)	4 (12.9)	42 (15.3)	4 (****)	29 (17.5)
Obese	30 (5.7)	0	4 (10.8)	0	17 (6.2)	2 (****)	7 (4.2)
Very Obese	46 (8.7)	0	0	2 (6.5)	24 (8.8)	4 (****)	16 (9.6)
<b>2014 Total</b>	<b>511</b>	<b>0</b>	<b>24</b>	<b>23</b>	<b>273</b>	<b>24</b>	<b>167</b>
Overweight	78 (15.3)	0	2 (****)	1 (****)	36 (13.2)	5 (****)	34 (20.4)
Obese	32 (6.3)	0	2 (****)	0	17 (6.2)	1 (****)	12 (7.2)
Very Obese	35 (6.8)	0	1 (****)	1 (****)	21 (7.7)	0	12 (7.2)
<b>2013 Total</b>	<b>533</b>	<b>0</b>	<b>19</b>	<b>19</b>	<b>289</b>	<b>17</b>	<b>189</b>
Overweight	82 (15.4)	0	3 (****)	1 (****)	43 (14.9)	3 (****)	32 (16.9)
Obese	33 (6.2)	0	1 (****)	1 (****)	16 (5.5)	2 (****)	13 (6.9)
Very Obese	29 (5.4)	0	1 (****)	1 (****)	13 (4.5)	1 (****)	13 (6.9)
<b>2012 Total</b>	<b>574</b>	<b>0</b>	<b>11</b>	<b>16</b>	<b>303</b>	<b>19</b>	<b>225</b>
Overweight	83 (14.5)	0	2 (****)	0	39 (12.9)	1 (****)	41 (18.2)
Obese	32 (5.6)	0	0	0	17 (5.6)	1 (****)	14 (6.2)
Very Obese	42 (7.3)	0	1 (****)	0	20 (6.6)	3 (****)	18 (8.0)
<b>2011 Total</b>	<b>559</b>	<b>&lt;5</b>	<b>17</b>	<b>14</b>	<b>307</b>	<b>25</b>	<b>195</b>
Overweight	89 (15.9)	****	1 (****)	0	55 (17.9)	2 (****)	31 (15.9)
Obese	31 (5.5)	****	0	1 (****)	11 (3.6)	1 (****)	18 (9.2)
Very Obese	38 (6.8)	****	1 (****)	0	13 (4.2)	4 (****)	20 (10.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

GOODHUE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>304</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>	<b>205</b>	<b>33</b>	<b>43</b>
Overweight	56 (18.4)	1 (****)	0	3 (****)	41 (20.0)	3 (9.1)	8 (18.6)
Obese	16 (5.3)	0	0	1 (****)	11 (5.4)	1 (3.0)	3 (7.0)
Very Obese	26 (8.6)	1 (****)	0	2 (****)	15 (7.3)	5 (15.2)	3 (7.0)
<b>2018 Total</b>	<b>315</b>	<b>6</b>	<b>&lt;5</b>	<b>13</b>	<b>205</b>	<b>47</b>	<b>42</b>
Overweight	63 (20.0)	1 (****)	1 (****)	3 (****)	39 (19.0)	9 (19.1)	10 (23.8)
Obese	12 (3.8)	1 (****)	0	0	10 (4.9)	0	1 (2.4)
Very Obese	25 (7.9)	2 (****)	0	3 (****)	9 (4.4)	5 (10.6)	6 (14.3)
<b>2017 Total</b>	<b>350</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>16</b>	<b>231</b>	<b>47</b>	<b>50</b>
Overweight	58 (16.6)	0	0	3 (****)	41 (17.7)	4 (8.5)	10 (20.0)
Obese	17 (4.9)	1 (****)	0	1 (****)	10 (4.3)	2 (4.3)	3 (6.0)
Very Obese	32 (9.1)	1 (****)	0	0	18 (7.8)	6 (12.8)	7 (14.0)
<b>2016 Total</b>	<b>369</b>	<b>6</b>	<b>&lt;5</b>	<b>19</b>	<b>247</b>	<b>38</b>	<b>59</b>
Overweight	53 (14.4)	2 (****)	0	4 (****)	33 (13.4)	5 (13.2)	9 (15.3)
Obese	19 (5.1)	1 (****)	0	1 (****)	13 (5.3)	1 (2.6)	3 (5.1)
Very Obese	30 (8.1)	0	0	0	15 (6.1)	8 (21.1)	7 (11.9)
<b>2015 Total</b>	<b>383</b>	<b>&lt;5</b>	<b>0</b>	<b>15</b>	<b>256</b>	<b>38</b>	<b>70</b>
Overweight	57 (14.9)	1 (****)	0	4 (****)	33 (12.9)	9 (23.7)	10 (14.3)
Obese	18 (4.7)	1 (****)	0	1 (****)	14 (5.5)	0	2 (2.9)
Very Obese	27 (7.0)	1 (****)	0	0	10 (3.9)	5 (13.2)	11 (15.7)
<b>2014 Total</b>	<b>385</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>16</b>	<b>260</b>	<b>38</b>	<b>66</b>
Overweight	56 (14.5)	****	****	4 (****)	37 (14.2)	5 (13.2)	10 (15.2)
Obese	18 (4.7)	****	****	0	14 (5.4)	0	4 (6.1)
Very Obese	30 (7.8)	****	****	0	17 (6.5)	6 (15.8)	5 (7.6)
<b>2013 Total</b>	<b>416</b>	<b>6</b>	<b>&lt;5</b>	<b>13</b>	<b>281</b>	<b>38</b>	<b>77</b>
Overweight	86 (20.7)	0	****	3 (****)	65 (23.1)	5 (13.2)	13 (16.9)
Obese	14 (3.4)	0	****	2 (****)	8 (2.8)	1 (2.6)	3 (3.9)
Very Obese	33 (7.9)	2 (****)	****	1 (****)	17 (6.0)	6 (15.8)	7 (9.1)
<b>2012 Total</b>	<b>452</b>	<b>8</b>	<b>&lt;5</b>	<b>24</b>	<b>305</b>	<b>36</b>	<b>77</b>
Overweight	75 (16.6)	2 (****)	****	4 (****)	47 (15.4)	9 (25.0)	13 (16.9)
Obese	19 (4.2)	1 (****)	****	0	9 (3.0)	3 (8.3)	6 (7.8)
Very Obese	42 (9.3)	1 (****)	****	2 (****)	20 (6.6)	6 (16.7)	13 (16.9)
<b>2011 Total</b>	<b>493</b>	<b>9</b>	<b>&lt;5</b>	<b>18</b>	<b>340</b>	<b>32</b>	<b>92</b>
Overweight	92 (18.7)	3 (****)	****	4 (****)	54 (15.9)	8 (25.0)	23 (25.0)
Obese	29 (5.9)	0	****	2 (****)	13 (3.8)	4 (12.5)	10 (10.9)
Very Obese	34 (6.9)	2 (****)	****	0	23 (6.8)	2 (6.2)	7 (7.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HENNEPIN- BLOOMINGTON	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African- Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>700</b>	<b>0</b>	<b>32</b>	<b>322</b>	<b>110</b>	<b>38</b>	<b>198</b>
Overweight	98 (14.0)	0	1 (3.1)	42 (13.0)	12 (10.9)	5 (13.2)	38 (19.2)
Obese	24 (3.4)	0	1 (3.1)	13 (4.0)	2 (1.8)	2 (5.3)	6 (3.0)
Very Obese	46 (6.6)	0	2 (6.2)	14 (4.3)	5 (4.5)	6 (15.8)	19 (9.6)
<b>2018 Total</b>	<b>706</b>	<b>&lt;5</b>	<b>46</b>	<b>291</b>	<b>103</b>	<b>42</b>	<b>222</b>
Overweight	101 (14.3)	1 (****)	5 (10.9)	37 (12.7)	14 (13.6)	8 (19.0)	36 (16.2)
Obese	28 (4.0)	0	0	15 (5.2)	1 (1.0)	1 (2.4)	11 (5.0)
Very Obese	42 (5.9)	0	4 (8.7)	12 (4.1)	3 (2.9)	3 (7.1)	20 (9.0)
<b>2017 Total</b>	<b>742</b>	<b>&lt;5</b>	<b>59</b>	<b>281</b>	<b>113</b>	<b>52</b>	<b>236</b>
Overweight	93 (12.5)	0	5 (8.5)	41 (14.6)	21 (18.6)	4 (7.7)	22 (9.3)
Obese	34 (4.6)	0	1 (1.7)	8 (2.8)	4 (3.5)	3 (5.8)	18 (7.6)
Very Obese	65 (8.8)	0	2 (3.4)	27 (9.6)	6 (5.3)	1 (1.9)	29 (12.3)
<b>2016 Total</b>	<b>777</b>	<b>&lt;5</b>	<b>62</b>	<b>286</b>	<b>114</b>	<b>61</b>	<b>252</b>
Overweight	128 (16.5)	0	7 (11.3)	50 (17.5)	15 (13.2)	10 (16.4)	46 (18.3)
Obese	37 (4.8)	0	2 (3.2)	12 (4.2)	6 (5.3)	0	17 (6.7)
Very Obese	54 (6.9)	0	0	18 (6.3)	4 (3.5)	6 (9.8)	26 (10.3)
<b>2015 Total</b>	<b>811</b>	<b>&lt;5</b>	<b>56</b>	<b>313</b>	<b>113</b>	<b>61</b>	<b>266</b>
Overweight	93 (11.5)	0	3 (5.4)	37 (11.8)	9 (8.0)	6 (9.8)	38 (14.3)
Obese	38 (4.7)	0	2 (3.6)	15 (4.8)	4 (3.5)	3 (4.9)	14 (5.3)
Very Obese	55 (6.8)	0	2 (3.6)	17 (5.4)	3 (2.7)	5 (8.2)	28 (10.5)
<b>2014 Total</b>	<b>723</b>	<b>&lt;5</b>	<b>35</b>	<b>270</b>	<b>135</b>	<b>55</b>	<b>224</b>
Overweight	92 (12.7)	****	2 (5.7)	39 (14.4)	19 (14.1)	7 (12.7)	25 (11.2)
Obese	23 (3.2)	****	1 (2.9)	9 (3.3)	6 (4.4)	2 (3.6)	5 (2.2)
Very Obese	66 (9.1)	****	0	20 (7.4)	6 (4.4)	4 (7.3)	36 (16.1)
<b>2013 Total</b>	<b>794</b>	<b>&lt;5</b>	<b>41</b>	<b>257</b>	<b>164</b>	<b>62</b>	<b>268</b>
Overweight	119 (15.0)	0	5 (12.2)	32 (12.5)	23 (14.0)	11 (17.7)	48 (17.9)
Obese	35 (4.4)	0	2 (4.9)	11 (4.3)	4 (2.4)	3 (4.8)	15 (5.6)
Very Obese	62 (7.8)	0	1 (2.4)	24 (9.3)	8 (4.9)	6 (9.7)	23 (8.6)
<b>2012 Total</b>	<b>821</b>	<b>&lt;5</b>	<b>45</b>	<b>256</b>	<b>150</b>	<b>73</b>	<b>294</b>
Overweight	115 (14.0)	0	6 (13.3)	31 (12.1)	17 (11.3)	11 (15.1)	50 (17.0)
Obese	34 (4.1)	0	0	13 (5.1)	4 (2.7)	3 (4.1)	14 (4.8)
Very Obese	62 (7.6)	0	0	18 (7.0)	7 (4.7)	7 (9.6)	30 (10.2)
<b>2011 Total</b>	<b>829</b>	<b>&lt;5</b>	<b>55</b>	<b>254</b>	<b>143</b>	<b>73</b>	<b>303</b>
Overweight	137 (16.5)	0	5 (9.1)	34 (13.4)	27 (18.9)	16 (21.9)	55 (18.2)
Obese	34 (4.1)	0	1 (1.8)	9 (3.5)	1 (<1)	3 (4.1)	20 (6.6)
Very Obese	57 (6.9)	0	1 (1.8)	20 (7.9)	8 (5.6)	4 (5.5)	24 (7.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HENNEPIN-EDINA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>92</b>	<b>&lt;5</b>	<b>6</b>	<b>42</b>	<b>19</b>	<b>&lt;5</b>	<b>19</b>
Overweight	13 (14.1)	1 (****)	0	4 (9.5)	5 (****)	0	3 (****)
Obese	3 (3.3)	0	0	3 (7.1)	0	0	0
Very Obese	5 (5.4)	1 (****)	0	2 (4.8)	0	0	2 (****)
<b>2018 Total</b>	<b>91</b>	<b>&lt;5</b>	<b>5</b>	<b>38</b>	<b>27</b>	<b>&lt;5</b>	<b>15</b>
Overweight	20 (22.0)	1 (****)	1 (****)	8 (21.1)	5 (****)	1 (****)	4 (****)
Obese	4 (4.4)	0	0	2 (5.3)	1 (****)	0	1 (****)
Very Obese	3 (3.3)	0	0	3 (7.9)	0	0	0
<b>2017 Total</b>	<b>101</b>	<b>&lt;5</b>	<b>6</b>	<b>48</b>	<b>22</b>	<b>6</b>	<b>17</b>
Overweight	10 (9.9)	0	0	7 (14.6)	2 (****)	0	1 (****)
Obese	5 (5.0)	0	0	1 (2.1)	1 (****)	0	3 (****)
Very Obese	8 (7.9)	0	1 (****)	5 (10.4)	1 (****)	1 (****)	0
<b>2016 Total</b>	<b>107</b>	<b>&lt;5</b>	<b>6</b>	<b>53</b>	<b>24</b>	<b>5</b>	<b>19</b>
Overweight	12 (11.2)	0	0	6 (11.3)	4 (****)	0	2 (****)
Obese	4 (3.7)	0	0	3 (5.7)	1 (****)	0	0
Very Obese	12 (11.2)	0	1 (****)	6 (11.3)	2 (****)	0	3 (****)
<b>2015 Total</b>	<b>110</b>	<b>0</b>	<b>&lt;5</b>	<b>57</b>	<b>24</b>	<b>6</b>	<b>20</b>
Overweight	16 (14.5)	0	0	9 (15.8)	1 (****)	1 (****)	5 (****)
Obese	3 (2.7)	0	0	2 (3.5)	1 (****)	0	0
Very Obese	6 (5.5)	0	1 (****)	3 (5.3)	1 (****)	0	1 (****)
<b>2014 Total</b>	<b>122</b>	<b>0</b>	<b>&lt;5</b>	<b>61</b>	<b>30</b>	<b>7</b>	<b>20</b>
Overweight	17 (13.9)	0	****	13 (21.3)	2 (6.7)	0	1 (****)
Obese	7 (5.7)	0	****	3 (4.9)	0	1 (****)	3 (****)
Very Obese	12 (9.8)	0	****	4 (6.6)	2 (6.7)	2 (****)	3 (****)
<b>2013 Total</b>	<b>124</b>	<b>0</b>	<b>8</b>	<b>56</b>	<b>31</b>	<b>9</b>	<b>20</b>
Overweight	16 (12.9)	0	2 (****)	8 (14.3)	3 (9.7)	1 (****)	2 (****)
Obese	5 (4.0)	0	0	4 (7.1)	0	0	1 (****)
Very Obese	12 (9.7)	0	1 (****)	5 (8.9)	0	3 (****)	3 (****)
<b>2012 Total</b>	<b>120</b>	<b>0</b>	<b>5</b>	<b>61</b>	<b>27</b>	<b>5</b>	<b>22</b>
Overweight	14 (11.7)	0	2 (****)	7 (11.5)	2 (****)	1 (****)	2 (****)
Obese	8 (6.7)	0	1 (****)	5 (8.2)	0	0	2 (****)
Very Obese	7 (5.8)	0	0	2 (3.3)	1 (****)	1 (****)	3 (****)
<b>2011 Total</b>	<b>116</b>	<b>0</b>	<b>7</b>	<b>64</b>	<b>18</b>	<b>8</b>	<b>19</b>
Overweight	16 (13.8)	0	1 (****)	10 (15.6)	2 (****)	0	3 (****)
Obese	7 (6.0)	0	2 (****)	4 (6.2)	0	0	1 (****)
Very Obese	6 (5.2)	0	1 (****)	2 (3.1)	1 (****)	0	2 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HENNEPIN- MINNEAPOLIS	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>4,990</b>	<b>84</b>	<b>384</b>	<b>2,797</b>	<b>252</b>	<b>310</b>	<b>1,163</b>
Overweight	746 (14.9)	19 (22.6)	81 (21.1)	375 (13.4)	26 (10.3)	52 (16.8)	193 (16.6)
Obese	210 (4.2)	5 (6.0)	21 (5.5)	105 (3.8)	8 (3.2)	16 (5.2)	55 (4.7)
Very Obese	412 (8.3)	14 (16.7)	45 (11.7)	191 (6.8)	7 (2.8)	23 (7.4)	132 (11.3)
<b>2018 Total</b>	<b>5,730</b>	<b>91</b>	<b>457</b>	<b>3,215</b>	<b>290</b>	<b>354</b>	<b>1,323</b>
Overweight	871 (15.2)	21 (23.1)	90 (19.7)	438 (13.6)	40 (13.8)	55 (15.5)	227 (17.2)
Obese	255 (4.5)	5 (5.5)	26 (5.7)	115 (3.6)	9 (3.1)	19 (5.4)	81 (6.1)
Very Obese	505 (8.8)	23 (25.3)	44 (9.6)	232 (7.2)	16 (5.5)	33 (9.3)	157 (11.9)
<b>2017 Total</b>	<b>6,309</b>	<b>112</b>	<b>520</b>	<b>3,427</b>	<b>337</b>	<b>378</b>	<b>1,535</b>
Overweight	923 (14.6)	28 (25.0)	104 (20.0)	431 (12.6)	43 (12.8)	59 (15.6)	258 (16.8)
Obese	305 (4.8)	13 (11.6)	18 (3.5)	149 (4.3)	16 (4.7)	21 (5.6)	88 (5.7)
Very Obese	551 (8.7)	20 (17.9)	60 (11.5)	231 (6.7)	16 (4.7)	31 (8.2)	193 (12.6)
<b>2016 Total</b>	<b>6,974</b>	<b>155</b>	<b>573</b>	<b>3,627</b>	<b>376</b>	<b>465</b>	<b>1,778</b>
Overweight	1,056 (15.1)	37 (23.9)	107 (18.7)	470 (13.0)	61 (16.2)	65 (14.0)	316 (17.8)
Obese	330 (4.7)	21 (13.5)	35 (6.1)	140 (3.9)	14 (3.7)	26 (5.6)	94 (5.3)
Very Obese	577 (8.3)	32 (20.6)	58 (10.1)	202 (5.6)	16 (4.3)	39 (8.4)	230 (12.9)
<b>2015 Total</b>	<b>7,317</b>	<b>166</b>	<b>623</b>	<b>3,686</b>	<b>385</b>	<b>502</b>	<b>1,955</b>
Overweight	1,127 (15.4)	32 (19.3)	110 (17.7)	493 (13.4)	50 (13.0)	86 (17.1)	356 (18.2)
Obese	318 (4.3)	12 (7.2)	35 (5.6)	143 (3.9)	11 (2.9)	23 (4.6)	94 (4.8)
Very Obese	590 (8.1)	41 (24.7)	47 (7.5)	237 (6.4)	23 (6.0)	36 (7.2)	206 (10.5)
<b>2014 Total</b>	<b>7,255</b>	<b>165</b>	<b>588</b>	<b>3,465</b>	<b>443</b>	<b>515</b>	<b>2,079</b>
Overweight	1,081 (14.9)	26 (15.8)	110 (18.7)	435 (12.6)	59 (13.3)	76 (14.8)	375 (18.0)
Obese	356 (4.9)	15 (9.1)	22 (3.7)	168 (4.8)	16 (3.6)	24 (4.7)	111 (5.3)
Very Obese	649 (8.9)	33 (20.0)	61 (10.4)	258 (7.4)	23 (5.2)	37 (7.2)	237 (11.4)
<b>2013 Total</b>	<b>7,478</b>	<b>164</b>	<b>605</b>	<b>3,438</b>	<b>498</b>	<b>524</b>	<b>2,249</b>
Overweight	1,160 (15.5)	37 (22.6)	102 (16.9)	459 (13.4)	73 (14.7)	84 (16.0)	405 (18.0)
Obese	374 (5.0)	21 (12.8)	28 (4.6)	160 (4.7)	14 (2.8)	22 (4.2)	129 (5.7)
Very Obese	689 (9.2)	26 (15.9)	66 (10.9)	279 (8.1)	32 (6.4)	49 (9.4)	237 (10.5)
<b>2012 Total</b>	<b>7,722</b>	<b>172</b>	<b>595</b>	<b>3,417</b>	<b>527</b>	<b>567</b>	<b>2,444</b>
Overweight	1,224 (15.9)	43 (25.0)	112 (18.8)	480 (14.0)	70 (13.3)	110 (19.4)	409 (16.7)
Obese	383 (5.0)	14 (8.1)	30 (5.0)	154 (4.5)	19 (3.6)	23 (4.1)	143 (5.9)
Very Obese	711 (9.2)	25 (14.5)	66 (11.1)	256 (7.5)	35 (6.6)	55 (9.7)	274 (11.2)
<b>2011 Total</b>	<b>7,938</b>	<b>187</b>	<b>611</b>	<b>3,345</b>	<b>536</b>	<b>591</b>	<b>2,668</b>
Overweight	1,270 (16.0)	44 (23.5)	122 (20.0)	463 (13.8)	81 (15.1)	96 (16.2)	464 (17.4)
Obese	484 (6.1)	15 (8.0)	36 (5.9)	195 (5.8)	33 (6.2)	38 (6.4)	167 (6.3)
Very Obese	706 (8.9)	26 (13.9)	72 (11.8)	241 (7.2)	29 (5.4)	50 (8.5)	288 (10.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HENNEPIN-RICHFIELD	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>337</b>	<b>&lt;5</b>	<b>24</b>	<b>89</b>	<b>32</b>	<b>26</b>	<b>162</b>
Overweight	53 (15.7)	1 (****)	3 (****)	16 (18.0)	9 (28.1)	2 (****)	22 (13.6)
Obese	16 (4.7)	1 (****)	0	5 (5.6)	2 (6.2)	1 (****)	7 (4.3)
Very Obese	29 (8.6)	0	2 (****)	7 (7.9)	2 (6.2)	1 (****)	17 (10.5)
<b>2018 Total</b>	<b>384</b>	<b>&lt;5</b>	<b>17</b>	<b>86</b>	<b>41</b>	<b>31</b>	<b>205</b>
Overweight	53 (13.8)	0	3 (****)	8 (9.3)	7 (17.1)	2 (6.5)	33 (16.1)
Obese	22 (5.7)	0	0	10 (11.6)	2 (4.9)	1 (3.2)	9 (4.4)
Very Obese	34 (8.9)	2 (****)	1 (****)	7 (8.1)	1 (2.4)	2 (6.5)	21 (10.2)
<b>2017 Total</b>	<b>430</b>	<b>&lt;5</b>	<b>19</b>	<b>90</b>	<b>49</b>	<b>33</b>	<b>237</b>
Overweight	55 (12.8)	0	2 (****)	10 (11.1)	8 (16.3)	1 (3.0)	34 (14.3)
Obese	17 (4.0)	0	1 (****)	6 (6.7)	2 (4.1)	0	8 (3.4)
Very Obese	32 (7.4)	0	2 (****)	8 (8.9)	1 (2.0)	2 (6.1)	19 (8.0)
<b>2016 Total</b>	<b>467</b>	<b>6</b>	<b>17</b>	<b>89</b>	<b>46</b>	<b>32</b>	<b>277</b>
Overweight	51 (10.9)	1 (****)	2 (****)	11 (12.4)	2 (4.3)	0	35 (12.6)
Obese	33 (7.1)	0	0	6 (6.7)	1 (2.2)	2 (6.2)	24 (8.7)
Very Obese	29 (6.2)	0	1 (****)	5 (5.6)	2 (4.3)	1 (3.1)	20 (7.2)
<b>2015 Total</b>	<b>538</b>	<b>5</b>	<b>23</b>	<b>96</b>	<b>52</b>	<b>37</b>	<b>325</b>
Overweight	71 (13.2)	1 (****)	1 (****)	12 (12.5)	6 (11.5)	3 (8.1)	48 (14.8)
Obese	21 (3.9)	0	1 (****)	1 (1.0)	2 (3.8)	2 (5.4)	15 (4.6)
Very Obese	43 (8.0)	0	1 (****)	9 (9.4)	2 (3.8)	2 (5.4)	29 (8.9)
<b>2014 Total</b>	<b>504</b>	<b>&lt;5</b>	<b>23</b>	<b>88</b>	<b>43</b>	<b>35</b>	<b>311</b>
Overweight	71 (14.1)	****	2 (****)	9 (10.2)	7 (16.3)	5 (14.3)	48 (15.4)
Obese	17 (3.4)	****	0	1 (1.1)	1 (2.3)	1 (2.9)	14 (4.5)
Very Obese	46 (9.1)	****	1 (****)	12 (13.6)	3 (7.0)	1 (2.9)	29 (9.3)
<b>2013 Total</b>	<b>562</b>	<b>6</b>	<b>25</b>	<b>88</b>	<b>49</b>	<b>36</b>	<b>358</b>
Overweight	96 (17.1)	1 (****)	3 (****)	12 (13.6)	6 (12.2)	9 (25.0)	65 (18.2)
Obese	29 (5.2)	0	0	5 (5.7)	0	1 (2.8)	23 (6.4)
Very Obese	50 (8.9)	0	4 (****)	9 (10.2)	1 (2.0)	2 (5.6)	34 (9.5)
<b>2012 Total</b>	<b>587</b>	<b>&lt;5</b>	<b>33</b>	<b>80</b>	<b>56</b>	<b>40</b>	<b>375</b>
Overweight	109 (18.6)	1 (****)	5 (15.2)	13 (16.2)	6 (10.7)	5 (12.5)	79 (21.1)
Obese	22 (3.7)	0	0	2 (2.5)	0	3 (7.5)	17 (4.5)
Very Obese	44 (7.5)	0	5 (15.2)	9 (11.2)	2 (3.6)	3 (7.5)	25 (6.7)
<b>2011 Total</b>	<b>620</b>	<b>&lt;5</b>	<b>19</b>	<b>67</b>	<b>55</b>	<b>41</b>	<b>434</b>
Overweight	106 (17.1)	0	0	10 (14.9)	3 (5.5)	2 (4.9)	91 (21.0)
Obese	36 (5.8)	0	0	4 (6.0)	3 (5.5)	2 (4.9)	27 (6.2)
Very Obese	49 (7.9)	0	2 (****)	4 (6.0)	5 (9.1)	3 (7.3)	35 (8.1)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HENNEPIN-SUBURBAN	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>4,109</b>	<b>20</b>	<b>661</b>	<b>2,003</b>	<b>578</b>	<b>306</b>	<b>541</b>
Overweight	580 (14.1)	8 (****)	112 (16.9)	254 (12.7)	70 (12.1)	46 (15.0)	90 (16.6)
Obese	160 (3.9)	1 (****)	31 (4.7)	70 (3.5)	14 (2.4)	13 (4.2)	31 (5.7)
Very Obese	330 (8.0)	1 (****)	70 (10.6)	151 (7.5)	29 (5.0)	15 (4.9)	64 (11.8)
<b>2018 Total</b>	<b>4,626</b>	<b>26</b>	<b>744</b>	<b>2,185</b>	<b>675</b>	<b>365</b>	<b>631</b>
Overweight	685 (14.8)	9 (****)	111 (14.9)	285 (13.0)	99 (14.7)	62 (17.0)	119 (18.9)
Obese	198 (4.3)	4 (****)	33 (4.4)	91 (4.2)	24 (3.6)	12 (3.3)	34 (5.4)
Very Obese	348 (7.5)	4 (****)	81 (10.9)	137 (6.3)	31 (4.6)	26 (7.1)	69 (10.9)
<b>2017 Total</b>	<b>5,006</b>	<b>19</b>	<b>784</b>	<b>2,340</b>	<b>737</b>	<b>402</b>	<b>724</b>
Overweight	777 (15.5)	3 (****)	120 (15.3)	345 (14.7)	107 (14.5)	69 (17.2)	133 (18.4)
Obese	202 (4.0)	2 (****)	34 (4.3)	83 (3.5)	30 (4.1)	19 (4.7)	34 (4.7)
Very Obese	398 (8.0)	3 (****)	85 (10.8)	167 (7.1)	34 (4.6)	24 (6.0)	85 (11.7)
<b>2016 Total</b>	<b>5,108</b>	<b>27</b>	<b>809</b>	<b>2,278</b>	<b>789</b>	<b>468</b>	<b>737</b>
Overweight	800 (15.7)	8 (****)	148 (18.3)	338 (14.8)	112 (14.2)	79 (16.9)	115 (15.6)
Obese	227 (4.4)	1 (****)	31 (3.8)	97 (4.3)	32 (4.1)	25 (5.3)	41 (5.6)
Very Obese	367 (7.2)	2 (****)	79 (9.8)	145 (6.4)	34 (4.3)	32 (6.8)	75 (10.2)
<b>2015 Total</b>	<b>5,317</b>	<b>29</b>	<b>812</b>	<b>2,363</b>	<b>794</b>	<b>484</b>	<b>835</b>
Overweight	815 (15.3)	8 (27.6)	150 (18.5)	326 (13.8)	115 (14.5)	81 (16.7)	135 (16.2)
Obese	235 (4.4)	3 (10.3)	42 (5.2)	108 (4.6)	27 (3.4)	16 (3.3)	39 (4.7)
Very Obese	345 (5.5)	1 (3.4)	76 (9.4)	138 (5.8)	33 (4.2)	31 (6.4)	66 (7.9)
<b>2014 Total</b>	<b>5,134</b>	<b>27</b>	<b>728</b>	<b>2,281</b>	<b>793</b>	<b>441</b>	<b>864</b>
Overweight	664 (12.9)	6 (****)	97 (13.3)	288 (12.9)	104 (13.1)	53 (12.0)	116 (13.4)
Obese	179 (3.5)	3 (****)	24 (3.3)	89 (3.9)	17 (2.1)	16 (3.6)	30 (3.5)
Very Obese	336 (6.5)	4 (****)	67 (9.2)	128 (5.6)	38 (4.8)	23 (5.2)	76 (8.8)
<b>2013 Total</b>	<b>5,176</b>	<b>14</b>	<b>704</b>	<b>2,240</b>	<b>861</b>	<b>445</b>	<b>912</b>
Overweight	682 (13.2)	4 (****)	103 (14.6)	280 (12.5)	100 (11.6)	57 (12.8)	138 (15.1)
Obese	196 (3.8)	0	33 (4.7)	77 (3.4)	33 (3.8)	16 (3.6)	37 (4.1)
Very Obese	352 (6.8)	1 (****)	73 (10.4)	145 (6.5)	38 (4.4)	33 (7.4)	62 (6.8)
<b>2012 Total</b>	<b>5,895</b>	<b>36</b>	<b>725</b>	<b>2,539</b>	<b>989</b>	<b>496</b>	<b>1,110</b>
Overweight	824 (14.0)	9 (25.0)	105 (14.5)	333 (13.1)	137 (13.9)	78 (15.7)	162 (14.6)
Obese	236 (4.0)	6 (16.7)	31 (4.3)	97 (3.8)	21 (2.1)	22 (4.4)	59 (5.3)
Very Obese	415 (7.0)	8 (22.2)	67 (9.2)	171 (6.7)	45 (4.6)	36 (7.3)	88 (7.9)
<b>2011 Total</b>	<b>5,804</b>	<b>15</b>	<b>742</b>	<b>2,395</b>	<b>1,018</b>	<b>493</b>	<b>1,141</b>
Overweight	883 (15.2)	4 (****)	139 (18.7)	345 (14.4)	152 (14.9)	69 (14.0)	174 (15.2)
Obese	254 (4.4)	1 (****)	39 (5.3)	75 (3.1)	40 (3.9)	26 (5.3)	73 (6.4)
Very Obese	439 (7.6)	1 (****)	72 (9.7)	174 (7.3)	43 (4.2)	38 (7.7)	111 (9.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

HORIZON	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>642</b>	<b>18</b>	<b>&lt;5</b>	<b>17</b>	<b>506</b>	<b>22</b>	<b>77</b>
Overweight	108 (16.8)	5 (****)	0	4 (****)	84 (16.6)	3 (****)	12 (15.6)
Obese	29 (4.5)	0	0	1 (****)	22 (4.3)	1 (****)	5 (6.5)
Very Obese	42 (6.5)	5 (****)	0	1 (****)	25 (4.9)	3 (****)	8 (10.4)
<b>2018 Total</b>	<b>731</b>	<b>14</b>	<b>&lt;5</b>	<b>13</b>	<b>580</b>	<b>25</b>	<b>97</b>
Overweight	89 (12.2)	3 (****)	0	1 (****)	72 (12.4)	2 (****)	11 (11.3)
Obese	44 (6.0)	0	0	1 (****)	31 (5.3)	1 (****)	11 (11.3)
Very Obese	50 (6.8)	3 (****)	0	1 (****)	34 (5.9)	2 (****)	10 (10.3)
<b>2017 Total</b>	<b>769</b>	<b>15</b>	<b>&lt;5</b>	<b>14</b>	<b>616</b>	<b>30</b>	<b>91</b>
Overweight	129 (16.8)	2 (****)	0	4 (****)	109 (17.7)	2 (6.7)	12 (13.2)
Obese	38 (4.9)	1 (****)	0	0	30 (4.9)	0	7 (7.7)
Very Obese	50 (6.5)	3 (****)	0	0	33 (5.4)	4 (13.3)	10 (11.0)
<b>2016 Total</b>	<b>796</b>	<b>12</b>	<b>&lt;5</b>	<b>11</b>	<b>649</b>	<b>32</b>	<b>88</b>
Overweight	140 (17.6)	6 (****)	1 (****)	3 (****)	115 (17.7)	3 (9.4)	12 (13.6)
Obese	26 (3.3)	1 (****)	0	0	22 (3.4)	1 (3.1)	2 (2.3)
Very Obese	57 (7.2)	1 (****)	0	0	39 (6.0)	4 (12.5)	13 (14.8)
<b>2015 Total</b>	<b>836</b>	<b>16</b>	<b>&lt;5</b>	<b>8</b>	<b>678</b>	<b>38</b>	<b>94</b>
Overweight	142 (17.0)	2 (****)	0	1 (****)	116 (17.1)	7 (18.4)	16 (17.0)
Obese	32 (3.8)	1 (****)	1 (****)	0	23 (3.4)	3 (7.9)	4 (4.3)
Very Obese	45 (5.4)	1 (****)	0	0	30 (4.4)	3 (7.9)	11 (11.7)
<b>2014 Total</b>	<b>839</b>	<b>10</b>	<b>&lt;5</b>	<b>11</b>	<b>683</b>	<b>42</b>	<b>90</b>
Overweight	129 (15.4)	2 (****)	****	5 (****)	106 (15.5)	7 (16.7)	9 (10.0)
Obese	28 (3.3)	1 (****)	****	0	23 (3.4)	2 (4.8)	2 (2.2)
Very Obese	49 (5.8)	0	****	0	37 (5.4)	3 (7.1)	9 (10.0)
<b>2013 Total</b>	<b>890</b>	<b>16</b>	<b>7</b>	<b>7</b>	<b>743</b>	<b>40</b>	<b>77</b>
Overweight	160 (18.0)	2 (****)	0	2 (****)	132 (17.8)	12 (30.0)	12 (15.6)
Obese	38 (4.3)	1 (****)	0	0	27 (3.6)	3 (7.5)	7 (9.1)
Very Obese	50 (5.6)	3 (****)	0	1 (****)	39 (5.2)	4 (10.0)	3 (3.9)
<b>2012 Total</b>	<b>935</b>	<b>13</b>	<b>6</b>	<b>8</b>	<b>792</b>	<b>44</b>	<b>72</b>
Overweight	141 (15.1)	2 (****)	0	1 (****)	121 (15.3)	9 (20.5)	8 (11.1)
Obese	34 (3.6)	1 (****)	0	1 (****)	26 (3.3)	2 (4.5)	4 (5.6)
Very Obese	59 (6.3)	2 (****)	0	1 (****)	49 (6.2)	4 (9.1)	3 (4.2)
<b>2011 Total</b>	<b>1,018</b>	<b>16</b>	<b>8</b>	<b>10</b>	<b>879</b>	<b>31</b>	<b>74</b>
Overweight	139 (13.7)	3 (****)	1 (****)	2 (****)	120 (13.7)	4 (12.9)	9 (12.2)
Obese	59 (5.8)	1 (****)	0	1 (****)	51 (5.8)	2 (6.5)	4 (5.4)
Very Obese	61 (6.0)	6 (****)	1 (****)	1 (****)	46 (5.2)	3 (9.7)	4 (5.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

ISANTI	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>374</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>5</b>	<b>313</b>	<b>35</b>	<b>16</b>
Overweight	58 (15.5)	0	0	3 (****)	47 (15.0)	6 (17.1)	2 (****)
Obese	13 (3.5)	0	1 (****)	0	10 (3.2)	1 (2.9)	1 (****)
Very Obese	33 (8.8)	0	0	0	30 (9.6)	1 (2.9)	2 (****)
<b>2018 Total</b>	<b>398</b>	<b>&lt;5</b>	<b>5</b>	<b>5</b>	<b>326</b>	<b>37</b>	<b>24</b>
Overweight	62 (15.6)	0	1 (****)	1 (****)	52 (16.0)	4 (10.8)	4 (****)
Obese	14 (3.5)	0	0	0	13 (4.0)	1 (2.7)	0
Very Obese	29 (7.3)	1 (****)	0	0	24 (7.4)	2 (5.4)	2 (****)
<b>2017 Total</b>	<b>444</b>	<b>&lt;5</b>	<b>5</b>	<b>6</b>	<b>366</b>	<b>36</b>	<b>28</b>
Overweight	73 (16.4)	1 (****)	0	2 (****)	61 (16.7)	5 (13.9)	4 (****)
Obese	16 (3.6)	1 (****)	1 (****)	0	13 (3.6)	0	1 (****)
Very Obese	25 (5.6)	1 (****)	1 (****)	0	19 (5.2)	2 (5.6)	2 (****)
<b>2016 Total</b>	<b>451</b>	<b>7</b>	<b>5</b>	<b>&lt;5</b>	<b>374</b>	<b>37</b>	<b>26</b>
Overweight	60 (13.3)	0	0	0	49 (13.1)	4 (10.8)	7 (****)
Obese	16 (3.5)	0	1 (****)	0	13 (3.5)	1 (2.7)	1 (****)
Very Obese	31 (6.9)	1 (****)	2 (****)	1 (****)	23 (6.1)	3 (8.1)	1 (****)
<b>2015 Total</b>	<b>497</b>	<b>7</b>	<b>5</b>	<b>&lt;5</b>	<b>415</b>	<b>43</b>	<b>24</b>
Overweight	74 (14.9)	2 (****)	0	0	61 (14.7)	6 (14.0)	5 (****)
Obese	25 (5.0)	0	2 (****)	1 (****)	18 (4.3)	1 (2.3)	3 (****)
Very Obese	27 (5.4)	1 (****)	0	0	17 (4.1)	5 (11.6)	4 (****)
<b>2014 Total</b>	<b>422</b>	<b>7</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>353</b>	<b>28</b>	<b>26</b>
Overweight	58 (13.7)	1 (****)	****	****	49 (13.9)	3 (****)	4 (****)
Obese	17 (4.0)	1 (****)	****	****	13 (3.7)	0	2 (****)
Very Obese	32 (7.6)	0	****	****	27 (7.6)	4 (****)	1 (****)
<b>2013 Total</b>	<b>494</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>5</b>	<b>426</b>	<b>33</b>	<b>23</b>
Overweight	75 (15.2)	****	****	0	66 (15.5)	1 (3.0)	6 (****)
Obese	23 (4.7)	****	****	0	18 (4.2)	3 (9.1)	1 (****)
Very Obese	37 (7.5)	****	****	0	34 (8.0)	2 (6.1)	1 (****)
<b>2012 Total</b>	<b>551</b>	<b>&lt;5</b>	<b>6</b>	<b>&lt;5</b>	<b>479</b>	<b>34</b>	<b>25</b>
Overweight	75 (13.6)	****	1 (****)	****	66 (13.8)	5 (14.7)	2 (****)
Obese	29 (5.3)	****	0	****	23 (4.8)	2 (5.9)	3 (****)
Very Obese	35 (6.4)	****	0	****	27 (5.6)	3 (8.8)	3 (****)
<b>2011 Total</b>	<b>583</b>	<b>&lt;5</b>	<b>5</b>	<b>7</b>	<b>506</b>	<b>26</b>	<b>36</b>
Overweight	101 (17.3)	****	0	0	94 (18.6)	2 (****)	5 (13.9)
Obese	22 (3.8)	****	0	0	18 (3.6)	1 (****)	3 (8.3)
Very Obese	24 (4.1)	****	1 (****)	1 (****)	18 (3.6)	1 (****)	3 (8.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

KANABEC	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>192</b>	<b>&lt;5</b>	<b>0</b>	<b>&lt;5</b>	<b>164</b>	<b>14</b>	<b>11</b>
Overweight	36 (18.8)	0	0	1 (****)	29 (17.7)	3 (****)	3 (****)
Obese	8 (4.2)	0	0	0	5 (3.0)	2 (****)	1 (****)
Very Obese	11 (5.7)	1 (****)	0	0	9 (5.5)	0	1 (****)
<b>2018 Total</b>	<b>209</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>172</b>	<b>11</b>	<b>16</b>
Overweight	40 (19.1)	1 (****)	0	1 (****)	34 (19.8)	0	4 (****)
Obese	6 (2.9)	0	0	1 (****)	4 (2.3)	0	1 (****)
Very Obese	16 (7.7)	1 (****)	1 (****)	0	10 (5.8)	1 (****)	3 (****)
<b>2017 Total</b>	<b>222</b>	<b>6</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>177</b>	<b>19</b>	<b>17</b>
Overweight	30 (13.5)	0	1 (****)	1 (****)	24 (13.6)	2 (****)	2 (****)
Obese	9 (4.1)	0	0	0	6 (3.4)	0	3 (****)
Very Obese	17 (7.7)	2 (****)	0	0	13 (7.3)	0	2 (****)
<b>2016 Total</b>	<b>224</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>182</b>	<b>19</b>	<b>17</b>
Overweight	28 (12.5)	3 (****)	0	0	22 (12.1)	0	3 (****)
Obese	10 (4.5)	0	0	0	8 (4.4)	0	2 (****)
Very Obese	12 (5.4)	0	0	0	8 (4.4)	0	4 (****)
<b>2015 Total</b>	<b>220</b>	<b>&lt;5</b>	<b>0</b>	<b>&lt;5</b>	<b>182</b>	<b>15</b>	<b>20</b>
Overweight	32 (14.5)	0	0	1 (****)	25 (13.7)	1 (****)	5 (****)
Obese	7 (3.2)	0	0	0	7 (3.8)	0	0
Very Obese	8 (3.6)	0	0	0	6 (3.3)	0	2 (****)
<b>2014 Total</b>	<b>211</b>	<b>&lt;5</b>	<b>0</b>	<b>0</b>	<b>186</b>	<b>10</b>	<b>14</b>
Overweight	19 (9.0)	****	0	0	16 (8.6)	1 (****)	2 (****)
Obese	11 (5.2)	****	0	0	10 (5.4)	0	1 (****)
Very Obese	12 (5.7)	****	0	0	10 (5.4)	1 (****)	1 (****)
<b>2013 Total</b>	<b>211</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>176</b>	<b>19</b>	<b>16</b>
Overweight	42 (19.9)	0	0	0	35 (19.9)	5 (****)	2 (****)
Obese	10 (4.7)	0	0	0	6 (3.4)	2 (****)	2 (****)
Very Obese	11 (5.2)	0	0	0	7 (4.0)	3 (****)	1 (****)
<b>2012 Total</b>	<b>248</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>214</b>	<b>18</b>	<b>15</b>
Overweight	39 (15.7)	0	0	****	36 (16.8)	3 (****)	0
Obese	11 (4.4)	0	0	****	11 (5.1)	0	0
Very Obese	15 (6.0)	0	0	****	12 (5.6)	1 (****)	2 (****)
<b>2011 Total</b>	<b>243</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>217</b>	<b>12</b>	<b>14</b>
Overweight	38 (15.6)	0	0	0	34 (15.7)	2 (****)	2 (****)
Obese	17 (7.0)	0	0	0	15 (6.9)	1 (****)	1 (****)
Very Obese	18 (7.4)	0	0	0	12 (5.5)	3 (****)	3 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

KANDIYOHI-RENVILLE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,046</b>	<b>6</b>	<b>23</b>	<b>260</b>	<b>364</b>	<b>38</b>	<b>355</b>
Overweight	175 (16.7)	3 (****)	5 (****)	44 (16.9)	50 (13.7)	4 (10.5)	69 (19.4)
Obese	62 (5.9)	0	0	19 (7.3)	21 (5.8)	2 (5.3)	20 (5.6)
Very Obese	119 (11.4)	1 (****)	1 (****)	28 (10.8)	27 (7.4)	3 (7.9)	59 (16.6)
<b>2018 Total</b>	<b>1,092</b>	<b>9</b>	<b>23</b>	<b>268</b>	<b>410</b>	<b>26</b>	<b>356</b>
Overweight	193 (17.7)	3 (****)	5 (****)	44 (16.4)	78 (19.0)	4 (****)	59 (16.6)
Obese	49 (4.5)	0	1 (****)	16 (6.0)	12 (2.9)	0	20 (5.6)
Very Obese	110 (10.1)	2 (****)	1 (****)	24 (9.0)	32 (7.8)	2 (****)	49 (13.8)
<b>2017 Total</b>	<b>1,101</b>	<b>9</b>	<b>13</b>	<b>277</b>	<b>423</b>	<b>23</b>	<b>356</b>
Overweight	184 (16.7)	1 (****)	4 (****)	33 (11.9)	72 (17.0)	3 (****)	71 (19.9)
Obese	58 (5.3)	1 (****)	0	16 (5.8)	17 (4.0)	2 (****)	22 (6.2)
Very Obese	116 (10.5)	3 (****)	0	32 (11.6)	33 (7.8)	3 (****)	45 (12.6)
<b>2016 Total</b>	<b>1,099</b>	<b>12</b>	<b>13</b>	<b>259</b>	<b>443</b>	<b>19</b>	<b>353</b>
Overweight	170 (15.5)	1 (****)	1 (****)	32 (12.4)	64 (14.4)	3 (****)	69 (19.5)
Obese	53 (4.8)	0	1 (****)	9 (3.5)	22 (5.0)	0	21 (5.9)
Very Obese	118 (10.7)	1 (****)	1 (****)	18 (6.9)	39 (8.8)	2 (****)	57 (16.1)
<b>2015 Total</b>	<b>1,088</b>	<b>14</b>	<b>6</b>	<b>223</b>	<b>453</b>	<b>15</b>	<b>377</b>
Overweight	177 (16.3)	4 (****)	2 (****)	31 (13.9)	71 (15.7)	3 (****)	66 (17.5)
Obese	51 (4.7)	1 (****)	0	8 (3.6)	18 (4.0)	0	24 (6.4)
Very Obese	108 (9.9)	1 (****)	0	18 (8.1)	41 (9.1)	2 (****)	46 (12.2)
<b>2014 Total</b>	<b>1,028</b>	<b>8</b>	<b>8</b>	<b>196</b>	<b>447</b>	<b>18</b>	<b>351</b>
Overweight	150 (14.6)	2 (****)	2 (****)	20 (10.2)	60 (13.4)	5 (****)	61 (17.4)
Obese	48 (4.7)	0	0	4 (2.0)	23 (5.1)	1 (****)	20 (5.7)
Very Obese	99 (9.6)	2 (****)	0	11 (5.6)	35 (7.8)	2 (****)	49 (14.0)
<b>2013 Total</b>	<b>1,070</b>	<b>5</b>	<b>6</b>	<b>163</b>	<b>489</b>	<b>22</b>	<b>385</b>
Overweight	175 (16.4)	1 (****)	0	13 (8.0)	80 (16.4)	3 (****)	78 (20.3)
Obese	60 (5.6)	0	0	5 (3.1)	31 (6.3)	1 (****)	23 (6.0)
Very Obese	97 (9.1)	1 (****)	0	17 (10.4)	33 (6.7)	2 (****)	44 (11.4)
<b>2012 Total</b>	<b>1,129</b>	<b>20</b>	<b>&lt;5</b>	<b>136</b>	<b>549</b>	<b>32</b>	<b>390</b>
Overweight	186 (16.5)	2 (****)	0	19 (14.0)	87 (15.8)	4 (12.5)	74 (19.0)
Obese	44 (3.9)	1 (****)	0	6 (4.4)	19 (3.5)	2 (6.2)	16 (4.1)
Very Obese	100 (8.9)	5 (****)	0	11 (8.1)	32 (5.8)	4 (12.5)	48 (12.3)
<b>2011 Total</b>	<b>1,166</b>	<b>21</b>	<b>6</b>	<b>91</b>	<b>568</b>	<b>40</b>	<b>440</b>
Overweight	178 (15.3)	4 (****)	0	16 (17.6)	68 (12.0)	7 (17.5)	83 (18.9)
Obese	77 (6.6)	2 (****)	0	6 (6.6)	27 (4.8)	1 (2.5)	41 (9.3)
Very Obese	107 (9.2)	5 (****)	0	6 (6.6)	46 (8.1)	3 (7.5)	47 (10.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

LE SUEUR-WASECA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>415</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>16</b>	<b>265</b>	<b>26</b>	<b>103</b>
Overweight	70 (16.9)	0	2 (****)	2 (****)	44 (16.6)	5 (****)	17 (16.5)
Obese	20 (4.8)	0	0	1 (****)	11 (4.2)	2 (****)	6 (5.8)
Very Obese	30 (7.2)	0	0	1 (****)	17 (6.4)	0	12 (11.7)
<b>2018 Total</b>	<b>431</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>20</b>	<b>266</b>	<b>23</b>	<b>120</b>
Overweight	54 (12.5)	0	0	4 (****)	30 (11.3)	5 (****)	15 (12.5)
Obese	16 (3.7)	0	0	0	10 (3.8)	2 (****)	4 (3.3)
Very Obese	24 (5.6)	0	0	3 (****)	8 (3.0)	0	13 (10.8)
<b>2017 Total</b>	<b>475</b>	<b>&lt;5</b>	<b>0</b>	<b>18</b>	<b>281</b>	<b>28</b>	<b>146</b>
Overweight	78 (16.4)	0	0	1 (****)	46 (16.4)	5 (****)	26 (17.8)
Obese	26 (5.5)	0	0	2 (****)	12 (4.3)	2 (****)	10 (6.8)
Very Obese	37 (7.8)	0	0	3 (****)	16 (5.7)	1 (****)	17 (11.6)
<b>2016 Total</b>	<b>474</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>19</b>	<b>293</b>	<b>33</b>	<b>128</b>
Overweight	81 (17.1)	0	0	5 (****)	50 (17.1)	5 (15.2)	21 (16.4)
Obese	15 (3.2)	0	0	0	9 (3.1)	2 (6.1)	4 (3.1)
Very Obese	50 (10.5)	0	0	4 (****)	22 (7.5)	4 (12.1)	20 (15.6)
<b>2015 Total</b>	<b>494</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>11</b>	<b>306</b>	<b>32</b>	<b>139</b>
Overweight	78 (15.8)	1 (****)	1 (****)	1 (****)	52 (17.0)	5 (15.6)	18 (12.9)
Obese	21 (4.3)	0	0	1 (****)	10 (3.3)	0	10 (7.2)
Very Obese	45 (9.1)	0	0	3 (****)	17 (5.6)	5 (15.6)	20 (14.4)
<b>2014 Total</b>	<b>451</b>	<b>0</b>	<b>&lt;5</b>	<b>18</b>	<b>296</b>	<b>25</b>	<b>109</b>
Overweight	66 (14.6)	0	****	4 (****)	44 (14.9)	3 (****)	15 (13.8)
Obese	18 (4.0)	0	****	0	10 (3.4)	2 (****)	6 (5.5)
Very Obese	40 (8.9)	0	****	2 (****)	23 (7.8)	0	15 (13.8)
<b>2013 Total</b>	<b>491</b>	<b>0</b>	<b>&lt;5</b>	<b>17</b>	<b>313</b>	<b>31</b>	<b>128</b>
Overweight	76 (15.5)	0	0	1 (****)	45 (14.4)	7 (22.6)	23 (18.0)
Obese	16 (3.3)	0	0	0	11 (3.5)	0	5 (3.9)
Very Obese	40 (8.1)	0	0	2 (****)	21 (6.7)	2 (6.5)	15 (11.7)
<b>2012 Total</b>	<b>548</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>	<b>375</b>	<b>26</b>	<b>127</b>
Overweight	82 (15.0)	0	0	5 (****)	53 (14.1)	6 (****)	18 (14.2)
Obese	21 (3.8)	0	0	1 (****)	14 (3.7)	1 (****)	5 (3.9)
Very Obese	46 (8.4)	0	0	0	29 (7.7)	0	17 (13.4)
<b>2011 Total</b>	<b>568</b>	<b>&lt;5</b>	<b>0</b>	<b>10</b>	<b>402</b>	<b>25</b>	<b>124</b>
Overweight	90 (15.8)	0	0	1 (****)	64 (15.9)	6 (****)	18 (14.5)
Obese	20 (3.5)	0	0	0	13 (3.2)	0	7 (5.6)
Very Obese	28 (4.9)	0	0	1 (****)	17 (4.2)	0	10 (8.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

MEEKER-MCLEOD-SIBLEY	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>752</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>	<b>490</b>	<b>33</b>	<b>206</b>
Overweight	125 (16.6)	0	1 (****)	2 (****)	76 (15.5)	8 (24.2)	38 (18.4)
Obese	35 (4.7)	0	0	1 (****)	16 (3.3)	3 (9.1)	15 (7.3)
Very Obese	57 (7.6)	0	0	0	35 (7.1)	2 (6.1)	20 (9.7)
<b>2018 Total</b>	<b>797</b>	<b>5</b>	<b>&lt;5</b>	<b>17</b>	<b>524</b>	<b>23</b>	<b>224</b>
Overweight	128 (16.1)	1 (****)	0	0	87 (16.6)	3 (****)	37 (16.5)
Obese	45 (5.6)	0	0	0	27 (5.2)	0	18 (8.0)
Very Obese	74 (9.3)	0	1 (****)	1 (****)	42 (8.0)	1 (****)	29 (12.9)
<b>2017 Total</b>	<b>854</b>	<b>5</b>	<b>7</b>	<b>10</b>	<b>568</b>	<b>35</b>	<b>229</b>
Overweight	155 (18.1)	0	0	3 (****)	113 (19.9)	4 (11.4)	35 (15.3)
Obese	35 (4.1)	0	0	1 (****)	23 (4.0)	1 (2.9)	10 (4.4)
Very Obese	83 (9.7)	0	1 (****)	0	40 (7.0)	2 (5.7)	40 (17.5)
<b>2016 Total</b>	<b>894</b>	<b>6</b>	<b>8</b>	<b>8</b>	<b>594</b>	<b>38</b>	<b>240</b>
Overweight	144 (16.1)	2 (****)	1 (****)	0	104 (17.5)	4 (10.5)	33 (13.8)
Obese	48 (5.4)	0	0	1 (****)	29 (4.9)	2 (5.3)	16 (6.7)
Very Obese	84 (9.4)	2 (****)	0	0	45 (7.6)	1 (2.6)	36 (15.0)
<b>2015 Total</b>	<b>946</b>	<b>&lt;5</b>	<b>7</b>	<b>11</b>	<b>655</b>	<b>37</b>	<b>232</b>
Overweight	145 (15.3)	0	0	3 (****)	102 (15.6)	1 (2.7)	39 (16.8)
Obese	38 (4.0)	1 (****)	0	1 (****)	23 (3.5)	3 (8.1)	10 (4.3)
Very Obese	92 (9.7)	0	1 (****)	1 (****)	56 (8.5)	2 (5.4)	32 (13.8)
<b>2014 Total</b>	<b>901</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>12</b>	<b>645</b>	<b>38</b>	<b>202</b>
Overweight	128 (14.2)	****	****	1 (****)	84 (13.0)	8 (21.1)	35 (17.3)
Obese	33 (3.7)	****	****	0	18 (2.8)	1 (2.6)	13 (6.4)
Very Obese	74 (8.2)	****	****	2 (****)	41 (6.4)	3 (7.9)	28 (13.9)
<b>2013 Total</b>	<b>969</b>	<b>5</b>	<b>&lt;5</b>	<b>13</b>	<b>694</b>	<b>32</b>	<b>223</b>
Overweight	161 (16.6)	2 (****)	0	3 (****)	108 (15.6)	6 (18.8)	42 (18.8)
Obese	40 (4.1)	0	0	0	33 (4.8)	1 (3.1)	6 (2.7)
Very Obese	91 (9.4)	0	1 (****)	2 (****)	53 (7.6)	2 (6.2)	33 (14.8)
<b>2012 Total</b>	<b>1,040</b>	<b>5</b>	<b>9</b>	<b>17</b>	<b>777</b>	<b>21</b>	<b>211</b>
Overweight	198 (19.0)	2 (****)	2 (****)	2 (****)	141 (18.1)	3 (****)	48 (22.7)
Obese	44 (4.2)	0	1 (****)	1 (****)	29 (3.7)	0	13 (6.2)
Very Obese	87 (8.4)	0	3 (****)	1 (****)	54 (6.9)	2 (****)	27 (12.8)
<b>2011 Total</b>	<b>1,168</b>	<b>6</b>	<b>5</b>	<b>14</b>	<b>848</b>	<b>33</b>	<b>262</b>
Overweight	190 (16.3)	3 (****)	0	2 (****)	140 (16.5)	5 (15.2)	40 (15.3)
Obese	66 (5.7)	0	1 (****)	0	38 (4.5)	4 (12.1)	23 (8.8)
Very Obese	75 (6.4)	1 (****)	1 (****)	0	42 (5.0)	2 (6.1)	29 (11.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

MORRISON-TODD-WADENA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>800</b>	<b>6</b>	<b>&lt;5</b>	<b>15</b>	<b>620</b>	<b>50</b>	<b>106</b>
Overweight	128 (16.0)	0	0	3 (****)	99 (16.0)	7 (14.0)	19 (17.9)
Obese	34 (4.2)	0	0	1 (****)	26 (4.2)	2 (4.0)	5 (4.7)
Very Obese	58 (7.2)	2 (****)	1 (****)	2 (****)	34 (5.5)	6 (12.0)	13 (12.3)
<b>2018 Total</b>	<b>930</b>	<b>6</b>	<b>5</b>	<b>14</b>	<b>727</b>	<b>62</b>	<b>116</b>
Overweight	156 (16.8)	1 (****)	1 (****)	3 (****)	121 (16.6)	9 (14.5)	21 (18.1)
Obese	39 (4.2)	0	0	1 (****)	29 (4.0)	2 (3.2)	7 (6.0)
Very Obese	71 (7.6)	1 (****)	1 (****)	1 (****)	43 (5.9)	6 (9.7)	19 (16.4)
<b>2017 Total</b>	<b>988</b>	<b>6</b>	<b>6</b>	<b>14</b>	<b>777</b>	<b>59</b>	<b>126</b>
Overweight	150 (15.2)	0	0	2 (****)	119 (15.3)	8 (13.6)	21 (16.7)
Obese	54 (5.5)	1 (****)	0	0	43 (5.5)	4 (6.8)	6 (4.8)
Very Obese	85 (8.6)	1 (****)	3 (****)	0	59 (7.6)	5 (8.5)	17 (13.5)
<b>2016 Total</b>	<b>1,046</b>	<b>7</b>	<b>7</b>	<b>15</b>	<b>814</b>	<b>61</b>	<b>142</b>
Overweight	179 (17.1)	0	3 (****)	0	136 (16.7)	10 (16.4)	30 (21.1)
Obese	50 (4.8)	0	0	1 (****)	42 (5.2)	3 (4.9)	4 (2.8)
Very Obese	91 (8.7)	2 (****)	0	1 (****)	66 (8.1)	5 (8.2)	17 (12.0)
<b>2015 Total</b>	<b>1,069</b>	<b>5</b>	<b>8</b>	<b>13</b>	<b>851</b>	<b>60</b>	<b>132</b>
Overweight	177 (16.6)	1 (****)	3 (****)	1 (****)	130 (15.3)	9 (15.0)	33 (25.0)
Obese	53 (5.0)	2 (****)	0	1 (****)	41 (4.8)	2 (3.3)	7 (5.3)
Very Obese	83 (7.8)	1 (****)	0	1 (****)	59 (6.9)	4 (6.7)	18 (13.6)
<b>2014 Total</b>	<b>959</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>767</b>	<b>51</b>	<b>124</b>
Overweight	160 (16.7)	0	2 (****)	1 (****)	129 (16.8)	6 (11.8)	22 (17.7)
Obese	47 (4.9)	0	0	0	36 (4.7)	2 (3.9)	9 (7.3)
Very Obese	73 (7.6)	2 (****)	0	0	45 (5.9)	3 (5.9)	23 (18.5)
<b>2013 Total</b>	<b>1,035</b>	<b>7</b>	<b>6</b>	<b>3</b>	<b>833</b>	<b>50</b>	<b>136</b>
Overweight	169 (16.3)	1 (****)	1 (****)	0	133 (16.0)	4 (8.0)	30 (22.1)
Obese	53 (5.1)	0	0	0	39 (4.7)	3 (6.0)	11 (8.1)
Very Obese	66 (6.4)	0	1 (****)	1 (****)	42 (5.0)	3 (6.0)	19 (14.0)
<b>2012 Total</b>	<b>1,152</b>	<b>&lt;5</b>	<b>5</b>	<b>9</b>	<b>934</b>	<b>53</b>	<b>148</b>
Overweight	174 (15.1)	0	0	1 (****)	133 (14.2)	8 (15.1)	32 (21.6)
Obese	47 (4.1)	1 (****)	0	2 (****)	33 (3.5)	3 (5.7)	8 (5.4)
Very Obese	67 (5.8)	0	0	1 (****)	47 (5.0)	3 (5.7)	16 (10.8)
<b>2011 Total</b>	<b>1,224</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>6</b>	<b>1,023</b>	<b>49</b>	<b>140</b>
Overweight	199 (16.3)	2 (****)	0	2 (****)	157 (15.3)	8 (16.3)	30 (21.4)
Obese	61 (5.0)	0	0	0	48 (4.7)	2 (4.1)	11 (7.9)
Very Obese	67 (5.5)	0	0	1 (****)	49 (4.8)	4 (8.2)	13 (9.3)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

MILLE LACS CO	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>395</b>	<b>64</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>276</b>	<b>35</b>	<b>17</b>
Overweight	50 (12.7)	10 (15.6)	1 (****)	0	30 (10.9)	5 (14.3)	4 (****)
Obese	25 (6.3)	5 (7.8)	1 (****)	0	15 (5.4)	4 (11.4)	0
Very Obese	30 (7.6)	16 (25.0)	0	0	13 (4.7)	1 (2.9)	0
<b>2018 Total</b>	<b>382</b>	<b>69</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>258</b>	<b>34</b>	<b>14</b>
Overweight	70 (18.3)	22 (31.9)	1 (****)	1 (****)	36 (14.0)	8 (23.5)	2 (****)
Obese	27 (7.1)	5 (7.2)	0	0	18 (7.0)	3 (8.8)	1 (****)
Very Obese	34 (8.9)	13 (18.8)	2 (****)	2 (****)	13 (5.0)	3 (8.8)	1 (****)
<b>2017 Total</b>	<b>369</b>	<b>59</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>254</b>	<b>34</b>	<b>18</b>
Overweight	57 (15.4)	9 (15.3)	0	0	37 (14.6)	8 (23.5)	3 (****)
Obese	12 (3.3)	5 (8.5)	1 (****)	0	5 (2.0)	0	1 (****)
Very Obese	36 (9.8)	10 (16.9)	1 (****)	0	20 (7.9)	4 (11.8)	1 (****)
<b>2016 Total</b>	<b>389</b>	<b>75</b>	<b>5</b>	<b>&lt;5</b>	<b>250</b>	<b>38</b>	<b>20</b>
Overweight	76 (19.5)	13 (17.3)	1 (****)	0	51 (20.4)	7 (18.4)	4 (****)
Obese	23 (5.9)	11 (14.7)	1 (****)	0	6 (2.4)	4 (10.5)	1 (****)
Very Obese	32 (8.2)	11 (14.7)	0	0	17 (6.8)	3 (7.9)	1 (****)
<b>2015 Total</b>	<b>418</b>	<b>69</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>279</b>	<b>41</b>	<b>24</b>
Overweight	58 (13.9)	9 (13.0)	0	1 (****)	34 (12.2)	11 (26.8)	3 (****)
Obese	26 (6.2)	5 (7.2)	0	0	17 (6.1)	2 (4.9)	2 (****)
Very Obese	38 (9.1)	18 (26.1)	0	0	18 (6.5)	2 (4.9)	0
<b>2014 Total</b>	<b>389</b>	<b>71</b>	<b>&lt;5</b>	<b>0</b>	<b>270</b>	<b>34</b>	<b>13</b>
Overweight	71 (18.3)	25 (35.2)	****	0	41 (15.2)	3 (8.8)	2 (****)
Obese	15 (3.9)	4 (5.6)	****	0	8 (3.0)	2 (5.9)	1 (****)
Very Obese	26 (6.7)	12 (16.9)	****	0	11 (4.1)	3 (8.8)	0
<b>2013 Total</b>	<b>436</b>	<b>90</b>	<b>0</b>	<b>&lt;5</b>	<b>292</b>	<b>35</b>	<b>18</b>
Overweight	79 (18.1)	25 (27.8)	0	****	43 (14.7)	8 (22.9)	3 (****)
Obese	25 (5.7)	4 (4.4)	0	****	18 (6.2)	2 (5.7)	1 (****)
Very Obese	32 (7.3)	15 (16.7)	0	****	11 (3.8)	4 (11.4)	2 (****)
<b>2012 Total</b>	<b>492</b>	<b>85</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>340</b>	<b>38</b>	<b>24</b>
Overweight	81 (16.5)	16 (18.8)	****	****	50 (14.7)	7 (18.4)	5 (****)
Obese	22 (4.5)	4 (4.7)	****	****	15 (4.4)	2 (5.3)	1 (****)
Very Obese	32 (6.5)	12 (14.1)	****	****	17 (5.0)	0	2 (****)
<b>2011 Total</b>	<b>520</b>	<b>78</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>371</b>	<b>37</b>	<b>29</b>
Overweight	88 (16.9)	19 (24.4)	****	****	52 (14.0)	9 (24.3)	7 (****)
Obese	27 (5.2)	5 (6.4)	****	****	17 (4.6)	9 (24.3)	4 (****)
Very Obese	48 (9.2)	16 (20.5)	****	****	29 (7.8)	2 (5.4)	1 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

MOWER	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>620</b>	<b>0</b>	<b>117</b>	<b>92</b>	<b>197</b>	<b>27</b>	<b>187</b>
Overweight	113 (18.2)	0	11 (9.4)	14 (15.2)	38 (19.3)	7 (****)	43 (23.0)
Obese	32 (5.2)	0	2 (1.7)	4 (4.3)	12 (6.1)	0	14 (7.5)
Very Obese	58 (9.4)	0	6 (5.1)	11 (12.0)	14 (7.1)	1 (****)	26 (13.9)
<b>2018 Total</b>	<b>624</b>	<b>0</b>	<b>111</b>	<b>87</b>	<b>199</b>	<b>20</b>	<b>207</b>
Overweight	98 (15.7)	0	9 (8.1)	12 (13.8)	34 (17.1)	4 (****)	39 (18.8)
Obese	39 (6.2)	0	4 (3.6)	7 (8.0)	13 (6.5)	1 (****)	14 (6.8)
Very Obese	70 (11.2)	0	6 (5.4)	10 (11.5)	13 (6.5)	3 (****)	38 (18.4)
<b>2017 Total</b>	<b>620</b>	<b>0</b>	<b>94</b>	<b>76</b>	<b>215</b>	<b>27</b>	<b>208</b>
Overweight	99 (16.0)	0	10 (10.6)	14 (18.4)	35 (16.3)	7 (****)	33 (15.9)
Obese	39 (6.3)	0	6 (6.4)	6 (7.9)	6 (2.8)	2 (****)	19 (9.1)
Very Obese	73 (11.8)	0	7 (7.4)	6 (7.9)	20 (9.3)	2 (****)	38 (18.3)
<b>2016 Total</b>	<b>638</b>	<b>&lt;5</b>	<b>76</b>	<b>74</b>	<b>241</b>	<b>33</b>	<b>213</b>
Overweight	116 (18.2)	1 (****)	6 (7.9)	10 (13.5)	47 (19.5)	4 (12.1)	48 (22.5)
Obese	40 (6.3)	0	2 (2.6)	4 (5.4)	13 (5.4)	1 (3.0)	20 (9.4)
Very Obese	79 (12.4)	0	3 (3.9)	14 (18.9)	26 (10.8)	2 (6.1)	34 (16.0)
<b>2015 Total</b>	<b>650</b>	<b>0</b>	<b>64</b>	<b>72</b>	<b>267</b>	<b>29</b>	<b>218</b>
Overweight	119 (18.3)	0	8 (12.5)	11 (15.3)	46 (17.2)	4 (****)	50 (22.9)
Obese	39 (6.0)	0	0	4 (5.6)	15 (5.6)	1 (****)	19 (8.7)
Very Obese	68 (10.5)	0	4 (6.2)	9 (12.5)	15 (5.6)	6 (****)	34 (15.6)
<b>2014 Total</b>	<b>674</b>	<b>0</b>	<b>66</b>	<b>77</b>	<b>254</b>	<b>37</b>	<b>240</b>
Overweight	121 (18.0)	0	7 (10.6)	14 (18.2)	42 (16.5)	5 (13.5)	53 (22.1)
Obese	45 (6.7)	0	2 (3.0)	5 (6.5)	13 (5.1)	4 (10.8)	21 (8.8)
Very Obese	51 (7.6)	0	1 (1.5)	2 (2.6)	15 (5.9)	3 (8.1)	30 (12.5)
<b>2013 Total</b>	<b>791</b>	<b>0</b>	<b>50</b>	<b>78</b>	<b>316</b>	<b>45</b>	<b>302</b>
Overweight	142 (18.0)	0	5 (10.0)	12 (15.4)	62 (19.6)	8 (17.8)	55 (18.2)
Obese	48 (6.1)	0	1 (2.0)	2 (2.6)	14 (4.4)	3 (6.7)	28 (9.3)
Very Obese	82 (10.4)	0	1 (2.0)	5 (6.4)	23 (7.3)	6 (13.3)	47 (15.6)
<b>2012 Total</b>	<b>834</b>	<b>0</b>	<b>28</b>	<b>74</b>	<b>364</b>	<b>37</b>	<b>331</b>
Overweight	162 (19.4)	0	2 (****)	10 (13.5)	67 (18.4)	8 (21.6)	75 (22.7)
Obese	52 (6.2)	0	0	3 (4.1)	14 (3.8)	4 (10.8)	31 (9.4)
Very Obese	81 (9.7)	0	4 (****)	4 (5.4)	26 (7.1)	6 (16.2)	41 (12.4)
<b>2011 Total</b>	<b>792</b>	<b>0</b>	<b>24</b>	<b>72</b>	<b>338</b>	<b>32</b>	<b>326</b>
Overweight	145 (18.3)	0	2 (****)	9 (12.5)	60 (17.8)	5 (15.6)	69 (21.2)
Obese	51 (6.4)	0	0	4 (5.6)	16 (4.7)	3 (9.4)	28 (8.6)
Very Obese	72 (9.1)	0	1 (****)	7 (9.7)	22 (6.5)	5 (15.6)	37 (11.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

NOBLES	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>557</b>	<b>0</b>	<b>48</b>	<b>53</b>	<b>73</b>	<b>13</b>	<b>370</b>
Overweight	97 (17.4)	0	7 (14.6)	11 (20.8)	9 (12.3)	2 (****)	68 (18.4)
Obese	30 (5.4)	0	1 (2.1)	1 (1.9)	6 (8.2)	2 (****)	20 (5.4)
Very Obese	74 (13.3)	0	5 (10.4)	5 (9.4)	7 (9.6)	0	57 (15.4)
<b>2018 Total</b>	<b>588</b>	<b>0</b>	<b>53</b>	<b>52</b>	<b>68</b>	<b>14</b>	<b>401</b>
Overweight	110 (18.7)	0	8 (15.1)	6 (11.5)	4 (5.9)	3 (****)	89 (22.2)
Obese	33 (5.6)	0	3 (5.7)	2 (3.8)	7 (10.3)	0	21 (5.2)
Very Obese	63 (10.7)	0	6 (11.3)	3 (5.8)	4 (5.9)	2 (****)	48 (12.0)
<b>2017 Total</b>	<b>546</b>	<b>0</b>	<b>45</b>	<b>48</b>	<b>83</b>	<b>16</b>	<b>354</b>
Overweight	99 (18.1)	0	4 (8.9)	7 (14.6)	14 (16.9)	4 (****)	70 (19.8)
Obese	37 (6.8)	0	2 (4.4)	2 (4.2)	4 (4.8)	2 (****)	27 (7.6)
Very Obese	54 (9.9)	0	4 (8.9)	3 (6.2)	3 (3.6)	2 (****)	42 (11.9)
<b>2016 Total</b>	<b>582</b>	<b>&lt;5</b>	<b>41</b>	<b>46</b>	<b>95</b>	<b>18</b>	<b>382</b>
Overweight	102 (17.5)	0	5 (12.2)	5 (10.9)	14 (14.7)	3 (****)	75 (19.6)
Obese	30 (5.2)	0	0	1 (2.2)	1 (1.1)	2 (****)	26 (6.8)
Very Obese	66 (11.3)	0	2 (4.9)	3 (6.5)	7 (7.4)	1 (****)	53 (13.9)
<b>2015 Total</b>	<b>528</b>	<b>&lt;5</b>	<b>33</b>	<b>38</b>	<b>97</b>	<b>22</b>	<b>336</b>
Overweight	110 (20.8)	1 (****)	3 (9.1)	8 (21.1)	14 (14.4)	4 (****)	80 (23.8)
Obese	25 (4.7)	0	0	3 (7.9)	3 (3.1)	3 (****)	16 (4.8)
Very Obese	50 (9.5)	0	2 (6.1)	2 (5.3)	3 (3.1)	1 (****)	42 (12.5)
<b>2014 Total</b>	<b>503</b>	<b>&lt;5</b>	<b>40</b>	<b>31</b>	<b>90</b>	<b>17</b>	<b>322</b>
Overweight	88 (17.5)	****	3 (7.5)	4 (12.9)	13 (14.4)	4 (****)	62 (19.3)
Obese	32 (6.4)	****	1 (2.5)	4 (12.9)	3 (3.3)	0	24 (7.5)
Very Obese	36 (7.2)	****	0	2 (6.5)	3 (3.3)	1 (****)	30 (9.3)
<b>2013 Total</b>	<b>538</b>	<b>&lt;5</b>	<b>43</b>	<b>41</b>	<b>93</b>	<b>16</b>	<b>343</b>
Overweight	93 (17.3)	****	3 (7.0)	2 (4.9)	8 (8.6)	4 (****)	75 (21.9)
Obese	29 (5.4)	****	4 (9.3)	3 (7.3)	4 (4.3)	0	18 (5.2)
Very Obese	52 (9.7)	****	2 (4.7)	4 (9.8)	3 (3.2)	1 (****)	42 (12.2)
<b>2012 Total</b>	<b>545</b>	<b>&lt;5</b>	<b>37</b>	<b>25</b>	<b>102</b>	<b>11</b>	<b>368</b>
Overweight	101 (18.5)	****	5 (13.5)	4 (****)	7 (6.9)	2 (****)	83 (22.6)
Obese	28 (5.1)	****	2 (5.4)	1 (****)	2 (2.0)	1 (****)	21 (5.7)
Very Obese	57 (10.5)	****	1 (2.7)	3 (****)	5 (4.9)	2 (****)	46 (12.5)
<b>2011 Total</b>	<b>536</b>	<b>&lt;5</b>	<b>33</b>	<b>20</b>	<b>99</b>	<b>13</b>	<b>369</b>
Overweight	93 (17.4)	****	2 (6.1)	3 (****)	10 (10.1)	3 (****)	75 (20.3)
Obese	40 (7.5)	****	1 (3.0)	0	7 (7.1)	0	31 (8.4)
Very Obese	65 (12.1)	****	2 (6.1)	1 (****)	4 (4.0)	0	57 (15.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

NORTH COUNTRY	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>436</b>	<b>57</b>	<b>&lt;5</b>	<b>5</b>	<b>309</b>	<b>44</b>	<b>19</b>
Overweight	57 (13.1)	10 (17.5)	0	0	38 (12.3)	6 (13.6)	3 (****)
Obese	16 (3.7)	3 (5.3)	0	0	9(2.9)	4 (9.1)	0
Very Obese	49 (9.9)	14 (24.6)	0	0	23 (7.6)	5 (11.4)	1 (****)
<b>2018 Total</b>	<b>485</b>	<b>67</b>	<b>6</b>	<b>5</b>	<b>344</b>	<b>39</b>	<b>26</b>
Overweight	75 (15.5)	16 (23.9)	1 (****)	0	46 (13.4)	9 (23.1)	3 (****)
Obese	25 (5.2)	6 (9.0)	0	0	14 (4.1)	4 (10.3)	1 (****)
Very Obese	54 (11.1)	11 (16.4)	1 (****)	0	34 (9.9)	5 (12.8)	3 (****)
<b>2017 Total</b>	<b>475</b>	<b>69</b>	<b>5</b>	<b>6</b>	<b>333</b>	<b>40</b>	<b>25</b>
Overweight	80 (16.8)	7 (10.1)	0	0	59 (17.7)	11 (27.5)	3 (****)
Obese	22 (4.6)	6 (8.7)	0	0	13 (3.9)	2 (5.0)	1 (****)
Very Obese	47 (9.9)	17 (24.6)	1 (****)	1 (****)	17 (5.1)	6 (15.0)	5 (****)
<b>2016 Total</b>	<b>461</b>	<b>59</b>	<b>6</b>	<b>&lt;5</b>	<b>333</b>	<b>40</b>	<b>24</b>
Overweight	72 (15.6)	9 (15.3)	0	****	50 (15.0)	10 (25.0)	3 (****)
Obese	33 (7.2)	8 (13.6)	0	****	15 (4.5)	3 (7.5)	5 (****)
Very Obese	39 (8.5)	8 (13.6)	1 (****)	****	24 (7.2)	3 (7.5)	3 (****)
<b>2015 Total</b>	<b>481</b>	<b>62</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>349</b>	<b>42</b>	<b>23</b>
Overweight	70 (15.6)	15 (24.2)	****	****	47 (13.5)	6 (14.3)	2 (****)
Obese	33 (6.9)	3 (4.8)	****	****	27 (7.7)	2 (4.8)	1 (****)
Very Obese	41 (8.5)	9 (14.5)	****	****	25 (7.2)	2 (4.8)	4 (****)
<b>2014 Total</b>	<b>467</b>	<b>54</b>	<b>0</b>	<b>8</b>	<b>339</b>	<b>42</b>	<b>23</b>
Overweight	70 (15.0)	12 (22.2)	0	0	51 (15.0)	3 (7.1)	4 (****)
Obese	31 (6.6)	7 (13.0)	0	0	20 (5.9)	0	2 (****)
Very Obese	34 (7.3)	10 (18.5)	0	2 (****)	20 (5.9)	2 (4.8)	2 (****)
<b>2013 Total</b>	<b>568</b>	<b>54</b>	<b>&lt;5</b>	<b>5</b>	<b>433</b>	<b>51</b>	<b>25</b>
Overweight	106 (20.9)	10 (18.5)	****	1 (****)	79 (18.2)	8 (15.7)	8 (****)
Obese	33 (6.5)	5 (9.3)	****	1 (****)	23 (5.3)	1 (2.0)	3 (****)
Very Obese	55 (10.8)	9 (16.7)	****	0	41 (9.5)	4 (7.8)	1 (****)
<b>2012 Total</b>	<b>575</b>	<b>47</b>	<b>&lt;5</b>	<b>7</b>	<b>443</b>	<b>48</b>	<b>29</b>
Overweight	85 (14.8)	8 (17.0)	****	1 (****)	66 (14.9)	5 (10.4)	5 (****)
Obese	37 (6.4)	6 (12.8)	****	1 (****)	25 (5.6)	2 (4.2)	3 (****)
Very Obese	54 (9.4)	6 (12.8)	****	0	38 (8.6)	7 (14.6)	3 (****)
<b>2011 Total</b>	<b>580</b>	<b>45</b>	<b>5</b>	<b>&lt;5</b>	<b>464</b>	<b>42</b>	<b>26</b>
Overweight	113 (19.5)	14 (31.1)	0	****	87 (18.8)	7 (16.7)	5 (****)
Obese	28 (4.8)	3 (6.7)	0	****	22 (4.7)	3 (7.1)	0
Very Obese	38 (6.6)	6 (13.3)	2 (****)	****	24 (5.2)	4 (9.5)	4 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

OLMSTED	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,575</b>	<b>&lt;5</b>	<b>97</b>	<b>577</b>	<b>468</b>	<b>140</b>	<b>291</b>
Overweight	236 (15.0)	0	14 (14.4)	80 (13.9)	81 (17.3)	17 (12.1)	44 (15.1)
Obese	74 (4.7)	0	2 (2.1)	20 (3.5)	20 (4.3)	9 (6.4)	23 (7.9)
Very Obese	135 (8.6)	0	6 (6.2)	38 (6.6)	33 (7.1)	12 (8.6)	46 (15.8)
<b>2018 Total</b>	<b>1,614</b>	<b>&lt;5</b>	<b>96</b>	<b>551</b>	<b>488</b>	<b>143</b>	<b>334</b>
Overweight	244 (15.1)	0	10 (10.4)	61 (11.1)	85 (17.4)	20 (14.0)	68 (20.4)
Obese	69 (4.3)	0	3 (3.1)	23 (4.2)	19 (3.9)	5 (3.5)	19 (5.7)
Very Obese	145 (9.0)	1 (****)	5 (5.2)	35 (6.4)	40 (8.2)	13 (9.1)	51 (15.3)
<b>2017 Total</b>	<b>1,635</b>	<b>&lt;5</b>	<b>111</b>	<b>524</b>	<b>528</b>	<b>153</b>	<b>316</b>
Overweight	237 (14.5)	1 (****)	12 (10.8)	65 (12.4)	81 (15.3)	27 (17.6)	51 (16.1)
Obese	68 (4.2)	0	4 (3.6)	15 (2.9)	23 (4.4)	10 (6.5)	16 (5.1)
Very Obese	136 (8.3)	0	3 (2.7)	29 (5.5)	49 (9.3)	9 (5.9)	46 (14.6)
<b>2016 Total</b>	<b>1,744</b>	<b>&lt;5</b>	<b>137</b>	<b>496</b>	<b>612</b>	<b>181</b>	<b>316</b>
Overweight	265 (15.2)	0	10 (7.3)	60 (12.1)	97 (15.8)	32 (17.7)	66 (20.9)
Obese	80 (4.6)	0	1 (<1)	19 (3.8)	24 (3.9)	14 (7.7)	22 (7.0)
Very Obese	130 (7.5)	0	4 (2.9)	22 (4.4)	45 (7.4)	20 (11.0)	39 (12.3)
<b>2015 Total</b>	<b>1,803</b>	<b>&lt;5</b>	<b>137</b>	<b>525</b>	<b>624</b>	<b>201</b>	<b>315</b>
Overweight	273 (15.1)	0	18 (13.1)	61 (11.6)	92 (14.7)	36 (17.9)	66 (21.0)
Obese	77 (4.3)	0	3 (2.2)	14 (2.7)	29 (4.6)	9 (4.5)	22 (7.0)
Very Obese	133 (7.4)	0	7 (5.1)	30 (5.7)	37 (5.9)	20 (10.0)	39 (12.4)
<b>2014 Total</b>	<b>1,793</b>	<b>&lt;5</b>	<b>119</b>	<b>517</b>	<b>642</b>	<b>194</b>	<b>320</b>
Overweight	268 (14.9)	****	12 (10.1)	49 (9.5)	112 (17.4)	31 (16.0)	64 (20.0)
Obese	80 (4.5)	****	5 (4.2)	14 (2.7)	27 (4.2)	16 (8.2)	18 (5.6)
Very Obese	127 (7.1)	****	4 (3.4)	34 (6.6)	32 (5.0)	17 (8.8)	40 (12.5)
<b>2013 Total</b>	<b>1,917</b>	<b>&lt;5</b>	<b>159</b>	<b>503</b>	<b>688</b>	<b>211</b>	<b>355</b>
Overweight	303 (15.8)	****	27 (17.0)	63 (12.5)	107 (15.6)	39 (18.5)	67 (18.9)
Obese	85 (4.4)	****	3 (1.9)	14 (2.8)	34 (4.9)	5 (2.4)	29 (8.2)
Very Obese	149 (7.8)	****	6 (3.8)	31 (6.2)	39 (5.7)	15 (7.1)	58 (16.3)
<b>2012 Total</b>	<b>2,087</b>	<b>&lt;5</b>	<b>161</b>	<b>491</b>	<b>832</b>	<b>200</b>	<b>399</b>
Overweight	326 (15.6)	****	18 (11.2)	61 (12.4)	136 (16.3)	28 (14.0)	81 (20.3)
Obese	88 (4.2)	****	5 (3.1)	15 (3.1)	37 (4.4)	8 (4.0)	23 (5.8)
Very Obese	133 (6.4)	****	4 (2.5)	26 (5.3)	43 (5.2)	11 (5.5)	49 (12.3)
<b>2011 Total</b>	<b>2,096</b>	<b>10</b>	<b>165</b>	<b>475</b>	<b>826</b>	<b>212</b>	<b>408</b>
Overweight	328 (15.6)	4 (****)	12 (7.3)	79 (16.6)	129 (15.6)	33 (15.6)	71 (17.4)
Obese	95 (4.5)	0	8 (4.8)	16 (3.4)	36 (4.4)	14 (6.6)	21 (5.1)
Very Obese	121 (5.8)	1 (****)	4 (2.4)	22 (4.6)	43 (5.2)	15 (7.1)	36 (8.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

<b>PARTNERSHIP 4 HEALTH</b>	<b>Undup Total<sup>2</sup></b>	<b>Amer Indian NH</b>	<b>Asian NH<sup>3</sup></b>	<b>Black/ African-Amer NH<sup>4</sup></b>	<b>White NH</b>	<b>&gt; 1 Race NH</b>	<b>Hispanic All Races</b>
<b>2019 Total</b>	<b>1,950</b>	<b>141</b>	<b>13</b>	<b>249</b>	<b>1,140</b>	<b>178</b>	<b>229</b>
Overweight	296 (15.2)	32 (22.7)	0	34 (13.7)	168 (14.7)	24 (13.5)	38 (16.6)
Obese	84 (4.3)	2 (1.4)	3 (****)	6 (2.4)	50 (4.4)	8 (4.5)	15 (6.6)
Very Obese	180 (9.2)	30 (21.3)	0	22 (8.8)	82 (7.2)	20 (11.2)	26 (11.4)
<b>2018 Total</b>	<b>2,104</b>	<b>155</b>	<b>24</b>	<b>261</b>	<b>1,235</b>	<b>193</b>	<b>236</b>
Overweight	340 (16.2)	34 (21.9)	5 (****)	36 (13.8)	195 (15.8)	31 (16.1)	39 (16.5)
Obese	100 (4.8)	6 (3.9)	0	9 (3.4)	60 (4.9)	11 (5.7)	14 (5.9)
Very Obese	195 (9.3)	29 (18.7)	0	27 (10.3)	82 (6.6)	26 (13.5)	31 (13.1)
<b>2017 Total</b>	<b>2,101</b>	<b>144</b>	<b>17</b>	<b>215</b>	<b>1,248</b>	<b>207</b>	<b>270</b>
Overweight	322 (15.3)	30 (20.8)	2 (****)	31 (14.4)	184 (14.7)	24 (11.6)	51 (18.9)
Obese	102 (4.9)	17 (11.8)	0	5 (2.3)	43 (3.4)	19 (9.2)	18 (6.7)
Very Obese	170 (8.1)	24 (16.7)	0	12 (5.6)	78 (6.2)	24 (11.6)	32 (11.9)
<b>2016 Total</b>	<b>2,181</b>	<b>162</b>	<b>12</b>	<b>192</b>	<b>1,316</b>	<b>207</b>	<b>292</b>
Overweight	345 (15.8)	35 (21.6)	0	24 (12.5)	195 (14.8)	30 (14.5)	61 (20.9)
Obese	104 (4.8)	20 (12.3)	0	13 (6.8)	43 (3.3)	15 (7.2)	13 (4.5)
Very Obese	181 (8.3)	32 (19.8)	0	12 (6.2)	82 (6.2)	22 (10.6)	33 (11.3)
<b>2015 Total</b>	<b>2,218</b>	<b>199</b>	<b>10</b>	<b>161</b>	<b>1,360</b>	<b>188</b>	<b>300</b>
Overweight	340 (15.3)	27 (13.6)	1 (****)	26 (16.1)	185 (13.6)	41 (21.8)	50 (16.7)
Obese	107 (4.8)	14 (7.0)	0	6 (3.7)	64 (4.7)	9 (4.8)	14 (4.7)
Very Obese	180 (8.1)	39 (19.6)	0	16 (9.9)	67 (4.9)	22 (11.7)	36 (12.0)
<b>2014 Total</b>	<b>2,149</b>	<b>195</b>	<b>13</b>	<b>123</b>	<b>1,345</b>	<b>184</b>	<b>289</b>
Overweight	339 (15.8)	36 (18.5)	2 (****)	12 (9.8)	194 (14.4)	40 (21.7)	55 (19.0)
Obese	89 (4.1)	19 (9.7)	0	4 (3.3)	40 (3.0)	12 (6.5)	14 (4.8)
Very Obese	179 (8.3)	35 (17.9)	0	10 (8.1)	81 (6.0)	21 (11.4)	32 (11.1)
<b>2013 Total</b>	<b>2,193</b>	<b>192</b>	<b>20</b>	<b>97</b>	<b>1,407</b>	<b>196</b>	<b>281</b>
Overweight	367 (16.7)	36 (18.8)	5 (****)	10 (10.3)	235 (16.7)	38 (19.4)	43 (15.3)
Obese	113 (5.2)	19 (9.9)	1 (****)	4 (4.1)	54 (3.8)	15 (7.7)	20 (7.1)
Very Obese	198 (9.0)	35 (18.2)	0	11 (11.3)	87 (6.2)	27 (13.8)	38 (13.5)
<b>2012 Total</b>	<b>2,365</b>	<b>172</b>	<b>21</b>	<b>85</b>	<b>1,579</b>	<b>224</b>	<b>284</b>
Overweight	384 (16.2)	43 (25.0)	0	17 (20.0)	237 (15.0)	39 (17.4)	48 (16.9)
Obese	104 (4.4)	14 (8.1)	1 (****)	2 (2.4)	55 (3.5)	13 (5.8)	19 (6.7)
Very Obese	167 (7.1)	34 (19.8)	1 (****)	3 (3.5)	72 (4.6)	22 (9.8)	35 (12.3)
<b>2011 Total</b>	<b>2,463</b>	<b>175</b>	<b>31</b>	<b>79</b>	<b>1,684</b>	<b>216</b>	<b>278</b>
Overweight	400 (16.2)	42 (24.0)	4 (12.9)	12 (15.2)	259 (15.4)	42 (19.4)	41 (14.7)
Obese	126 (5.1)	19 (10.9)	1 (3.2)	6 (7.6)	69 (4.1)	12 (5.6)	19 (6.8)
Very Obese	171 (6.9)	32 (18.3)	3 (9.7)	6 (7.6)	80 (4.8)	14 (6.5)	36 (12.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

PINE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>327</b>	<b>30</b>	<b>&lt;5</b>	<b>5</b>	<b>236</b>	<b>37</b>	<b>15</b>
Overweight	52 (15.9)	5 (16.7)	0	0	34 (14.4)	12 (32.4)	1 (****)
Obese	18 (5.5)	3 (10.0)	0	0	11 (4.7)	4 (10.8)	0
Very Obese	34 (10.4)	4 (13.3)	0	2 (****)	22 (9.3)	4 (10.8)	2 (****)
<b>2018 Total</b>	<b>321</b>	<b>29</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>237</b>	<b>29</b>	<b>20</b>
Overweight	56 (17.4)	4 (****)	0	0	40 (16.9)	10 (****)	2 (****)
Obese	14 (4.4)	1 (****)	1 (****)	0	10 (4.2)	2 (****)	0
Very Obese	33 (10.3)	6 (****)	0	2 (****)	20 (8.4)	2 (****)	3 (****)
<b>2017 Total</b>	<b>348</b>	<b>28</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>272</b>	<b>24</b>	<b>18</b>
Overweight	71 (20.4)	5 (****)	1 (****)	2 (****)	55 (20.2)	6 (****)	2 (****)
Obese	15 (4.3)	1 (****)	0	0	10 (3.7)	3 (****)	1 (****)
Very Obese	27 (7.8)	5 (****)	0	1 (****)	18 (6.6)	2 (****)	1 (****)
<b>2016 Total</b>	<b>311</b>	<b>17</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>253</b>	<b>20</b>	<b>15</b>
Overweight	61 (19.6)	5 (****)	0	0	48 (19.0)	4 (****)	4 (****)
Obese	11 (3.5)	0	0	1 (****)	9 (3.6)	1 (****)	0
Very Obese	25 (8.0)	4 (****)	0	0	20 (7.9)	1 (****)	0
<b>2015 Total</b>	<b>357</b>	<b>39</b>	<b>&lt;5</b>	<b>7</b>	<b>272</b>	<b>22</b>	<b>14</b>
Overweight	59 (16.5)	6 (15.4)	0	0	46 (16.9)	5 (****)	2 (****)
Obese	19 (5.3)	2 (5.1)	0	1 (****)	14 (5.1)	0	2 (****)
Very Obese	34 (9.5)	9 (23.1)	0	0	24 (8.8)	1 (****)	0
<b>2014 Total</b>	<b>332</b>	<b>26</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>273</b>	<b>19</b>	<b>9</b>
Overweight	50 (15.1)	6 (****)	****	****	37 (13.6)	2 (****)	4 (****)
Obese	8 (2.4)	1 (****)	****	****	5 (1.8)	1 (****)	0
Very Obese	28 (8.4)	9 (****)	****	****	17 (6.2)	1 (****)	1 (****)
<b>2013 Total</b>	<b>352</b>	<b>24</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>289</b>	<b>21</b>	<b>13</b>
Overweight	51 (14.5)	4 (****)	****	****	35 (12.1)	7 (****)	5 (****)
Obese	15 (4.3)	2 (****)	****	****	11 (3.8)	1 (****)	1 (****)
Very Obese	29 (8.2)	5 (****)	****	****	18 (6.2)	4 (****)	2 (****)
<b>2012 Total</b>	<b>429</b>	<b>20</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>356</b>	<b>35</b>	<b>14</b>
Overweight	68 (15.9)	3 (****)	****	****	54 (15.2)	8 (22.9)	2 (****)
Obese	25 (5.8)	1 (****)	****	****	21 (5.9)	3 (8.6)	0
Very Obese	30 (7.0)	2 (****)	****	****	23 (6.5)	2 (5.7)	3 (****)
<b>2011 Total</b>	<b>470</b>	<b>21</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>393</b>	<b>31</b>	<b>21</b>
Overweight	67 (14.3)	6 (****)	****	****	55 (14.0)	4 (12.9)	2 (****)
Obese	18 (3.8)	0	****	****	15 (3.8)	2 (6.5)	1 (****)
Very Obese	45 (9.6)	4 (****)	****	****	31 (7.9)	6 (19.4)	4 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

POLK-NORMAN- MAHNOMEN	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African- Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>708</b>	<b>157</b>	<b>&lt;5</b>	<b>72</b>	<b>280</b>	<b>47</b>	<b>149</b>
Overweight	124 (17.5)	34 (21.7)	0	12 (16.7)	46 (16.4)	9 (19.1)	23 (15.4)
Obese	34 (4.8)	17 (10.8)	0	5 (6.9)	4 (1.4)	1 (2.1)	7 (4.7)
Very Obese	84 (11.9)	42 (26.8)	0	6 (8.3)	12 (4.3)	5 (10.6)	19 (12.8)
<b>2018 Total</b>	<b>770</b>	<b>167</b>	<b>&lt;5</b>	<b>85</b>	<b>316</b>	<b>62</b>	<b>136</b>
Overweight	138 (17.9)	38 (22.8)	0	14 (16.5)	45 (14.2)	15 (24.2)	26 (19.1)
Obese	36 (4.7)	17 (10.2)	0	2 (2.4)	8 (2.5)	3 (4.8)	6 (4.4)
Very Obese	88 (11.4)	44 (26.3)	0	5 (5.9)	13 (4.1)	9 (14.5)	17 (12.5)
<b>2017 Total</b>	<b>788</b>	<b>168</b>	<b>&lt;5</b>	<b>85</b>	<b>321</b>	<b>68</b>	<b>143</b>
Overweight	132 (16.8)	41 (24.4)	0	12 (14.1)	49 (15.3)	7 (10.3)	23 (16.1)
Obese	35 (4.4)	15 (8.9)	0	1 (1.2)	8 (2.5)	5 (7.4)	6 (4.2)
Very Obese	90 (11.4)	34 (20.2)	0	3 (3.5)	18 (5.6)	11 (16.2)	24 (16.8)
<b>2016 Total</b>	<b>819</b>	<b>170</b>	<b>&lt;5</b>	<b>61</b>	<b>355</b>	<b>82</b>	<b>148</b>
Overweight	140 (17.1)	35 (20.6)	0	5 (8.2)	57 (16.1)	21 (25.6)	22 (14.9)
Obese	45 (5.5)	19 (11.2)	1 (****)	3 (4.9)	13 (3.7)	2 (2.4)	7 (4.7)
Very Obese	90 (11.0)	36 (21.2)	0	3 (4.9)	17 (4.8)	18 (22.0)	16 (10.8)
<b>2015 Total</b>	<b>824</b>	<b>161</b>	<b>&lt;5</b>	<b>40</b>	<b>387</b>	<b>87</b>	<b>147</b>
Overweight	145 (17.6)	37 (23.0)	0	6 (15.0)	59 (15.2)	11 (12.6)	32 (21.8)
Obese	48 (5.8)	18 (11.2)	0	5 (12.5)	16 (4.1)	7 (8.0)	2 (1.4)
Very Obese	91 (11.0)	38 (23.6)	0	0	24 (6.2)	12 (13.8)	17 (11.6)
<b>2014 Total</b>	<b>861</b>	<b>177</b>	<b>&lt;5</b>	<b>35</b>	<b>415</b>	<b>91</b>	<b>142</b>
Overweight	151 (17.5)	44 (24.9)	****	1 (2.9)	72 (17.3)	14 (15.4)	20 (14.1)
Obese	45 (5.2)	16 (9.0)	****	2 (5.7)	19 (4.6)	3 (3.3)	5 (3.5)
Very Obese	93 (10.8)	37 (20.9)	****	2 (5.7)	22 (5.3)	14 (15.4)	18 (12.7)
<b>2013 Total</b>	<b>891</b>	<b>179</b>	<b>&lt;5</b>	<b>40</b>	<b>447</b>	<b>81</b>	<b>141</b>
Overweight	144 (16.2)	35 (19.6)	0	3 (7.5)	66 (14.8)	16 (19.8)	24 (17.0)
Obese	57 (6.4)	23 (12.8)	0	0	25 (5.6)	3 (3.7)	6 (4.3)
Very Obese	99 (11.1)	37 (20.7)	1 (****)	3 (7.5)	28 (6.3)	11 (13.6)	19 (13.5)
<b>2012 Total</b>	<b>950</b>	<b>182</b>	<b>&lt;5</b>	<b>35</b>	<b>495</b>	<b>76</b>	<b>160</b>
Overweight	169 (17.8)	42 (23.1)	0	3 (8.6)	84 (17.0)	12 (15.8)	28 (17.5)
Obese	41 (4.3)	11 (6.0)	0	0	18 (3.6)	2 (2.6)	10 (6.2)
Very Obese	78 (8.2)	35 (19.2)	1 (****)	0	20 (4.0)	9 (11.8)	13 (8.1)
<b>2011 Total</b>	<b>954</b>	<b>186</b>	<b>&lt;5</b>	<b>21</b>	<b>497</b>	<b>75</b>	<b>173</b>
Overweight	180 (18.9)	45 (24.2)	0	0	86 (17.3)	15 (20.0)	34 (19.7)
Obese	60 (6.3)	19 (10.2)	0	2 (****)	24 (4.8)	3 (4.0)	12 (6.9)
Very Obese	72 (7.5)	26 (14.0)	0	3 (****)	17 (3.4)	11 (14.7)	15 (8.7)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

QUIN	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>610</b>	<b>14</b>	<b>13</b>	<b>5</b>	<b>474</b>	<b>37</b>	<b>67</b>
Overweight	103 (16.9)	4 (****)	1 (****)	2 (****)	85 (17.9)	3 (8.1)	8 (11.9)
Obese	34 (5.6)	0	0	0	29 (6.1)	2 (5.4)	3 (4.5)
Very Obese	52 (8.5)	5 (****)	2 (****)	1 (****)	25 (5.3)	7 (18.9)	12 (17.9)
<b>2018 Total</b>	<b>665</b>	<b>13</b>	<b>13</b>	<b>&lt;5</b>	<b>528</b>	<b>37</b>	<b>70</b>
Overweight	103 (15.5)	2 (****)	1 (****)	1 (****)	87 (16.5)	6 (16.2)	6 (8.6)
Obese	47 (7.1)	1 (****)	0	0	35 (6.6)	3 (8.1)	8 (11.4)
Very Obese	56 (8.4)	3 (****)	2 (****)	1 (****)	39 (7.4)	5 (13.5)	6 (8.6)
<b>2017 Total</b>	<b>734</b>	<b>17</b>	<b>11</b>	<b>8</b>	<b>587</b>	<b>40</b>	<b>71</b>
Overweight	136 (18.5)	4 (****)	2 (****)	0	109 (18.6)	8 (20.0)	13 (18.3)
Obese	59 (8.0)	3 (****)	1 (****)	0	50 (8.5)	1 (2.5)	4 (5.6)
Very Obese	60 (8.2)	4 (****)	1 (****)	0	43 (7.3)	6 (15.0)	6 (8.5)
<b>2016 Total</b>	<b>755</b>	<b>16</b>	<b>12</b>	<b>&lt;5</b>	<b>611</b>	<b>45</b>	<b>67</b>
Overweight	140 (18.5)	2 (****)	0	0	117 (19.1)	9 (20.0)	12 (17.9)
Obese	41 (5.4)	1 (****)	0	0	35 (5.7)	0	5 (7.5)
Very Obese	71 (9.4)	4 (****)	2 (****)	0	54 (8.8)	3 (6.7)	8 (11.9)
<b>2015 Total</b>	<b>778</b>	<b>17</b>	<b>15</b>	<b>6</b>	<b>609</b>	<b>58</b>	<b>73</b>
Overweight	124 (15.9)	4 (****)	0	0	103 (16.9)	10 (17.2)	7 (9.6)
Obese	50 (6.4)	0	1 (****)	0	42 (6.9)	4 (6.9)	3 (4.1)
Very Obese	61 (7.8)	5 (****)	1 (****)	0	42 (6.9)	2 (3.4)	11 (15.1)
<b>2014 Total</b>	<b>725</b>	<b>20</b>	<b>11</b>	<b>6</b>	<b>558</b>	<b>52</b>	<b>78</b>
Overweight	134 (18.5)	4 (****)	1 (****)	0	108 (19.4)	15 (28.8)	6 (7.7)
Obese	36 (5.0)	1 (****)	0	1 (****)	27 (4.8)	2 (3.8)	5 (6.4)
Very Obese	60 (8.3)	4 (****)	2 (****)	0	43 (7.7)	2 (3.8)	9 (11.5)
<b>2013 Total</b>	<b>792</b>	<b>10</b>	<b>19</b>	<b>5</b>	<b>633</b>	<b>50</b>	<b>75</b>
Overweight	134 (16.9)	2 (****)	2 (****)	0	110 (17.4)	9 (18.0)	11 (14.7)
Obese	39 (4.9)	0	0	1 (****)	34 (5.4)	3 (6.0)	1 (1.3)
Very Obese	59 (7.4)	4 (****)	1 (****)	0	48 (7.6)	3 (6.0)	3 (4.0)
<b>2012 Total</b>	<b>797</b>	<b>12</b>	<b>12</b>	<b>8</b>	<b>650</b>	<b>46</b>	<b>69</b>
Overweight	127 (15.9)	2 (****)	2 (****)	0	106 (16.3)	9 (19.6)	8 (11.6)
Obese	33 (4.1)	2 (****)	0	1 (****)	26 (4.0)	2 (4.3)	2 (2.9)
Very Obese	73 (9.2)	3 (****)	2 (****)	1 (****)	60 (9.2)	3 (6.5)	4 (5.8)
<b>2011 Total</b>	<b>822</b>	<b>26</b>	<b>9</b>	<b>13</b>	<b>665</b>	<b>42</b>	<b>67</b>
Overweight	138 (16.8)	5 (****)	1 (****)	1 (****)	112 (16.8)	7 (16.7)	12 (17.9)
Obese	39 (4.7)	2 (****)	0	1 (****)	34 (5.1)	1 (2.4)	1 (1.5)
Very Obese	67 (8.2)	4 (****)	0	2 (****)	55 (8.3)	2 (4.8)	4 (6.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

RAMSEY	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>8,262</b>	<b>40</b>	<b>3,137</b>	<b>2,630</b>	<b>747</b>	<b>558</b>	<b>1,150</b>
Overweight	1,376 (16.7)	10 (25.0)	557 (17.8)	395 (15.0)	119 (15.9)	88 (15.8)	207 (18.0)
Obese	329 (4.0)	3 (7.5)	127 (4.0)	109 (4.1)	25 (3.3)	12 (2.2)	53 (4.6)
Very Obese	781 (9.5)	4 (10.0)	361 (11.5)	189 (7.2)	38 (5.1)	57 (10.2)	132 (11.5)
<b>2018 Total</b>	<b>8,940</b>	<b>37</b>	<b>3,430</b>	<b>2,778</b>	<b>838</b>	<b>600</b>	<b>1,257</b>
Overweight	1,423 (15.9)	10 (27.0)	576 (16.8)	415 (14.9)	123 (14.7)	87 (14.5)	212 (16.9)
Obese	383 (4.3)	3 (8.1)	146 (4.3)	124 (4.5)	29 (3.5)	18 (3.0)	63 (5.0)
Very Obese	803 (9.0)	8 (21.6)	364 (10.6)	187 (6.7)	51 (6.1)	51 (8.5)	142 (11.3)
<b>2017 Total</b>	<b>9,485</b>	<b>39</b>	<b>3,582</b>	<b>2,828</b>	<b>942</b>	<b>643</b>	<b>1,451</b>
Overweight	1,479 (15.6)	7 (17.9)	583 (16.3)	415 (14.7)	148 (15.7)	98 (15.2)	228 (15.7)
Obese	437 (4.6)	1 (2.6)	163 (4.6)	121 (4.3)	33 (3.5)	36 (5.6)	83 (5.7)
Very Obese	853 (9.0)	10 (25.6)	381 (10.6)	209 (7.4)	53 (5.6)	38 (5.9)	162 (11.2)
<b>2016 Total</b>	<b>10,098</b>	<b>52</b>	<b>3,739</b>	<b>2,933</b>	<b>1,056</b>	<b>710</b>	<b>1,608</b>
Overweight	1,610 (15.9)	14 (26.9)	603 (16.1)	441 (15.0)	148 (14.0)	108 (15.2)	296 (18.4)
Obese	432 (4.3)	3 (5.8)	155 (4.1)	117 (4.0)	45 (4.3)	34 (4.8)	78 (4.9)
Very Obese	883 (8.7)	5 (9.6)	400 (10.7)	191 (6.5)	59 (5.6)	50 (7.0)	178 (11.1)
<b>2015 Total</b>	<b>10,304</b>	<b>53</b>	<b>3,718</b>	<b>2,969</b>	<b>1,113</b>	<b>712</b>	<b>1,739</b>
Overweight	1,632 (15.8)	14 (26.4)	601 (16.2)	435 (14.7)	176 (15.8)	117 (16.4)	289 (16.6)
Obese	417 (4.0)	2 (3.8)	145 (3.9)	107 (3.6)	44 (4.0)	35 (4.9)	84 (4.8)
Very Obese	856 (8.3)	9 (17.0)	369 (9.9)	183 (6.2)	69 (6.2)	56 (7.9)	170 (9.8)
<b>2014 Total</b>	<b>9,906</b>	<b>48</b>	<b>3,429</b>	<b>2,794</b>	<b>1,168</b>	<b>704</b>	<b>1,763</b>
Overweight	1,385 (14.0)	12 (25.0)	473 (13.8)	344 (12.3)	164 (14.0)	113 (16.1)	279 (15.8)
Obese	464 (4.7)	4 (8.3)	161 (4.7)	128 (4.6)	48 (4.1)	31 (4.4)	92 (5.2)
Very Obese	887 (9.0)	7 (14.6)	368 (10.7)	193 (6.9)	63 (5.4)	69 (9.8)	187 (10.6)
<b>2013 Total</b>	<b>10,362</b>	<b>47</b>	<b>3,566</b>	<b>2,835</b>	<b>1,225</b>	<b>744</b>	<b>1,945</b>
Overweight	1,589 (15.3)	7 (14.9)	556 (15.6)	406 (14.3)	181 (14.8)	134 (18.0)	305 (15.7)
Obese	554 (5.3)	0	198 (5.6)	126 (4.4)	73 (6.0)	35 (4.7)	122 (6.3)
Very Obese	971 (9.4)	9 (19.1)	397 (11.1)	207 (7.3)	68 (5.6)	69 (9.3)	221 (11.4)
<b>2012 Total</b>	<b>10,633</b>	<b>45</b>	<b>3,443</b>	<b>2,851</b>	<b>1,399</b>	<b>812</b>	<b>2,083</b>
Overweight	1,771 (16.7)	16 (35.6)	598 (17.4)	427 (15.0)	213 (15.2)	147 (18.1)	370 (17.8)
Obese	580 (5.5)	2 (4.4)	183 (5.3)	146 (5.1)	69 (4.9)	50 (6.2)	130 (6.2)
Very Obese	962 (9.0)	6 (13.3)	390 (11.3)	184 (6.5)	97 (6.9)	61 (7.5)	224 (10.8)
<b>2011 Total</b>	<b>10,243</b>	<b>44</b>	<b>3,206</b>	<b>2,766</b>	<b>1,326</b>	<b>797</b>	<b>2,104</b>
Overweight	1,805 (17.6)	9 (20.5)	597 (18.6)	456 (16.5)	231 (17.4)	133 (16.7)	379 (18.0)
Obese	600 (5.9)	5 (11.4)	213 (6.6)	144 (5.2)	60 (4.5)	43 (5.4)	135 (6.4)
Very Obese	1,805 (17.6)	9 (20.5)	597 (18.6)	456 (16.5)	231 (17.4)	133 (16.7)	379 (18.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

RICE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>712</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>293</b>	<b>202</b>	<b>41</b>	<b>171</b>
Overweight	111 (15.6)	0	0	35 (11.9)	35 (17.3)	5 (12.2)	36 (21.1)
Obese	31 (4.4)	0	0	13 (4.4)	3 (1.5)	2 (4.9)	13 (7.6)
Very Obese	66 (9.3)	2 (****)	1 (****)	23 (7.8)	8 (4.0)	5 (12.2)	27 (15.8)
<b>2018 Total</b>	<b>755</b>	<b>&lt;5</b>	<b>7</b>	<b>309</b>	<b>222</b>	<b>35</b>	<b>180</b>
Overweight	130 (17.2)	2 (****)	1 (****)	40 (12.9)	43 (19.4)	6 (17.1)	38 (21.1)
Obese	30 (4.0)	0	0	9 (2.9)	7 (3.2)	4 (11.4)	10 (5.6)
Very Obese	64 (8.5)	0	1 (****)	22 (7.1)	12 (5.4)	3 (8.6)	26 (14.4)
<b>2017 Total</b>	<b>836</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>314</b>	<b>262</b>	<b>42</b>	<b>212</b>
Overweight	144 (17.2)	0	0	41 (13.1)	46 (17.6)	8 (19.0)	49 (23.1)
Obese	37 (4.4)	0	0	10 (3.2)	14 (5.3)	2 (4.8)	11 (5.2)
Very Obese	72 (8.6)	0	0	21 (6.7)	16 (6.1)	7 (16.7)	28 (13.2)
<b>2016 Total</b>	<b>848</b>	<b>&lt;5</b>	<b>10</b>	<b>286</b>	<b>283</b>	<b>31</b>	<b>234</b>
Overweight	141 (16.6)	0	1 (****)	37 (12.9)	50 (17.7)	5 (16.1)	48 (20.5)
Obese	36 (4.2)	0	1 (****)	9 (3.1)	13 (4.6)	2 (6.5)	11 (4.7)
Very Obese	69 (8.1)	2 (****)	1 (****)	21 (7.3)	12 (4.2)	4 (12.9)	29 (12.4)
<b>2015 Total</b>	<b>872</b>	<b>8</b>	<b>13</b>	<b>259</b>	<b>301</b>	<b>43</b>	<b>248</b>
Overweight	120 (13.8)	0	2 (****)	29 (11.2)	41 (13.6)	9 (20.9)	39 (15.7)
Obese	41 (4.7)	2 (****)	0	7 (2.7)	9 (3.0)	4 (9.3)	19 (7.7)
Very Obese	86 (9.9)	2 (****)	1 (****)	21 (8.1)	24 (8.0)	7 (16.3)	31 (12.5)
<b>2014 Total</b>	<b>862</b>	<b>7</b>	<b>9</b>	<b>223</b>	<b>339</b>	<b>44</b>	<b>240</b>
Overweight	121 (14.0)	1 (****)	2 (****)	22 (9.9)	47 (13.9)	4 (9.1)	45 (18.8)
Obese	38 (4.4)	1 (****)	0	8 (3.6)	12 (3.5)	5 (11.4)	12 (5.0)
Very Obese	80 (9.3)	0	0	24 (10.8)	22 (6.5)	6 (13.6)	28 (11.7)
<b>2013 Total</b>	<b>937</b>	<b>&lt;5</b>	<b>9</b>	<b>209</b>	<b>390</b>	<b>44</b>	<b>282</b>
Overweight	145 (15.5)	****	2 (****)	22 (10.5)	60 (15.4)	9 (20.5)	50 (17.7)
Obese	44 (4.7)	****	1 (****)	8 (3.8)	14 (3.6)	1 (2.3)	20 (7.1)
Very Obese	78 (8.3)	****	0	17 (8.1)	23 (5.9)	4 (9.1)	34 (12.1)
<b>2012 Total</b>	<b>1,004</b>	<b>&lt;5</b>	<b>9</b>	<b>190</b>	<b>474</b>	<b>35</b>	<b>295</b>
Overweight	168 (16.7)	****	2 (****)	16 (8.4)	85 (17.9)	9 (25.7)	55 (18.6)
Obese	53 (5.3)	****	0	9 (4.7)	18 (3.8)	2 (5.7)	24 (8.1)
Very Obese	84 (8.4)	****	2 (****)	16 (8.4)	28 (5.9)	6 (17.1)	32 (10.8)
<b>2011 Total</b>	<b>944</b>	<b>&lt;5</b>	<b>7</b>	<b>126</b>	<b>452</b>	<b>34</b>	<b>323</b>
Overweight	143 (15.1)	****	2 (****)	13 (10.3)	62 (13.7)	7 (20.6)	58 (18.0)
Obese	52 (5.5)	****	1 (****)	4 (3.2)	21 (4.6)	7 (20.6)	26 (8.0)
Very Obese	75 (7.9)	****	0	5 (4.0)	22 (4.9)	4 (11.8)	43 (13.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

SCOTT	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>943</b>	<b>8</b>	<b>59</b>	<b>328</b>	<b>306</b>	<b>65</b>	<b>177</b>
Overweight	113 (12.0)	1 (****)	6 (10.2)	36 (11.0)	38 (12.4)	6 (9.2)	26 (14.7)
Obese	28 (3.0)	0	1 (1.7)	12 (3.7)	10 (3.3)	1 (1.5)	4 (2.3)
Very Obese	70 (7.4)	2 (****)	3 (5.1)	23 (7.0)	15 (4.9)	1 (1.5)	26 (14.7)
<b>2018 Total</b>	<b>963</b>	<b>9</b>	<b>55</b>	<b>359</b>	<b>301</b>	<b>64</b>	<b>175</b>
Overweight	124 (12.9)	0	3 (5.5)	45 (12.5)	31 (10.3)	10 (15.6)	35 (20.0)
Obese	33 (3.4)	1 (****)	0	14 (3.9)	10 (3.3)	1 (1.6)	7 (4.0)
Very Obese	53 (5.5)	1 (****)	3 (5.5)	18 (5.0)	11 (3.7)	2 (3.1)	18 (10.3)
<b>2017 Total</b>	<b>995</b>	<b>6</b>	<b>61</b>	<b>329</b>	<b>313</b>	<b>81</b>	<b>205</b>
Overweight	144 (14.5)	1 (****)	9 (14.8)	42 (12.8)	45 (14.4)	9 (11.1)	38 (18.5)
Obese	22 (2.2)	0	0	10 (3.0)	6 (1.9)	1 (1.2)	5 (2.4)
Very Obese	62 (6.2)	0	3 (4.9)	23 (7.0)	11 (3.5)	3 (3.7)	22 (10.7)
<b>2016 Total</b>	<b>1,018</b>	<b>10</b>	<b>68</b>	<b>303</b>	<b>347</b>	<b>71</b>	<b>219</b>
Overweight	156 (15.3)	3 (****)	12 (17.6)	41 (13.5)	43 (12.4)	13 (18.3)	44 (20.1)
Obese	31 (3.0)	0	1 (1.5)	12 (4.0)	6 (1.7)	2 (2.8)	10 (4.6)
Very Obese	57 (5.6)	0	5 (7.4)	17 (5.6)	10 (2.9)	5 (7.0)	20 (9.1)
<b>2015 Total</b>	<b>1,041</b>	<b>12</b>	<b>71</b>	<b>304</b>	<b>368</b>	<b>79</b>	<b>207</b>
Overweight	135 (13.0)	2 (****)	11 (15.5)	31 (10.2)	40 (10.9)	11 (13.9)	40 (19.3)
Obese	32 (3.1)	0	2 (2.8)	9 (3.0)	10 (2.7)	1 (1.3)	10 (4.8)
Very Obese	69 (6.6)	2 (****)	6 (8.5)	23 (7.6)	13 (3.5)	2 (2.5)	23 (11.1)
<b>2014 Total</b>	<b>987</b>	<b>13</b>	<b>68</b>	<b>261</b>	<b>381</b>	<b>58</b>	<b>206</b>
Overweight	124 (12.6)	2 (****)	9 (13.2)	26 (10.0)	55 (14.4)	9 (15.5)	23 (11.2)
Obese	38 (3.9)	1 (****)	3 (4.4)	8 (3.1)	8 (2.1)	5 (8.6)	13 (6.3)
Very Obese	55 (5.6)	3 (****)	5 (7.4)	15 (5.7)	12 (3.1)	3 (5.2)	17 (8.3)
<b>2013 Total</b>	<b>1,013</b>	<b>12</b>	<b>55</b>	<b>248</b>	<b>395</b>	<b>72</b>	<b>231</b>
Overweight	135 (13.3)	2 (****)	5 (9.1)	38 (15.3)	51 (12.9)	7 (9.7)	32 (13.9)
Obese	33 (3.3)	3 (****)	1 (1.8)	9 (3.6)	4 (1.0)	1 (1.4)	15 (6.5)
Very Obese	63 (6.2)	1 (****)	4 (7.3)	17 (6.9)	14 (3.5)	7 (9.7)	20 (8.7)
<b>2012 Total</b>	<b>1,051</b>	<b>11</b>	<b>70</b>	<b>231</b>	<b>405</b>	<b>74</b>	<b>260</b>
Overweight	165 (15.7)	3 (****)	8 (11.4)	37 (16.0)	62 (15.3)	6 (8.1)	49 (18.8)
Obese	43 (4.1)	1 (****)	4 (5.7)	11 (4.8)	11 (2.7)	1 (1.4)	15 (5.8)
Very Obese	63 (6.0)	3 (****)	1 (1.4)	20 (8.7)	13 (3.2)	8 (10.8)	18 (6.9)
<b>2011 Total</b>	<b>1,164</b>	<b>12</b>	<b>85</b>	<b>269</b>	<b>470</b>	<b>63</b>	<b>265</b>
Overweight	166 (14.3)	2 (****)	10 (11.8)	39 (14.5)	62 (13.2)	6 (9.5)	47 (17.7)
Obese	45 (3.9)	3 (****)	2 (2.4)	13 (4.8)	10 (2.1)	3 (4.8)	14 (5.3)
Very Obese	80 (6.9)	2 (****)	3 (3.5)	17 (6.3)	24 (5.1)	8 (12.7)	26 (9.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

SHERBURNE	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>689</b>	<b>&lt;5</b>	<b>7</b>	<b>172</b>	<b>419</b>	<b>43</b>	<b>46</b>
Overweight	104 (15.1)	0	2 (****)	23 (13.4)	70 (16.7)	6 (14.0)	3 (6.5)
Obese	29 (4.2)	1 (****)	1 (****)	10 (5.8)	13 (3.1)	4 (9.3)	0
Very Obese	63 (9.1)	0	0	21 (12.2)	31 (7.4)	5 (11.6)	6 (13.0)
<b>2018 Total</b>	<b>773</b>	<b>&lt;5</b>	<b>9</b>	<b>158</b>	<b>510</b>	<b>48</b>	<b>47</b>
Overweight	115 (14.9)	0	1 (****)	13 (8.2)	87 (17.1)	8 (16.7)	6 (12.8)
Obese	26 (3.4)	0	1 (****)	5 (3.2)	12 (2.4)	4 (8.3)	4 (8.5)
Very Obese	50 (6.5)	1 (****)	0	22 (13.9)	23 (4.5)	2 (4.2)	2 (4.3)
<b>2017 Total</b>	<b>733</b>	<b>0</b>	<b>8</b>	<b>125</b>	<b>510</b>	<b>44</b>	<b>46</b>
Overweight	104 (14.2)	0	1 (****)	18 (14.4)	71 (13.9)	5 (11.4)	9 (19.6)
Obese	23 (3.1)	0	0	3 (2.4)	17 (3.3)	1 (2.3)	2 (4.3)
Very Obese	59 (8.0)	0	1 (****)	20 (16.0)	31 (6.1)	2 (4.5)	5 (10.9)
<b>2016 Total</b>	<b>789</b>	<b>&lt;5</b>	<b>7</b>	<b>102</b>	<b>559</b>	<b>59</b>	<b>59</b>
Overweight	96 (12.2)	1 (****)	1 (****)	11 (10.8)	67 (12.0)	7 (11.9)	9 (15.3)
Obese	26 (3.3)	0	1 (****)	4 (3.9)	17 (3.0)	3 (5.1)	1 (1.7)
Very Obese	54 (6.8)	0	0	11 (10.8)	34 (6.1)	2 (3.4)	7 (11.9)
<b>2015 Total</b>	<b>780</b>	<b>5</b>	<b>&lt;5</b>	<b>95</b>	<b>569</b>	<b>62</b>	<b>47</b>
Overweight	125 (16.0)	2 (****)	0	15 (15.8)	91 (16.0)	10 (16.1)	7 (14.9)
Obese	25 (3.2)	0	0	3 (3.2)	20 (3.5)	1 (1.6)	1 (2.1)
Very Obese	47 (6.0)	2 (****)	0	6 (6.3)	28 (4.9)	9 (14.5)	2 (4.3)
<b>2014 Total</b>	<b>692</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>63</b>	<b>521</b>	<b>59</b>	<b>42</b>
Overweight	89 (12.9)	****	1 (****)	4 (6.3)	67 (12.9)	8 (13.6)	8 (19.0)
Obese	22 (3.2)	****	0	4 (6.3)	16 (3.1)	2 (3.4)	0
Very Obese	36 (5.2)	****	0	3 (4.8)	27 (5.2)	4 (6.8)	0
<b>2013 Total</b>	<b>754</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>58</b>	<b>581</b>	<b>65</b>	<b>45</b>
Overweight	125 (16.6)	****	****	4 (6.9)	105 (18.1)	13 (20.0)	2 (4.4)
Obese	24 (3.2)	****	****	1 (1.7)	17 (2.9)	2 (3.1)	4 (8.9)
Very Obese	38 (5.0)	****	****	1 (1.7)	28 (4.8)	5 (7.7)	4 (8.9)
<b>2012 Total</b>	<b>858</b>	<b>0</b>	<b>7</b>	<b>47</b>	<b>676</b>	<b>68</b>	<b>60</b>
Overweight	120 (14.0)	0	1 (****)	5 (10.6)	99 (14.6)	9 (13.2)	6 (10.0)
Obese	30 (3.5)	0	0	2 (4.3)	24 (3.6)	2 (2.9)	2 (3.3)
Very Obese	36 (4.2)	0	0	3 (6.4)	27 (4.0)	4 (5.9)	2 (3.3)
<b>2011 Total</b>	<b>884</b>	<b>&lt;5</b>	<b>8</b>	<b>47</b>	<b>693</b>	<b>83</b>	<b>51</b>
Overweight	120 (13.6)	****	1 (****)	9 (19.1)	96 (13.9)	10 (12.0)	4 (7.8)
Obese	22 (2.5)	****	0	2 (4.3)	15 (2.2)	4 (4.8)	1 (2.0)
Very Obese	31 (3.5)	****	0	2 (4.3)	17 (2.5)	7 (8.4)	4 (7.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

SOUTHWEST	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,103</b>	<b>13</b>	<b>113</b>	<b>65</b>	<b>579</b>	<b>82</b>	<b>251</b>
Overweight	184 (16.7)	2 (****)	20 (17.7)	4 (6.2)	101 (17.4)	15 (18.3)	42 (16.7)
Obese	36 (3.3)	1 (****)	2 (1.8)	2 (3.1)	11 (1.9)	3 (3.7)	17 (6.8)
Very Obese	94 (8.5)	2 (****)	13 (11.5)	9 (13.8)	35 (6.0)	2 (2.4)	33 (13.1)
<b>2018 Total</b>	<b>1,203</b>	<b>17</b>	<b>121</b>	<b>74</b>	<b>638</b>	<b>92</b>	<b>261</b>
Overweight	187 (15.5)	3 (****)	25 (20.7)	11 (14.9)	88 (13.8)	8 (8.7)	52 (19.9)
Obese	53 (4.4)	1 (****)	7 (5.8)	2 (2.7)	20 (3.1)	4 (4.3)	19 (7.3)
Very Obese	74 (6.2)	2 (****)	14 (11.6)	7 (9.5)	28 (4.4)	2 (2.2)	21 (8.0)
<b>2017 Total</b>	<b>1,182</b>	<b>16</b>	<b>130</b>	<b>72</b>	<b>635</b>	<b>81</b>	<b>248</b>
Overweight	175 (14.8)	4 (****)	27 (20.8)	9 (12.5)	82 (12.9)	7 (8.6)	46 (18.5)
Obese	45 (3.8)	0	5 (3.8)	2 (2.8)	19 (3.0)	4 (4.9)	15 (6.0)
Very Obese	76 (6.4)	2 (****)	15 (11.5)	5 (6.9)	25 (3.9)	5 (6.2)	24 (9.7)
<b>2016 Total</b>	<b>1,232</b>	<b>14</b>	<b>128</b>	<b>99</b>	<b>679</b>	<b>77</b>	<b>235</b>
Overweight	202 (16.4)	7 (****)	26 (20.3)	16 (16.2)	99 (14.6)	10 (13.0)	44 (18.7)
Obese	43 (3.5)	0	5 (3.9)	1 (1.0)	20 (2.9)	1 (1.3)	16 (6.8)
Very Obese	83 (6.7)	1 (****)	9 (7.0)	11 (11.1)	28 (4.1)	7 (9.1)	27 (11.5)
<b>2015 Total</b>	<b>1,272</b>	<b>9</b>	<b>113</b>	<b>93</b>	<b>723</b>	<b>78</b>	<b>256</b>
Overweight	201 (15.8)	2 (****)	24 (21.2)	13 (14.0)	104 (14.4)	8 (10.3)	50 (19.5)
Obese	59 (4.6)	1 (****)	2 (1.8)	3 (3.2)	29 (4.0)	6 (7.7)	18 (7.0)
Very Obese	82 (6.4)	0	9 (8.0)	11 (11.8)	36 (5.0)	6 (7.7)	20 (7.8)
<b>2014 Total</b>	<b>1,104</b>	<b>15</b>	<b>80</b>	<b>58</b>	<b>675</b>	<b>77</b>	<b>199</b>
Overweight	144 (13.0)	3 (****)	12 (15.0)	9 (15.5)	78 (11.6)	7 (9.1)	35 (17.6)
Obese	39 (3.5)	0	4 (5.0)	5 (8.6)	18 (2.7)	4 (5.2)	8 (4.0)
Very Obese	91 (8.2)	2 (****)	10 (12.5)	5 (8.6)	41 (6.1)	7 (9.1)	26 (13.1)
<b>2013 Total</b>	<b>1,208</b>	<b>15</b>	<b>79</b>	<b>68</b>	<b>747</b>	<b>76</b>	<b>223</b>
Overweight	181 (15.0)	1 (****)	12 (15.2)	9 (13.2)	106 (14.2)	9 (11.8)	44 (19.7)
Obese	57 (4.7)	0	6 (7.6)	8 (11.8)	31 (4.1)	4 (5.3)	8 (3.6)
Very Obese	95 (7.9)	1 (****)	10 (12.7)	8 (11.8)	55 (7.4)	5 (6.6)	16 (7.2)
<b>2012 Total</b>	<b>1,290</b>	<b>13</b>	<b>73</b>	<b>67</b>	<b>820</b>	<b>70</b>	<b>247</b>
Overweight	210 (16.3)	3 (****)	14 (19.2)	15 (22.4)	128 (15.6)	10 (14.3)	40 (16.2)
Obese	65 (5.0)	0	5 (6.8)	3 (4.5)	37 (4.5)	2 (2.9)	18 (7.3)
Very Obese	98 (7.6)	2 (****)	8 (11.0)	3 (4.5)	58 (7.1)	3 (4.3)	24 (9.7)
<b>2011 Total</b>	<b>1,308</b>	<b>21</b>	<b>58</b>	<b>55</b>	<b>876</b>	<b>56</b>	<b>242</b>
Overweight	208 (15.9)	5 (****)	11 (19.0)	10 (18.2)	128 (14.6)	14 (25.0)	40 (16.5)
Obese	58 (4.4)	1 (****)	4 (6.9)	3 (5.5)	38 (4.3)	1 (1.8)	11 (4.5)
Very Obese	113 (8.6)	5 (****)	8 (13.8)	5 (9.1)	59 (6.7)	3 (5.4)	33 (13.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

STEARNS	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,954</b>	<b>7</b>	<b>24</b>	<b>1,048</b>	<b>628</b>	<b>79</b>	<b>168</b>
Overweight	283 (14.5)	1 (****)	2 (****)	127 (12.1)	115 (18.3)	10 (12.7)	28 (16.7)
Obese	96 (4.9)	1 (****)	1 (****)	47 (4.5)	30 (4.8)	7 (8.9)	10 (6.0)
Very Obese	150 (7.7)	1 (****)	1 (****)	81 (7.7)	39 (6.2)	6 (7.6)	22 (13.1)
<b>2018 Total</b>	<b>1,991</b>	<b>5</b>	<b>26</b>	<b>1,059</b>	<b>640</b>	<b>87</b>	<b>174</b>
Overweight	269 (13.5)	1 (****)	4 (****)	120 (11.3)	91 (14.2)	20 (23.0)	33 (19.0)
Obese	89 (4.5)	0	2 (****)	49 (4.6)	29 (4.5)	3 (3.4)	6 (3.4)
Very Obese	141 (7.1)	1 (****)	0	77 (7.3)	37 (5.8)	6 (6.9)	20 (11.5)
<b>2017 Total</b>	<b>2,015</b>	<b>7</b>	<b>25</b>	<b>968</b>	<b>709</b>	<b>112</b>	<b>194</b>
Overweight	280 (13.9)	2 (****)	3 (****)	117 (12.1)	105 (14.8)	17 (15.2)	36 (18.6)
Obese	76 (3.8)	1 (****)	1 (****)	32 (3.3)	30 (4.2)	1 (<1)	11 (5.7)
Very Obese	153 (7.6)	1 (****)	4 (****)	77 (8.0)	39 (5.5)	7 (6.2)	25 (12.9)
<b>2016 Total</b>	<b>1,940</b>	<b>&lt;5</b>	<b>24</b>	<b>857</b>	<b>756</b>	<b>92</b>	<b>207</b>
Overweight	262 (13.5)	2 (****)	3 (****)	92 (10.7)	109 (14.4)	17 (18.5)	39 (18.8)
Obese	66 (3.4)	0	1 (****)	23 (2.7)	28 (3.7)	3 (3.3)	11 (5.3)
Very Obese	120 (6.2)	0	1 (****)	50 (5.8)	47 (6.2)	5 (5.4)	17 (8.2)
<b>2015 Total</b>	<b>1,873</b>	<b>7</b>	<b>22</b>	<b>687</b>	<b>858</b>	<b>85</b>	<b>214</b>
Overweight	254 (13.6)	1 (****)	2 (****)	72 (10.5)	119 (13.9)	21 (24.7)	39 (18.2)
Obese	78 (4.2)	2 (****)	0	29 (4.2)	36 (4.2)	3 (3.5)	8 (3.7)
Very Obese	122 (6.5)	0	1 (****)	40 (5.8)	57 (6.6)	3 (3.5)	21 (9.8)
<b>2014 Total</b>	<b>1,684</b>	<b>&lt;5</b>	<b>24</b>	<b>568</b>	<b>830</b>	<b>76</b>	<b>185</b>
Overweight	216 (12.8)	****	2 (****)	52 (9.2)	124 (14.9)	11 (14.5)	27 (14.6)
Obese	76 (4.5)	****	0	27 (4.8)	35 (4.2)	2 (2.6)	12 (6.5)
Very Obese	109 (6.5)	****	4 (****)	34 (6.0)	47 (5.7)	6 (7.9)	18 (9.7)
<b>2013 Total</b>	<b>1,702</b>	<b>&lt;5</b>	<b>25</b>	<b>488</b>	<b>872</b>	<b>104</b>	<b>212</b>
Overweight	231 (13.6)	****	4 (****)	44 (9.0)	119 (13.6)	16 (15.4)	48 (22.6)
Obese	45 (2.6)	****	2 (****)	13 (2.7)	19 (2.2)	4 (3.8)	7 (3.3)
Very Obese	92 (5.4)	****	3 (****)	18 (3.7)	44 (5.0)	6 (5.8)	21 (9.9)
<b>2012 Total</b>	<b>1,741</b>	<b>&lt;5</b>	<b>19</b>	<b>433</b>	<b>938</b>	<b>116</b>	<b>231</b>
Overweight	242 (13.9)	****	2 (****)	46 (10.6)	127 (13.5)	19 (16.4)	47 (20.3)
Obese	76 (4.4)	****	1 (****)	11 (2.5)	43 (4.6)	6 (5.2)	15 (6.5)
Very Obese	99 (5.7)	****	2 (****)	27 (6.2)	43 (4.6)	4 (3.4)	21 (9.1)
<b>2011 Total</b>	<b>1,715</b>	<b>6</b>	<b>22</b>	<b>371</b>	<b>955</b>	<b>112</b>	<b>249</b>
Overweight	288 (16.8)	2 (****)	5 (****)	54 (14.6)	154 (16.1)	22 (19.6)	51 (20.5)
Obese	80 (4.7)	1 (****)	0	16 (4.3)	40 (4.2)	9 (8.0)	14 (5.6)
Very Obese	99 (5.8)	1 (****)	3 (****)	29 (7.8)	35 (3.7)	6 (5.4)	25 (10.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

WABASHA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>136</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>99</b>	<b>7</b>	<b>29</b>
Overweight	21 (15.4)	0	0	1 (****)	15 (15.2)	1 (****)	4 (****)
Obese	9 (6.6)	0	0	0	4 (4.0)	1 (****)	4 (****)
Very Obese	9 (6.6)	0	0	0	5 (5.1)	1 (****)	3 (****)
<b>2018 Total</b>	<b>131</b>	<b>0</b>	<b>0</b>	<b>&lt;5</b>	<b>97</b>	<b>6</b>	<b>27</b>
Overweight	23 (17.6)	0	0	0	17 (17.5)	3 (****)	3 (****)
Obese	2 (1.5)	0	0	0	0	0	2 (****)
Very Obese	13 (9.9)	0	0	0	8 (8.2)	1 (****)	4 (****)
<b>2017 Total</b>	<b>170</b>	<b>0</b>	<b>&lt;5</b>	<b>5</b>	<b>118</b>	<b>7</b>	<b>39</b>
Overweight	22 (12.9)	0	0	1 (****)	13 (11.0)	2 (****)	6 (15.4)
Obese	14 (8.2)	0	0	0	11 (9.3)	1 (****)	2 (5.1)
Very Obese	20 (11.8)	0	1 (****)	0	12 (10.2)	0	7 (17.9)
<b>2016 Total</b>	<b>197</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>148</b>	<b>10</b>	<b>34</b>
Overweight	35 (17.8)	0	0	1 (****)	23 (15.5)	4 (****)	7 (20.6)
Obese	8 (4.1)	0	0	1 (****)	5 (3.4)	0	2 (5.9)
Very Obese	21 (10.7)	0	1 (****)	0	15 (10.1)	2 (****)	3 (8.8)
<b>2015 Total</b>	<b>201</b>	<b>0</b>	<b>&lt;5</b>	<b>10</b>	<b>146</b>	<b>15</b>	<b>29</b>
Overweight	38 (18.9)	0	0	0	32 (21.9)	1 (****)	5 (****)
Obese	10 (5.0)	0	0	0	6 (4.1)	2 (****)	2 (****)
Very Obese	18 (9.0)	0	1 (****)	0	10 (6.8)	4 (****)	3 (****)
<b>2014 Total</b>	<b>175</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>129</b>	<b>13</b>	<b>26</b>
Overweight	26 (14.9)	0	0	2 (****)	20 (15.5)	1 (****)	3 (****)
Obese	7 (4.0)	0	0	1 (****)	5 (3.9)	0	1 (****)
Very Obese	24 (13.7)	0	0	0	12 (9.3)	4 (****)	8 (****)
<b>2013 Total</b>	<b>178</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>139</b>	<b>9</b>	<b>25</b>
Overweight	33 (18.5)	0	****	****	29 (20.9)	0	2 (****)
Obese	7 (3.9)	0	****	****	7 (5.0)	0	0
Very Obese	19 (10.7)	0	****	****	8 (5.8)	3 (****)	7 (****)
<b>2012 Total</b>	<b>208</b>	<b>0</b>	<b>&lt;5</b>	<b>7</b>	<b>149</b>	<b>14</b>	<b>36</b>
Overweight	42 (20.2)	0	****	2 (****)	27 (18.1)	1 (****)	12 (33.3)
Obese	4 (1.9)	****	****	****	****	****	****
Very Obese	25 (12.0)	0	****	0	16 (10.7)	4 (****)	4 (11.1)
<b>2011 Total</b>	<b>236</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>184</b>	<b>8</b>	<b>40</b>
Overweight	38 (16.1)	0	****	****	29 (15.8)	1 (****)	7 (17.5)
Obese	21 (8.9)	0	****	****	14 (7.6)	3 (****)	4 (10.0)
Very Obese	21 (8.9)	0	****	****	14 (7.6)	1 (****)	5 (12.5)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

WASHINGTON	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>1,200</b>	<b>5</b>	<b>163</b>	<b>263</b>	<b>518</b>	<b>102</b>	<b>149</b>
Overweight	217 (18.1)	0	38 (23.3)	50 (19.0)	84 (16.2)	15 (14.7)	30 (20.1)
Obese	49 (4.1)	0	9 (5.5)	14 (5.3)	13 (2.5)	7 (6.9)	6 (4.0)
Very Obese	102 (8.5)	0	18 (11.0)	19 (7.2)	34 (6.6)	11 (10.8)	20 (13.4)
<b>2018 Total</b>	<b>1,231</b>	<b>5</b>	<b>177</b>	<b>271</b>	<b>521</b>	<b>108</b>	<b>149</b>
Overweight	198 (16.1)	2 (****)	35 (19.8)	44 (16.2)	79 (15.2)	19 (17.6)	19 (12.8)
Obese	50 (4.1)	0	6 (3.4)	5 (1.8)	30 (5.8)	3 (2.8)	6 (4.0)
Very Obese	92 (7.5)	0	20 (11.3)	24 (8.9)	25 (4.8)	5 (4.6)	18 (12.1)
<b>2017 Total</b>	<b>1,313</b>	<b>&lt;5</b>	<b>168</b>	<b>292</b>	<b>563</b>	<b>116</b>	<b>171</b>
Overweight	201 (15.3)	1 (****)	31 (18.5)	48 (16.4)	78 (13.9)	20 (17.2)	23 (13.5)
Obese	72 (5.5)	1 (****)	12 (7.1)	16 (5.5)	28 (5.0)	6 (5.2)	9 (5.3)
Very Obese	105 (8.0)	0	16 (9.5)	28 (9.6)	36 (6.4)	6 (5.2)	19 (11.1)
<b>2016 Total</b>	<b>1,381</b>	<b>&lt;5</b>	<b>173</b>	<b>266</b>	<b>626</b>	<b>125</b>	<b>187</b>
Overweight	208 (15.1)	0	29 (16.8)	42 (15.8)	82 (13.1)	23 (18.4)	32 (17.1)
Obese	59 (4.3)	1 (****)	9 (5.2)	5 (1.9)	35 (5.6)	4 (3.2)	5 (2.7)
Very Obese	97 (7.0)	0	17 (9.8)	21 (7.9)	32 (5.1)	8 (6.4)	19 (10.2)
<b>2015 Total</b>	<b>1,518</b>	<b>5</b>	<b>169</b>	<b>302</b>	<b>663</b>	<b>175</b>	<b>204</b>
Overweight	228 (15.0)	2 (****)	30 (17.8)	48 (15.9)	91 (13.7)	32 (18.3)	25 (12.3)
Obese	74 (4.9)	1 (****)	11 (6.5)	14 (4.6)	33 (5.0)	11 (6.3)	4 (2.0)
Very Obese	85 (5.6)	0	13 (7.7)	17 (5.6)	36 (5.4)	6 (3.4)	13 (6.4)
<b>2014 Total</b>	<b>1,458</b>	<b>&lt;5</b>	<b>138</b>	<b>254</b>	<b>667</b>	<b>183</b>	<b>212</b>
Overweight	235 (16.1)	****	21 (15.2)	40 (15.7)	108 (16.2)	37 (20.2)	29 (13.7)
Obese	61 (4.2)	****	6 (4.3)	11 (4.3)	22 (3.3)	11 (6.0)	8 (3.8)
Very Obese	109 (7.5)	****	14 (10.1)	15 (5.9)	47 (7.0)	19 (10.4)	14 (6.6)
<b>2013 Total</b>	<b>1,568</b>	<b>&lt;5</b>	<b>146</b>	<b>264</b>	<b>776</b>	<b>180</b>	<b>200</b>
Overweight	261 (16.6)	****	26 (17.8)	35 (13.3)	131 (16.9)	32 (17.8)	36 (18.0)
Obese	75 (4.8)	****	9 (6.2)	12 (4.5)	36 (4.6)	9 (5.0)	9 (4.5)
Very Obese	118 (7.5)	****	14 (9.6)	14 (5.3)	53 (6.8)	22 (12.2)	15 (7.5)
<b>2012 Total</b>	<b>1,762</b>	<b>8</b>	<b>172</b>	<b>301</b>	<b>873</b>	<b>175</b>	<b>233</b>
Overweight	313 (17.8)	4 (****)	36 (20.9)	47 (15.6)	149 (17.1)	29 (16.6)	48 (20.6)
Obese	88 (5.0)	0	7 (4.1)	15 (5.0)	44 (5.0)	10 (5.7)	12 (5.2)
Very Obese	120 (6.8)	1 (****)	23 (13.4)	15 (5.0)	53 (6.1)	15 (8.6)	13 (5.6)
<b>2011 Total</b>	<b>1,758</b>	<b>&lt;5</b>	<b>166</b>	<b>333</b>	<b>849</b>	<b>169</b>	<b>237</b>
Overweight	324 (18.4)	****	37 (22.3)	56 (16.8)	150 (17.7)	29 (17.2)	52 (21.9)
Obese	85 (4.8)	****	7 (4.2)	17 (5.1)	34 (4.0)	14 (8.3)	13 (5.5)
Very Obese	107 (6.1)	****	18 (10.8)	19 (5.7)	42 (4.9)	10 (5.9)	17 (7.2)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

WATONWAN	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>188</b>	<b>0</b>	<b>&lt;5</b>	<b>0</b>	<b>46</b>	<b>&lt;5</b>	<b>139</b>
Overweight	28 (14.9)	0	0	0	8 (17.4)	0	20 (14.4)
Obese	5 (2.7)	0	0	0	2 (4.3)	0	3 (2.2)
Very Obese	21 (11.2)	0	0	0	3 (6.5)	0	18 (12.9)
<b>2018 Total</b>	<b>187</b>	<b>0</b>	<b>&lt;5</b>	<b>0</b>	<b>49</b>	<b>&lt;5</b>	<b>132</b>
Overweight	33 (17.6)	0	0	0	8 (16.3)	0	25 (18.9)
Obese	9 (4.8)	0	0	0	4 (8.2)	0	5 (3.8)
Very Obese	15 (8.0)	0	0	0	3 (6.1)	0	12 (9.1)
<b>2017 Total</b>	<b>205</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>55</b>	<b>&lt;5</b>	<b>142</b>
Overweight	38 (18.5)	0	0	1 (****)	12 (21.8)	1 (****)	24 (16.9)
Obese	14 (6.8)	0	0	0	4 (7.3)	0	10 (7.0)
Very Obese	15 (7.3)	0	0	0	2 (3.6)	0	13 (9.2)
<b>2016 Total</b>	<b>229</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>62</b>	<b>&lt;5</b>	<b>161</b>
Overweight	46 (20.1)	0	0	0	8 (12.9)	1 (****)	37 (23.0)
Obese	12 (5.2)	0	0	0	4 (6.5)	0	8 (5.0)
Very Obese	19 (8.3)	0	0	0	3 (4.8)	0	16 (9.9)
<b>2015 Total</b>	<b>209</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>66</b>	<b>&lt;5</b>	<b>137</b>
Overweight	40 (19.1)	0	0	0	10 (15.2)	2 (****)	28 (20.4)
Obese	9 (4.3)	0	0	0	4 (6.1)	0	5 (3.6)
Very Obese	21 (10.0)	0	0	0	4 (6.1)	0	17 (12.4)
<b>2014 Total</b>	<b>216</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>74</b>	<b>&lt;5</b>	<b>137</b>
Overweight	45 (20.8)	0	****	****	16 (21.6)	****	29 (21.2)
Obese	14 (6.5)	0	****	****	4 (5.4)	****	9 (6.6)
Very Obese	30 (13.9)	0	****	****	7 (9.5)	****	23 (16.8)
<b>2013 Total</b>	<b>215</b>	<b>0</b>	<b>&lt;5</b>	<b>0</b>	<b>77</b>	<b>&lt;5</b>	<b>135</b>
Overweight	47 (21.9)	0	****	0	12 (15.6)	****	35 (25.9)
Obese	17 (7.9)	0	****	0	6 (7.8)	****	11 (8.1)
Very Obese	26 (12.1)	0	****	0	8 (10.4)	****	18 (13.3)
<b>2012 Total</b>	<b>256</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>88</b>	<b>&lt;5</b>	<b>163</b>
Overweight	41 (16.0)	0	****	****	15 (17.0)	****	25 (15.3)
Obese	17 (6.6)	0	****	****	2 (2.3)	****	15 (9.2)
Very Obese	33 (12.9)	0	****	****	3 (3.4)	****	30 (18.4)
<b>2011 Total</b>	<b>253</b>	<b>0</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>93</b>	<b>&lt;5</b>	<b>154</b>
Overweight	51 (20.2)	0	****	****	14 (15.1)	****	37 (24.0)
Obese	17 (6.7)	0	****	****	3 (3.2)	****	13 (8.4)
Very Obese	23 (9.1)	0	****	****	5 (5.4)	****	17 (11.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

WINONA	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>278</b>	<b>0</b>	<b>11</b>	<b>25</b>	<b>181</b>	<b>19</b>	<b>42</b>
Overweight	46 (16.5)	0	1 (****)	4 (****)	30 (16.6)	4 (****)	7 (16.7)
Obese	13 (4.7)	0	2 (****)	0	6 (3.3)	2 (****)	3 (7.1)
Very Obese	33 (11.9)	0	1 (****)	2 (****)	19 (10.5)	3 (****)	8 (19.0)
<b>2018 Total</b>	<b>302</b>	<b>0</b>	<b>17</b>	<b>27</b>	<b>197</b>	<b>14</b>	<b>47</b>
Overweight	62 (20.5)	0	2 (****)	5 (****)	42 (21.3)	2 (****)	11 (23.4)
Obese	15 (5.0)	0	1 (****)	3 (****)	10 (5.1)	0	1 (2.1)
Very Obese	42 (13.9)	0	5 (****)	4 (****)	21 (10.7)	2 (****)	10 (21.3)
<b>2017 Total</b>	<b>339</b>	<b>0</b>	<b>12</b>	<b>26</b>	<b>231</b>	<b>20</b>	<b>50</b>
Overweight	65 (19.2)	0	1 (****)	4 (****)	46 (19.9)	5 (****)	9 (18.0)
Obese	14 (4.1)	0	0	1 (****)	10 (4.3)	1 (****)	2 (4.0)
Very Obese	53 (15.6)	0	5 (****)	3 (****)	31 (13.4)	3 (****)	11 (22.0)
<b>2016 Total</b>	<b>367</b>	<b>&lt;5</b>	<b>11</b>	<b>32</b>	<b>248</b>	<b>21</b>	<b>55</b>
Overweight	62 (16.9)	0	2 (****)	4 (12.5)	46 (18.5)	6 (****)	4 (7.3)
Obese	20 (5.4)	0	2 (****)	0	14 (5.6)	1 (****)	3 (5.5)
Very Obese	46 (12.5)	0	4 (****)	2 (6.2)	24 (9.7)	4 (****)	12 (21.8)
<b>2015 Total</b>	<b>380</b>	<b>0</b>	<b>12</b>	<b>32</b>	<b>270</b>	<b>20</b>	<b>46</b>
Overweight	67 (17.6)	0	2 (****)	3 (9.4)	51 (18.9)	4 (****)	7 (15.2)
Obese	20 (5.3)	0	0	0	17 (6.3)	2 (****)	1 (2.2)
Very Obese	40 (10.5)	0	2 (****)	3 (9.4)	23 (8.5)	3 (****)	9 (19.6)
<b>2014 Total</b>	<b>401</b>	<b>0</b>	<b>12</b>	<b>24</b>	<b>302</b>	<b>14</b>	<b>49</b>
Overweight	64 (16.0)	0	1 (****)	4 (****)	48 (15.9)	5 (****)	6 (12.2)
Obese	13 (3.2)	0	0	0	11 (3.6)	1 (****)	1 (2.0)
Very Obese	35 (8.7)	0	2 (****)	2 (****)	24 (7.9)	1 (****)	6 (12.2)
<b>2013 Total</b>	<b>449</b>	<b>0</b>	<b>13</b>	<b>24</b>	<b>335</b>	<b>18</b>	<b>59</b>
Overweight	78 (17.4)	0	2 (****)	1 (****)	57 (17.0)	7 (****)	11 (18.6)
Obese	17 (3.8)	0	0	1 (****)	10 (3.0)	0	6 (10.2)
Very Obese	34 (7.6)	0	1 (****)	2 (****)	23 (6.9)	2 (****)	6 (10.2)
<b>2012 Total</b>	<b>501</b>	<b>0</b>	<b>16</b>	<b>31</b>	<b>386</b>	<b>16</b>	<b>52</b>
Overweight	77 (15.4)	0	2 (****)	2 (6.5)	64 (16.6)	2 (****)	7 (13.5)
Obese	24 (4.8)	0	0	2 (6.5)	19 (4.9)	0	3 (5.8)
Very Obese	44 (8.8)	0	2 (****)	3 (9.7)	27 (7.0)	2 (****)	10 (19.2)
<b>2011 Total</b>	<b>497</b>	<b>0</b>	<b>28</b>	<b>30</b>	<b>367</b>	<b>14</b>	<b>58</b>
Overweight	86 (17.3)	0	2 (****)	4 (13.3)	68 (18.5)	2 (****)	10 (17.2)
Obese	28 (5.6)	0	2 (****)	2 (6.7)	22 (6.0)	0	2 (3.4)
Very Obese	33 (6.6)	0	4 (****)	2 (6.7)	15 (4.1)	1 (****)	11 (19.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

WRIGHT	Undup Total <sup>2</sup>	Amer Indian NH	Asian NH <sup>3</sup>	Black/ African-Amer NH <sup>4</sup>	White NH	> 1 Race NH	Hispanic All Races
<b>2019 Total</b>	<b>859</b>	<b>&lt;5</b>	<b>12</b>	<b>54</b>	<b>630</b>	<b>61</b>	<b>101</b>
Overweight	151 (17.6)	0	3 (****)	8 (14.8)	103 (16.3)	16 (26.2)	21 (20.8)
Obese	29 (3.4)	0	0	2 (3.7)	21 (3.3)	2 (3.3)	4 (4.0)
Very Obese	47 (5.5)	0	2 (****)	5 (9.3)	25 (4.0)	3 (4.9)	12 (11.9)
<b>2018 Total</b>	<b>914</b>	<b>&lt;5</b>	<b>15</b>	<b>49</b>	<b>666</b>	<b>76</b>	<b>104</b>
Overweight	156 (17.1)	1 (****)	2 (****)	13 (26.5)	110 (16.5)	12 (15.8)	18 (17.3)
Obese	33 (3.6)	0	0	1 (2.0)	22 (3.3)	4 (5.3)	6 (5.8)
Very Obese	50 (5.5)	0	3 (****)	2 (4.1)	27 (4.1)	2 (2.6)	16 (15.4)
<b>2017 Total</b>	<b>915</b>	<b>&lt;5</b>	<b>19</b>	<b>37</b>	<b>652</b>	<b>80</b>	<b>124</b>
Overweight	163 (17.8)	0	2 (****)	9 (24.3)	110 (16.9)	15 (18.8)	27 (21.8)
Obese	26 (2.8)	0	1 (****)	3 (8.1)	14 (2.1)	2 (2.5)	6 (4.8)
Very Obese	50 (5.5)	0	3 (****)	1 (2.7)	27 (4.1)	4 (5.0)	15 (12.1)
<b>2016 Total</b>	<b>1,025</b>	<b>7</b>	<b>18</b>	<b>36</b>	<b>743</b>	<b>92</b>	<b>129</b>
Overweight	183 (17.9)	0	0	8 (22.2)	126 (17.0)	25 (27.2)	24 (18.6)
Obese	50 (4.9)	0	0	3 (8.3)	30 (4.0)	4 (4.3)	13 (10.1)
Very Obese	50 (4.9)	0	7 (****)	2 (5.6)	28 (3.8)	3 (3.3)	10 (7.8)
<b>2015 Total</b>	<b>1,055</b>	<b>5</b>	<b>11</b>	<b>39</b>	<b>781</b>	<b>94</b>	<b>125</b>
Overweight	170 (16.1)	1 (****)	0	2 (5.1)	123 (15.7)	19 (20.2)	25 (20.0)
Obese	43 (4.1)	0	1 (****)	3 (7.7)	26 (3.3)	3 (3.2)	10 (8.0)
Very Obese	53 (5.0)	0	3 (****)	3 (7.7)	35 (4.5)	1 (1.1)	11 (8.8)
<b>2014 Total</b>	<b>1,052</b>	<b>9</b>	<b>13</b>	<b>41</b>	<b>769</b>	<b>92</b>	<b>128</b>
Overweight	201 (19.1)	2 (****)	2 (****)	5 (12.2)	138 (17.9)	21 (22.8)	33 (25.8)
Obese	37 (3.5)	0	0	0	25 (3.3)	5 (5.4)	7 (5.5)
Very Obese	47 (4.5)	1 (****)	4 (****)	3 (7.3)	27 (3.5)	2 (2.2)	10 (7.8)
<b>2013 Total</b>	<b>1,101</b>	<b>&lt;5</b>	<b>8</b>	<b>32</b>	<b>824</b>	<b>94</b>	<b>140</b>
Overweight	193 (17.5)	****	0	5 (15.6)	145 (17.6)	18 (19.1)	24 (17.1)
Obese	53 (4.8)	****	3 (****)	3 (9.4)	33 (4.0)	4 (4.3)	10 (7.1)
Very Obese	60 (5.4)	****	2 (****)	3 (9.4)	37 (4.5)	4 (4.3)	13 (9.3)
<b>2012 Total</b>	<b>1,216</b>	<b>&lt;5</b>	<b>16</b>	<b>43</b>	<b>916</b>	<b>97</b>	<b>143</b>
Overweight	192 (15.8)	****	1 (****)	4 (9.3)	144 (15.7)	19 (19.6)	24 (16.8)
Obese	46 (3.8)	****	1 (****)	2 (4.7)	33 (3.6)	2 (2.1)	8 (5.6)
Very Obese	66 (5.4)	****	4 (****)	5 (11.6)	35 (3.8)	5 (5.2)	17 (11.9)
<b>2011 Total</b>	<b>1,338</b>	<b>5</b>	<b>12</b>	<b>43</b>	<b>1,015</b>	<b>92</b>	<b>171</b>
Overweight	192 (15.8)	0	0	2 (4.7)	25 (2.5)	3 (3.3)	1 (<1)
Obese	46 (3.8)	3 (****)	9 (****)	25 (58.1)	748 (73.7)	64 (69.6)	98 (57.3)
Very Obese	66 (5.4)	1 (****)	1 (****)	8 (18.6)	168 (16.6)	16 (17.4)	45 (26.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
By Calendar Year, CHB of Residence and Race/Ethnicity  
Minnesota WIC Information System**

\*\*\*\* percentages suppressed if denominator <30

CHB history: Nobles-Rock CHB separated to become Nobles and Rock in January 2012, and Rock joined Southwest CHB. Redwood-Renville separated in January 2013. Redwood joined Southwest in January 2013. Renville joined Kandiyohi in January 2013. Polk joined Norman-Mahnomen in January 2013. Cottonwood-Jackson is known as Des Moines Valley Health and Human Services as of January 2014. Clay, Wilkin, Becker and Otter Tail combined to form Partnership 4 Health as of January 2015. Pine and Kanabec and Isanti and Mille Lacs formed separate CHB's and Beltrami left North Country in January 2017. This document uses 2017 CHB configurations.

Suggested Citation: MN WIC Information System. *Weight Status in Children Ages 2 to 5 Years Participating in MN WIC by Race Ethnicity, Community Health Board of Residence and Calendar Year*. Minnesota WIC Program. 2022.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

<sup>1</sup>Last CHB where children resided as of January of the subsequent calendar year.

<sup>2</sup>Total number of children with biologically plausible weight and height measurements

<sup>3</sup>Includes children from US and foreign born

<sup>4</sup>Total children ages 2 to 5 years with weight status information.

Analyses based on one randomly selected record per child. Excludes records with unknown data or errors.

Biologically implausible values (BIV) for weight, height and BMI at a z score +5 removed, which is consistent with previous MN WIC reports for years 2011 to 2016.

For 2017, BIV was defined for weight z score <-5 and >8; height z score <-5 and >4; BMI z score <-4 and >8.

<https://www.cdc.gov/nccdphp/dnpao/growthcharts/resources/sas.htm> These methodologies excluded <1% of all records.

<sup>5</sup>Total number in weight category (Percentage of total children).

Based on 2000 CDC growth chart percentiles for children 2 years of age and older; underweight is defined as

BMI-for-age < 5th percentile, overweight is defined as BMI-for-age  $\geq$ 85th to < 95th percentile,

obese is defined as  $\geq$ 95th percentile to < 97.5 percentile, and very obese is defined as  $\geq$ 97.5 percentile.