

Blue Plus (HMO Minnesota)

HEDIS 2015 (Reporting Year 2014)

Data Last Refreshed: 1/15/2016

General Info		Page
Disclaimers		2

Code	Effectiveness of Care Measures	Page
Prevention and Screening		
ABA	Adult BMI Assessment	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	4
CIS	Childhood Immunization Status	7
IMA	Immunizations for Adolescents	13
BCS	Breast Cancer Screening	16
CCS	Cervical Cancer Screening	17
COL	Colorectal Cancer Screening	18
CHL	Chlamydia Screening in Women	19
HPV	Human Papillomavirus Vaccine for Female Adolescents	22
COA	Care for Older Adults	23

Respiratory Conditions		
PCE	Pharmacotherapy Management of COPD Exacerbation	24
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	28
ASM	Use of Appropriate Medications for People with Asthma	29
MMA	Medication Management for People with Asthma	32
AMR	Asthma Medication Ratio	34
URI	Appropriate Treatment for children with Upper Respiratory Infection	37

Cardiovascular		
CBP	Controlling High Blood Pressure	38
PBH	Persistence of Beta Blocker Treatment After Heart Attack	39

Diabetes		
CDC	Comprehensive Diabetes Care	40

Musculoskeletal		
ART	Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis	47
OMW	Osteoporosis Management in Women Who had a Fracture	48

Behavioral Health		
AMM	Antidepressant Medication Management	49
ADD	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD)	56
FUH	Follow-up After Hospitalization for Mental Illness	59

Code	Effectiveness of Care Measures	Page
Medication Management		
MPM	Annual Monitoring for Patients on Persistent Medications	63
MRP	Medication Reconciliation Post Discharge	70
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly	71
DAE	Use of High Risk Medications in the Elderly	73

Code	Access / Availability of Care Measures	Page
AAP	Adult's Access to Preventive/Ambulatory Health Services	75
CAP	Children's and Adolescents' Access to Primary Care Practitioners	82
IET	Initiation/Engagement of Alcohol & Other Drug Dependence Treatment	85
PPC	Prenatal and Postpartum Care	92
ADV	Annual Dental Visit	95

Code	Use of Services Measures	Page
W15	Well Child Visits in the First 15 Months of Life	97
W34	Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life	100
AWC	Adolescent Well-Care Visits	101
AMB	Ambulatory Care	102
IPU	Inpatient Utilization - General Hospital/Acute Care	109
IAD	Identification of Alcohol and Other Drug Services	116
MPT	Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services	123
PCR	Plan All-Cause Readmissions	130

Code	Health Plan Descriptive Information Measures	Page
BCR	Board Certification	134
ENP	Enrollment by Product Line (Age & Sex)	137

(this page left blank intentionally)

Effectiveness of Care

Blue Plus (HMO Minnesota)

Adult BMI Assessment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Medicare Advantage	MA Expand F& C	MN Care	SNBC SNP	SNBC Non SNP
Measurement Year	2014		2014	2014		
Data Collection Methodology	A		H	H		
Eligible Member Population	9331		10537	1580		
Numerator Events by Admin Data on Eligible Population (before exclusions)			924	123		
Current Year's Admin Rate	NR	NR	8.77%	7.78%	NR	NR
Minimum Required Sample Size			411	411		
Oversampling Rate			5.00%	5.00%		
Final Sample Size (FSS)			432	432		
Numerator events by admin data in FSS			48	37		
Admin Rate on FSS	NR	NR	11.11%	8.56%	NR	NR
Number of Records Excluded Because of Valid Data Errors			0	0		
Number of administrative data records excluded			0	0		
Number of medical record data records excluded			0	0		
Number of employee/dependent medical records excluded			0	0		
Records Added from the Oversample List			0	0		
Denominator			432	432		
Numerator Events by Admin Data	341		48	37		
Numerator Events by Medical Record			339	329		
Reported Rate	3.65%	NR	89.58%	84.72%	NR	NR
Lower 95% Confidence Interval	3.27%	NR	86.59%	81.21%	NR	NR
Upper 95% Confidence Interval	4.04%	NR	92.58%	88.23%	NR	NR

Commercial

Data Elements	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity					
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2014				2014				2014			
Data Collection Methodology	A				A				A			
Eligible Member Population		2176	1485	3661		2176	1485	3661		2176	1485	3661
Numerator events by admin data in eligible population		0	0	0		0	0	0		0	0	0
Current Year's Administrative Rate		0.00%	0.00%	0.00%		0.00%	0.00%	0.00%		0.00%	0.00%	0.00%
Minimum Required Sample Size	0				0				0			
Oversampling Rate	0.00%				0.00%				0.00%			
Final Sample Size (FSS)	0				0				0			
Numerator events by admin data in FSS		0	0	0		0	0	0		0	0	0
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors	0				0				0			
Number of administrative data records excluded	0				0				0			
Number of medical records excluded	0				0				0			
Number of employee/dependent records excluded	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		0	0	0		0	0	0		0	0	0
Numerator Events by Admin Data		78	37	115		12	14	26		0	0	0
Numerator Events by Medical Record		0	0	0		0	0	0		0	0	0
Reported Rate		3.58%	2.49%	3.14%		0.55%	0.94%	0.71%		0.00%	0.00%	0.00%
Lower 95% Confidence Interval		2.78%	1.67%	2.56%		0.22%	0.42%	0.42%		0.00%	0.00%	0.00%
Upper 95% Confidence Interval		4.39%	3.32%	3.72%		0.89%	1.47%	1.00%		0.02%	0.03%	0.01%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year					2014				2014			
Data Collection Methodology					H				H			
Eligible Member Population		11666	5994	17660		11666	5994	17660		11666	5994	17660
Numerator events by admin data in eligible population		682	293	975		634	279	913		466	209	675
Current Year's Administrative Rate		5.85%	4.89%	5.52%		5.43%	4.65%	5.17%		3.99%	3.49%	3.82%
Minimum Required Sample Size					411				411			
Oversampling Rate					5.00%				5.00%			
Final Sample Size (FSS)					432				432			
Numerator events by admin data in FSS		21	8	29		15	8	23		9	7	16
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors					0				0			
Number of administrative data records excluded					0				0			
Number of medical records excluded					0				0			
Number of employee/dependent records excluded					0				0			
Records Added from the Oversample List					0				0			
Denominator		292	140	432		292	140	432		292	140	432
Numerator Events by Admin Data		21	8	29		15	8	23		9	7	16
Numerator Events by Medical Record		195	94	289		162	61	223		143	73	216
Reported Rate		73.97%	72.86%	73.61%		60.62%	49.29%	56.94%		52.05%	57.14%	53.70%
Lower 95% Confidence Interval		68.77%	65.13%	69.34%		54.84%	40.65%	52.16%		46.15%	48.59%	48.89%
Upper 95% Confidence Interval		79.18%	80.58%	77.88%		66.39%	57.92%	61.73%		57.96%	65.70%	58.52%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	BMI Percentile				Counseling for Nutrition				Counseling for Physical Activity			
	General	Ages 3-11	Ages 12-17	Total	General	Ages 3-11	Ages 12-17	Total	General	Ages 3-11	Ages 12-	Total
Measurement Year	2014				2014				2014			
Data Collection Methodology	H				H				H			
Eligible Member Population		29	15	44		29	15	44		29	15	44
Numerator events by admin data in eligible		0	2	2		0	2	2		0	2	2
Current Year's Administrative Rate		0.00%	13.33%	4.55%		0.00%	13.33%	4.55%		0.00%	13.33%	4.55%
Minimum Required Sample Size	44				44				44			
Oversampling Rate	0.00%				0.00%				0.00%			
Final Sample Size (FSS)	44				44				44			
Numerator events by admin data in FSS		0	2	2		0	2	2		0	2	2
Admin rate on FSS		0.00%	4.55%	4.55%		0.00%	4.55%	4.55%		0.00%	4.55%	4.55%
Number of Records Excluded Because of	0				0				0			
Number of administrative data records	0				0				0			
Number of medical records excluded	0				0				0			
Number of employee/dependent records	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		29	15	44		29	15	44		29	15	44
Numerator Events by Admin Data		0	2	2		0	2	2		0	2	2
Numerator Events by Medical Record		21	9	30		15	5	20		15	6	21
Reported Rate		NA	NA	72.73%		NA	NA	50.00%		NA	NA	52.27%
Lower 95% Confidence Interval		NA	NA	58.43%		NA	NA	34.09%		NA	NA	36.38%
Upper 95% Confidence Interval		NA	NA	87.02%		NA	NA	65.91%		NA	NA	68.17%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2014										
Data Collection Methodology	A										
Eligible Member Population	264										
Numerator events by admin data in eligible population		0	0	0	0	0	0	0	0	0	0
Current Year's Administrative Rate		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Minimum Required Sample Size	0										
Oversampling Rate	0										
Final Sample Size (FSS)	0										
Numerator events by admin data in FSS		0	0	0	0	0	0	0	0	0	0
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	0										
Numerator Events by administrative Data		233	246	253	248	239	246	235	233	228	202
Numerator Events by Medical Record		0	0	0	0	0	0	0	0	0	0
Reported Rate		88.26%	93.18%	95.83%	93.94%	90.53%	93.18%	89.02%	88.26%	86.36%	76.52%
Lower 95% Confidence Interval		84.18%	89.95%	93.23%	90.87%	86.81%	89.95%	85.05%	84.18%	82.03%	71.21%
Upper 95% Confidence Interval		92.33%	96.41%	98.43%	97.01%	94.25%	96.41%	92.98%	92.33%	90.69%	81.82%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2014										
Data Collection Methodology	A										
Eligible Member Population	264										
Numerator events by admin data in eligible population		0	0	0	0	0	0	0	0	0	0
Current Year's Administrative Rate		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Minimum Required Sample Size	0										
Oversampling Rate	0										
Final Sample Size (FSS)	0										
Numerator events by admin data in FSS		0	0	0	0	0	0	0	0	0	0
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	0										
Numerator Events by administrative Data		233	219	215	207	204	181	200	174	176	172
Numerator Events by Medical Record		0	0	0	0	0	0	0	0	0	0
Reported Rate		88.26%	82.95%	81.44%	78.41%	77.27%	68.56%	75.76%	65.91%	66.67%	65.15%
Lower 95% Confidence Interval		84.18%	78.23%	76.56%	73.26%	72.03%	62.77%	70.40%	60.00%	60.79%	59.21%
Upper 95% Confidence Interval		92.33%	87.68%	86.32%	83.56%	82.52%	74.35%	81.12%	71.82%	72.54%	71.09%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2014										
Data Collection Methodology	H										
Eligible Member Population	1443										
Numerator events by admin data in eligible population		1135	1288	1255	1263	1247	1234	1145	1076	1041	742
Current Year's Administrative Rate		78.66%	89.26%	86.97%	87.53%	86.42%	85.52%	79.35%	74.57%	72.14%	51.42%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		356	392	394	392	387	386	358	344	327	261
Admin rate on FSS		82.41%	90.74%	91.20%	90.74%	89.58%	89.35%	82.87%	79.63%	75.69%	60.42%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	432										
Numerator Events by administrative Data		356	392	394	392	387	386	358	344	327	261
Numerator Events by Medical Record		8	9	1	7	13	2	9	3	12	8
Reported Rate		84.26%	92.82%	91.44%	92.36%	92.59%	89.81%	84.95%	80.32%	78.47%	62.27%
Lower 95% Confidence Interval		80.71%	90.27%	88.68%	89.74%	90.01%	86.85%	81.47%	76.46%	74.48%	57.58%
Upper 95% Confidence Interval		87.81%	95.37%	94.19%	94.98%	95.18%	92.78%	88.44%	84.19%	82.46%	66.96%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2014										
Data Collection Methodology	H										
Eligible Member Population	1443										
Numerator events by admin data in eligible population		1135	990	953	826	818	604	729	540	543	492
Current Year's Administrative Rate		78.66%	68.61%	66.04%	57.24%	56.69%	41.86%	50.52%	37.42%	37.63%	34.10%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		356	337	328	291	292	229	263	207	214	194
Admin rate on FSS		82.41%	78.01%	75.93%	67.36%	67.59%	53.01%	60.88%	47.92%	49.54%	44.91%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	432										
Numerator Events by administrative Data		356	337	328	291	292	229	263	207	214	194
Numerator Events by Medical Record		8	14	15	15	15	19	13	16	18	14
Reported Rate		84.26%	81.25%	79.40%	70.83%	71.06%	57.41%	63.89%	51.62%	53.70%	48.15%
Lower 95% Confidence Interval		80.71%	77.45%	75.47%	66.43%	66.67%	52.63%	59.24%	46.79%	48.89%	43.32%
Upper 95% Confidence Interval		87.81%	85.05%	83.33%	75.24%	75.46%	62.19%	68.53%	56.45%	58.52%	52.98%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2014										
Data Collection Methodology	H										
Eligible Member Population	1										
Numerator events by admin data in eligible population		1	1	1	1	1	1	1	1	0	0
Current Year's Administrative Rate		100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	0.00%	0.00%
Minimum Required Sample Size	1										
Oversampling Rate	0										
Final Sample Size (FSS)	1										
Numerator events by admin data in FSS		1	1	1	1	1	1	1	1	0	0
Admin rate on FSS		100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	1										
Numerator Events by administrative Data		1	1	1	1	1	1	1	1	0	0

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2014										
Data Collection Methodology	H										
Eligible Member Population	1										
Numerator events by admin data in eligible population		1	1	1	1	0	0	0	0	0	0
Current Year's Administrative Rate		100.00%	100.00%	100.00%	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Minimum Required Sample Size	1										
Oversampling Rate	0										
Final Sample Size (FSS)	1										
Numerator events by admin data in FSS		1	1	1	1	0	0	0	0	0	0
Admin rate on FSS		100.00%	100.00%	100.00%	100.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	1										
Numerator Events by administrative Data		1	1	1	1	0	0	0	0	0	0

Effectiveness of Care

Blue Plus (HMO Minnesota)

Immunizations for Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2014			
Data Collection Methodology	A			
Eligible Member Population	273			
Numerator Events by Admin Data on Eligible Population (before exclusions)				
Current Year's Admin Rate		NR	NR	NR
Minimum Required Sample Size				
Oversampling Rate				
Final Sample Size (FSS)				
Numerator events by admin data in FSS				
Admin Rate on FSS		NR	NR	NR
Records Excluded because of Valid Data Errors				
Number of administrative data records excluded				
Number of medical data records excluded				
Number of employee/dependent medical records excluded				
Records Added from the Oversample List				
Denominator				
Numerator Events by Admin Data		204	240	198
Numerator Events by Medical Record				
Reported Rate		74.73%	87.91%	72.53%
Lower 95% Confidence Interval		69.39%	83.86%	67.05%
Upper 95% Confidence Interval		80.06%	91.96%	78.01%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Immunizations for Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA-Expand)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2014			
Data Collection Methodology	H			
Eligible Member Population	1202			
Numerator Events by Admin Data on Eligible Population (before exclusions)		817	997	802
Current Year's Admin Rate		67.97%	82.95%	66.72%
Minimum Required Sample Size	411			
Oversampling Rate	5.00%			
Final Sample Size (FSS)	432			
Numerator events by admin data in FSS		317	375	311
Admin Rate on FSS		73.38%	86.81%	71.99%
Records Excluded because of Valid Data Errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records Added from the Oversample List	0			
Denominator	432			
Numerator Events by Admin Data		317	375	311
Numerator Events by Medical Record		1	3	3
Reported Rate		73.61%	87.50%	72.69%
Lower 95% Confidence Interval		69.34%	84.27%	68.37%
Upper 95% Confidence Interval		77.88%	90.73%	77.00%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Immunizations for Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2014			
Data Collection Methodology	A			
Eligible Member Population	2			
Numerator Events by Admin Data on Eligible				
Current Year's Admin Rate		NR	NR	NR
Minimum Required Sample Size				
Oversampling Rate				
Final Sample Size (FSS)				
Numerator events by admin data in FSS				
Admin Rate on FSS		NR	NR	NR
Records Excluded because of Valid Data Errors				
Number of administrative data records excluded				
Number of medical data records excluded				
Number of employee/dependent medical records				
Records Added from the Oversample List				
Denominator				
Numerator Events by Admin Data		2	2	2
Numerator Events by Medical Record				
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Breast Cancer Screening

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Medicare Advantage	MSHO	MA Expand F& C	MN Care	SNBC SNP	SNBC Non SNP
Measurement Year	2014			2014	2014		
Data Collection Methodology	A			A	A		
Eligible Member Population	2023			1257	356		
Numerator Events by Admin Data	1478			813	247		
Reported Rate	73.06%	NR	NR	64.68%	69.38%	NR	NR
Lower 95% Confidence Interval	71.10%	NR	NR	62.00%	64.45%	NR	NR
Upper 95% Confidence Interval	75.02%	NR	NR	67.36%	74.31%	NR	NR

Effectiveness of Care

Cervical Cancer Screening

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	MA Expand F& C	MN Care	SNBC Non SNP
Measurement Year	2014	2014	2014	
Data Collection Methodology	A	H	H	
Eligible Member Population	4024	11319	2327	
Numerator Events by Admin Data on Eligible Population (before exclusions)	0	6616	1141	
Current Year's Admin Rate	NR	58.45%	49.03%	NR
Minimum Required Sample Size	0	411	411	
Oversampling Rate	0.00%	5.00%	5.00%	
Final Sample Size (FSS)	0	432	432	
Numerator events by admin data in FSS	0	282	221	
Admin Rate on FSS	NA	65.28%	51.16%	NR
Records Excluded because of Valid Data Errors	0	0	0	
Number of administrative data records excluded	0	0	0	
Number of medical record data records excluded	0	6	27	
Number of employee/dependent medical records excluded	0	0	0	
Records Added from the Oversample List	0	0	0	
Denominator	0	426	405	
Numerator Events by Admin Data	2638	282	221	
Numerator Events by Medical Record	0	29	35	35
Reported Rate	65.56%	73.00%	63.21%	NR
Lower 95% Confidence Interval	64.08%	68.67%	58.39%	NR
Upper 95% Confidence Interval	67.04%	77.34%	68.03%	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Colorectal Cancer Screening

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP
Measurement Year	2014		2014		
Data collection methodology (administrative or hybrid)	A		H		
Eligible population	4339		1752		
Number of numerator events by administrative data in eligible population (before exclusions)			1013		
Current year's administrative rate (before exclusions)	NR	NR	57.82%	NR	NR
Minimum required sample size (MRSS) or other sample size			411		
Oversampling rate			10.00%		
Final sample size (FSS)			453		
Number of numerator events by administrative data in FSS			272		
Administrative rate on FSS	NR	NR	60.04%	NR	NR
Number of original sample records excluded because of valid data errors			0		
Number of administrative data records excluded			0		
Number of medical record data records excluded			1		
Number of employee/dependent medical records excluded			0		
Records added from the oversample list			0		
Denominator			452		
Numerator events by administrative data	3081		272		
Numerator events by medical records			10		
Reported rate	71.01%	NR	62.39%	NR	NR
Lower 95% confidence interval	69.65%	NR	57.81%	NR	NR
Upper 95% confidence interval	72.37%	NR	66.97%	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2014			
Data Collection Methodology	A			
Eligible Member Population		315	393	708
Numerator Events by Admin Data		114	197	311
Reported Rate		36.19%	50.13%	43.93%
Lower 95% Confidence Interval		30.72%	45.06%	40.20%
Upper 95% Confidence Interval		41.66%	55.20%	47.65%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2014			
Data Collection Methodology	A			
Eligible Member Population		1301	1090	2391
Numerator Events by Admin Data		564	591	1155
Reported Rate		43.35%	54.22%	48.31%
Lower 95% Confidence Interval		40.62%	51.22%	46.28%
Upper 95% Confidence Interval		46.08%	57.22%	50.33%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Ages 16-20	Ages 21-24	Total
Measurement Year	2014			
Data Collection Methodology	A			
Eligible Member Population		39	97	136
Numerator Events by Admin Data		17	49	66
Reported Rate		43.59%	50.52%	48.53%
Lower 95% Confidence Interval		26.74%	40.05%	39.76%
Upper 95% Confidence Interval		60.43%	60.98%	57.30%

Human Papillomavirus Vaccine for Female Adolescents

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	MA Expand F & C	MN Care
Measurement Year	2014	2014	2014
Data Collection Methodology	A	H	A
Eligible Member Population	129	607	1
Numerator Events by Admin Data on Eligible Population (before exclusions)	0	89	0
Current Year's Admin Rate	0.00%	14.66%	0.00%
Minimum Required Sample Size	0	411	0
Oversampling Rate	0.00%	5.00%	0.00%
Final Sample Size (FSS)	0	432	0
Numerator events by admin data in FSS	0	69	0
Admin Rate on FSS	NA	15.97%	NA
Records Excluded because of Valid Data Errors	0	0	0
Number of administrative data records excluded	0	0	0
Number of medical record data records excluded	0	0	0
Number of employee/dependent medical records excluded	0	0	0
Records Added from the Oversample List	0	0	0
Denominator	0	432	0
Numerator Events by Admin Data	19	69	1
Numerator Events by Medical Record	0	6	0
Reported Rate	14.73%	17.36%	NA
Lower 95% Confidence Interval	8.23%	13.67%	NA
Upper 95% Confidence Interval	21.23%	21.05%	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Care for Older Adults

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Data Elements	General Measure Data	Advance Care Planning	Medication Review	Functional Status Assessment	Pain Screening
Measurement Year	2014				
Data Collection Methodology	H				
Eligible Member Population	7065				
Numerator Events by Admin Data on Eligible Population (before exclusions)		187	2111	2043	2046
Current Year's Admin Rate		2.65%	29.88%	28.92%	28.96%
Minimum Required Sample Size	411				
Oversampling Rate	10.00%				
Final Sample Size (FSS)	453				
Numerator events by admin data in FSS		13	134	128	129
Admin Rate on FSS		2.87%	29.58%	28.26%	28.48%
Records Excluded because of Valid Data Errors	0				
Number of employee/dependent medical records excluded	0				
Records Added from the Oversample List	0				
Denominator	453				
Numerator Events by Admin Data		13	134	128	129
Numerator Events by Medical Record		392	275	294	301
Reported Rate		89.40%	90.29%	93.16%	94.92%
Lower 95% Confidence Interval		86.46%	87.45%	90.72%	92.79%
Upper 95% Confidence Interval		92.35%	93.12%	95.59%	97.05%

Medicare Advantage

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	158		
Numerator Events by Admin Data		114	133
Reported Rate		72.15%	84.18%
Lower 95% Confidence Interval		64.85%	78.17%
Upper 95% Confidence Interval		79.46%	90.18%

SNBC-SNP

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP
Measurement Year		2014		
Data Collection Methodology		A		
Eligible Member Population		230		
Numerator Events by Admin Data		38		
Reported Rate	NR	16.52%	NR	NR
Lower 95% Confidence Interval	NR	11.50%	NR	NR
Upper 95% Confidence Interval	NR	21.54%	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		10	12	52	46	120
Numerator Events by Admin Data		10	12	48	45	115
Number of required exclusions		0	1	2	17	20
Reported Rate		NA	NA	92.31%	97.83%	95.83%
Lower 95% Confidence Interval		NA	NA	84.10%	92.52%	91.84%
Upper 95% Confidence Interval		NA	NA	100.00%	100.00%	99.83%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		161	151	276	109	697
Numerator Events by Admin Data		151	131	224	85	591
Number of required exclusions		12	7	64	128	211
Reported Rate		93.79%	86.75%	81.16%	77.98%	84.79%
Lower 95% Confidence Interval		89.75%	81.02%	76.36%	69.74%	82.05%
Upper 95% Confidence Interval		97.83%	92.49%	85.95%	86.22%	87.53%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		0	0	20	17	37
Numerator Events by Admin Data		0	0	20	14	34
Number of required exclusions		0	0	6	18	24
Reported Rate		NR	NR	NA	NA	91.89%
Lower 95% Confidence Interval		NR	NR	NA	NA	81.75%
Upper 95% Confidence Interval		NR	NR	NA	NA	100.00%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Medication Management for People with Asthma

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		10	12	48	45	115
Numerator Events by Admin Data-50%		9	7	45	37	98
Numerator Events by Admin Data-75%		4	4	30	28	66
Number of required exclusions		0	1	6	18	25
Reported Rate 50%		0.00%	0.00%	93.75%	82.22%	85.22%
Reported Rate 75%		0.00%	0.00%	62.50%	62.22%	57.39%
Lower 50% Confidence Interval		0.00%	0.00%	85.86%	69.94%	78.30%
Lower 75% Confidence Interval		0.00%	0.00%	47.76%	46.95%	47.92%
Upper 50% Confidence Interval		0.00%	0.00%	100.00%	94.50%	92.14%
Upper 75% Confidence Interval		0.00%	0.00%	77.24%	77.50%	66.86%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Medication Management for People with Asthma

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		151	131	224	85	591
Numerator Events by Admin Data-50%		78	66	138	56	338
Numerator Events by Admin Data-75%		51	33	81	39	204
Number of required exclusions		22	27	116	152	317
Reported Rate 50%		51.66%	50.38%	61.61%		
Reported Rate 75%		33.77%	25.19%	36.16%	45.88%	
Lower 50% Confidence Interval		43.35%	41.44%	55.01%		
Lower 75% Confidence Interval		25.90%	17.38%	29.65%	34.70%	
Upper 50% Confidence Interval		59.96%	59.33%	68.20%	76.55%	
Upper 75% Confidence Interval		41.65%	33.01%	42.68%	57.06%	

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		0	0	20	14	34
Numerator Events by Admin Data-50%		0	0	12	11	23
Numerator Events by Admin Data-75%		0	0	8	7	15
Number of required exclusions		0	0	6	21	27
Reported Rate 50%		NR	NR	NA	NA	67.65%
Reported Rate 75%		NR	NR	NA	NA	44.12%
Lower 50% Confidence Interval		NR	NR	NR	NA	50.45%
Lower 75% Confidence Interval		NR	NR	NR	NA	25.96%
Upper 50% Confidence Interval		NR	NR	NR	NA	84.84%
Upper 75% Confidence Interval		NR	NR	NA	NA	62.28%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Asthma Medication Ratio

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		10	12	52	46	120
Numerator Events by Admin Data		10	11	44	44	109
Number of required exclusions		0	1	2	17	20
Reported Rate		NA	NA	84.62%	95.65%	90.83%
Lower 95% Confidence Interval		NA	NA	73.85%	88.67%	85.25%
Upper 95% Confidence Interval		NA	NA	95.38%	100.00%	96.41%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Asthma Medication Ratio

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		159	151	276	109	695
Numerator Events by Admin Data		111	92	162	66	431
Number of required exclusions		14	7	64	128	213
Reported Rate		69.81%	60.93%	58.70%	60.55%	62.01%
Lower 95% Confidence Interval		62.36%	52.81%	52.71%	50.92%	58.33%
Upper 95% Confidence Interval		77.26%	69.04%	64.69%	70.18%	65.69%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		0	0	20	17	37
Numerator Events by Admin Data		0	0	17	12	29
Number of required exclusions		0	0	6	18	24
Reported Rate		NR	NR	NA	NA	78.38%
Lower 95% Confidence Interval		NR	NR	NA	NA	63.76%
Upper 95% Confidence Interval		NR	NR	NA	NA	92.99%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Appropriate Treatment for children with Upper Respiratory Infection

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Managed Care (MA Expand F&C)	Managed Care (MN Care)
Measurement Year	2014	2014	2014
Data Collection	A	A	A
Eligible Member Population	100	2897	385
Numerator Events by Admin	4	307	49
Reported Rate	96.00%	89.40%	87.27%
Lower 95% Confidence	91.66%	88.26%	83.81%
Upper 95% Confidence	100.00%	90.54%	90.73%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Controlling High Blood Pressure

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC-SNP	SNBC Non SNP	MA Expand F&C	MN Care
Measurement Year	2014		2014			2014	2014
Data Collection Methodology (Hybrid)	H		H			H	H
Eligible Member Population	1220		1618			2034	505
Numerator Events by Admin Data on Eligible Population (before exclusions)	0		0			0	0
Current Year's Admin Rate	0.00%	NR	0.00%	NR	NR	0.00%	0.00%
Minimum Required Sample Size	411		411			411	411
Oversampling Rate	10.00%		10.00%			10.00%	10.00%
Final Sample Size (FSS)	453		453			453	453
Numerator events by admin data in FSS	0		0			0	0
Admin rate on FSS	0.00%	NR	0.00%	NR	NR	0.00%	0.00%
Records Excluded because of Valid Data Errors	0		5			4	7
Number of records excluded because of false positive diagnoses	0		5			4	7
Number of administrative data records excluded	0		1			0	1
Number of medical record data records excluded	0		1			0	1
Number of employee/dependent medical records excluded	0		0			0	0
Records Added from the OverSample List	0		0			0	0
Denominator	453		446			449	444
Numerator Events by Admin Data	0		0			0	0
Numerator Events by Medical Record	306		331			288	294
Reported Rate	67.55%	NR	74.22%	NR	NR	64.14%	66.22%
Lower 95% Confidence Interval	63.13%	NR	70.04%	NR	NR	59.60%	61.70%
Upper 95% Confidence Interval	71.97%	NR	78.39%	NR	NR	68.69%	70.73%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP	MA Expand F&C	MN Care
Measurement Year	2014		2014			2014	2014
Data Collection Methodology	A		A			A	A
Eligible Member Population	4		64			20	11
Numerator Events by Admin Data on Eligible Population	4		60			17	10
Reported Rate	NA	NR	93.75%	NR	NR	NA	NA
Lower 95% Confidence Interval	NA	NR	87.04%	NR	NR	NA	NA
Upper 95% Confidence Interval	NA	NR	100.00%	NR	NR	NA	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	HbA1c Testing	Poor HbA1c Control (>9.0%)	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2014				2014			2014		
Data Collection Methodology	A	NR	NR	NR	A			A	NR	
Eligible Member Population	660	0	0	0	660			660	0	
Numerator events by admin data in eligible population	0	0	0	0	0			0	0	
Current Year's Administrative Rate	0.00%	NR	NR	NR	0.00%	NR	NR	0.00%	NR	NR
Minimum Required Sample Size	0	0	0	0	0			0	0	
Oversampling Rate	0%	0%	0%	0%	0%			0%	0%	
Final Sample Size (FSS)	0	0	0	0	0			0	0	
Numerator events by admin data in FSS	0	0	0	0	0			0	0	
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors	0	0	0	0	0			0	0	
Number of administrative data records excluded	0	0	0	0	0			0	0	
Number of medical record data records excluded	0	0	0	0	0			0	0	
Number of employee/dependent medical records excluded	0	0	0	0	0			0	0	
Number of HbA1c < 7 required administrative data records excluded			0							
Number of HbA1c < 7 required medical records excluded			0							
Additional Records Added from the Oversample List	0	0	0	0	0			0	0	
Denominator	0	0	0	0	0			0	0	
Numerator Events by Admin Data	0	0	0	0	370			515	0	
Numerator Events by Medical Record	0	0	0	0	0			0	0	
Reported Rate	0.00%	NA	NA	NA	56.06%	NR	NR	78.03%	NA	NR
Lower 95% Confidence Interval	0.00%	NA	NA	NA	52.20%	NR	NR	74.80%	NA	NR
Upper 95% Confidence Interval	0.08%	NA	NA	NA	59.92%	NR	NR	81.26%	NA	NR

Medicare Advantage

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2014	2014		2014	2014			2014	2014	
Data Collection Methodology	H	H		H	H			H	H	
Eligible Member Population	773	773		773	773			773	773	
Numerator events by admin data in eligible population	651	773		0	546			684	0	
Current Year's Administrative Rate	84.22%	100.00%	NR	0.00%	70.63%	NR	NR	88.49%	0.00%	NR
Minimum Required Sample Size	411	411		411	411			411	411	
Oversampling Rate	10%	10%		10%	10%			10%	10%	
Final Sample Size (FSS)	453	453		453	453			453	453	
Numerator events by admin data in FSS	426	441		8	338			407	0	
Admin rate on FSS	94.04%	97.35%	NR	1.77%	74.61%	NR	NR	89.85%	0.00%	NR
Number of Records Excluded Because of Valid Data Errors	0	0		0	0			0	0	
Number of administrative data records excluded	0	0		0	0			0	0	
Number of medical record data records excluded	0	0		0	0			0	0	
Number of employee/dependent medical records excluded	0	0		0	0			0	0	
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0			0	0	
Denominator	453	453		453	453			453	453	
Numerator Events by Admin Data	426	116		8	338			407	0	
Numerator Events by Medical Record	3	17		285	33			2	329	
Reported Rate	94.70%	29.36%	NR	64.68%	81.90%	NR	NR	90.29%	72.63%	NR
Lower 95% Confidence Interval	92.53%	25.06%	NR	60.17%	78.24%	NR	NR	87.45%	68.41%	NR
Upper 95% Confidence Interval	96.88%	33.66%	NR	69.19%	85.55%	NR	NR	93.12%	76.84%	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC - SNP

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC - Non SNP

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2014	2014		2014	2014			2014	2014	
Data Collection Methodology	H	H	NR	H	H			H	H	
Eligible Member Population	1467	1467	0	1467	1467			1467	1467	
Numerator events by admin data in eligible population	1293	1467	0	0	816			1143	0	
Current Year's Administrative Rate	88.14%	100.00%	NR	0.00%	55.62%	NR	NR	77.91%	0.00%	NR
Minimum Required Sample Size	411	411	0	411	411			411	411	
Oversampling Rate	10%	10%		10%	10%			10%	10%	
Final Sample Size (FSS)	453	453	0	453	453			453	453	
Numerator events by admin data in FSS	406	453	0	0	272			358	0	
Admin rate on FSS	89.62%	100.00%	NR	0.00%	60.04%	NR	NR	79.03%	0.00%	NR
Number of Records Excluded Because of Valid Data Errors	1	1	0	1	1			1	1	
Number of administrative data records excluded	0	0	0	0	0			0	0	
Number of medical record data records excluded	0	0	0	0	0			0	0	
Number of employee/dependent medical records excluded	0	0	0	0	0			0	0	
Number of Administrative required exclusions			0							
Number of Hybrid required exclusions			0							
Additional Records Added from the Oversample List	0	0	0	0	0			0	0	
Denominator	452	452	0	452	452			452	452	
Numerator Events by Admin Data	406	169	0	0	272			358	0	
Numerator Events by Medical Record	4	56	0	185	49			6	314	
Reported Rate	90.71%	49.78%	NA	40.93%	71.02%	NR	NR	80.53%	69.47%	NR
Lower 95% Confidence Interval	87.92%	45.06%	NA	36.29%	66.72%	NR	NR	76.77%	65.11%	NR
Upper 95% Confidence Interval	93.50%	54.50%	NA	45.57%	75.31%	NR	NR	84.29%	73.83%	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	HbA1c	Poor HbA1c	Good HbA1c	Adequate	Eye Exam	LDL-C	LDL-C Level	Monitoring for	Blood	Blood
Measurement Year	2014	2014		2014	2014			2014	2014	
Data Collection Methodology	H	H	NR	H	H			H	H	
Eligible Member Population	325	325	0	325	325			325	325	
Numerator events by admin data in eligible	304	325	0	0	191			272	0	
Current Year's Administrative Rate	93.54%	100.00%	NR	0.00%	58.77%	NR	NR	83.69%	0.00%	NR
Minimum Required Sample Size	322	322	0	322	322			322	322	
Oversampling Rate	0%	0%	0%	0%	0%			0%	0%	
Final Sample Size (FSS)	322	322	0	322	322			322	322	
Numerator events by admin data in FSS	304	321	0	1	202			273	0	
Admin rate on FSS	94.41%	99.69%	NR	0.31%	62.73%	NR	NR	84.78%	0.00%	NR
Number of Records Excluded Because of	0	0	0	0	0			0	0	
Number of administrative data records	0	0	0	0	0			0	0	
Number of medical record data records	0	0	0	0	0			0	0	
Number of employee/dependent medical	0	0	0	0	0			0	0	
Number of Administrative required exclusions			0							
Number of Hybrid required exclusions			0							
Additional Records Added from the	0	0	0	0	0			0	0	
Denominator	322	322	0	322	322			322	322	
Numerator Events by Admin Data	304	88	0	1	202			273	0	
Numerator Events by Medical Record	5	22	0	182	28			2	254	
Reported Rate	95.96%	34.16%	NA	56.83%	71.43%	NR	NR	85.40%	78.88%	NR
Lower 95% Confidence Interval	93.66%	28.83%	NA	51.27%	66.34%	NR	NR	81.39%	74.27%	NR
Upper 95% Confidence Interval	98.27%	39.50%	NA	62.40%	76.52%	NR	NR	89.42%	83.50%	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Medicare Advantage
Measurement Year	
Data Collection Methodology	
Eligible Member Population	
Numerator Events by Admin Data	
Reported Rate	NR
Lower 95% Confidence Interval	NR
Upper 95% Confidence Interval	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2014
Data Collection Methodology		A
Eligible Member Population		141
Numerator Events by Admin Data		9
Reported Rate	NR	6.38%
Lower 95% Confidence Interval	NR	1.99%
Upper 95% Confidence Interval	NR	10.77%

Commercial

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	135		
Numerator Events by Admin Data		105	82
Reported Rate		77.78%	60.74%
Lower 95% Confidence Interval		70.39%	52.13%
Upper 95% Confidence Interval		85.16%	69.35%

Medicare Advantage

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	186		
Numerator Events by Admin Data		139	128
Reported Rate		74.73%	68.82%
Lower 95% Confidence Interval		68.22%	61.89%
Upper 95% Confidence Interval		81.25%	75.74%

SNBC-SNP

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

SNBC-Non SNP

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	1103		
Numerator Events by Admin Data		579	419
Reported Rate		52.49%	37.99%
Lower 95% Confidence Interval		49.50%	35.08%
Upper 95% Confidence Interval		55.49%	40.90%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Effective Acute	Effective
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	229		
Numerator Events by Admin Data		138	106
Reported Rate		60.26%	46.29%
Lower 95% Confidence Interval		53.71%	39.61%
Upper 95% Confidence Interval		66.82%	52.96%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population		32	15
Numerator Events by Admin Data		10	5
Reported Rate		31.25%	NA
Lower 95% Confidence Interval		13.63%	NA
Upper 95% Confidence Interval		48.87%	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population		391	73
Numerator Events by Admin Data		170	37
Reported Rate		43.48%	50.68%
Lower 95% Confidence Interval		38.44%	38.53%
Upper 95% Confidence Interval		48.52%	62.84%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Initiation	Continuation
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population		103	1
Numerator Events by Admin Data		35	0
Reported Rate		33.98%	NA
Lower 95% Confidence Interval		24.35%	NA
Upper 95% Confidence Interval		43.61%	NA

Medicare Advantage

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	46		
Numerator Events by Admin Data		23	12
Reported Rate		50.00%	26.09%
Lower 95% Confidence Interval		34.46%	12.31%
Upper 95% Confidence Interval		65.54%	39.86%

SNBC - SNP

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

SNBC-Non SNP

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Follow-up After Hospitalization for Mental Illness

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General	30 Days	7 Days
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	596		
Numerator Events by Admin Data		454	303
Reported Rate		76.17%	50.84%
Lower 95% Confidence Interval		72.67%	46.74%
Upper 95% Confidence Interval		79.68%	54.94%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	30 Days	7 Days
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	41		
Numerator Events by Admin Data		34	26
Reported Rate		82.93%	63.41%
Lower 95% Confidence Interval		70.19%	47.45%
Upper 95% Confidence Interval		95.66%	79.38%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		698	2	485		1185
Numerator Events by Admin Data		541	2	365		908
Reported Rate		77.51%	NA	75.26%	NR	76.62%
Lower 95% Confidence Interval		74.34%	NA	71.31%	NR	74.17%
Upper 95% Confidence Interval		80.68%	NA	79.20%	NR	79.08%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		2795	224	3171		6190
Numerator Events by Admin Data		2654	172	3033		5859
Reported Rate		94.96%	76.79%	95.65%	NR	94.65%
Lower 95% Confidence Interval		94.13%	71.03%	94.92%	NR	94.08%
Upper 95% Confidence Interval		95.78%	82.54%	96.37%	NR	95.22%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		1666	11	1284		2961
Numerator Events by Admin Data		1438	5	1087		2530
Reported Rate		86.31%	NA	84.66%	NR	85.44%
Lower 95% Confidence Interval		84.63%	NA	82.65%	NR	84.16%
Upper 95% Confidence Interval		87.99%	NA	86.67%	NR	86.73%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	Annual Monitoring for Members on				
		ACE Inhibitors	Digoxin	Diuretics	Anti-	Total
Measurement Year	2014					
Data Collection Methodology	A					
Eligible Member Population		482	7	376		865
Numerator Events by Admin Data		423	3	327		753
Lower 95% Confidence Interval		84.73%	NA	83.43%	NR	84.76%
Upper 95% Confidence Interval		90.79%	NA	90.50%	NR	89.35%

Medication Reconciliation Post Discharge

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	MSHO
Measurement Year	2014
Data collection methodology (Administrative or Hybrid)	H
Eligible member population	2756
Number of numerator events by administrative data in eligible population (before exclusions)	56
Current year's administrative rate (before exclusions)	2.03%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	20.00%
Final sample size (FSS)	494
Number of numerator events by administrative data in FSS	17
Administrative rate on FSS	3.44%
Number of original sample records excluded because of valid data errors	81
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	413
Numerator events by administrative data	15
Numerator events by medical record	100
Reported rate	27.85%
Lower 95% confidence interval	23.40%
Upper 95% confidence interval	32.29%

Medicare Advantage

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2014				
Data Collection Methodology	A				
Eligible Member Population		511	1273	315	2099
Numerator Events by Admin Data		310	671	30	1011
Reported Rate		60.67%	52.71%	9.52%	48.17%
Lower 95% Confidence Interval		56.33%	49.93%	6.12%	46.00%
Upper 95% Confidence Interval		65.00%	55.49%	12.92%	50.33%

Medicare Advantage

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2014		
Data Collection Methodology	A		
Eligible Member Population	7065		
Numerator Events by Admin Data		1080	152
Reported Rate		15.29%	2.15%
Lower 95% Confidence Interval		14.44%	1.81%
Upper 95% Confidence Interval		16.13%	2.50%

Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2014				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		3279	4642	198	8119
Numerator events by administrative data		3005	4365	187	7557
Reported rate		91.64%	94.03%	94.44%	93.08%
Lower 95% confidence interval		90.68%	93.34%	91.00%	92.52%
Upper 95% confidence interval		92.61%	94.72%	97.89%	93.64%

Medicare Advantage

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2014				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		0	0	7078	7078
Numerator events by administrative data		0	0	7005	7005
Reported rate		NA	NA	98.97%	98.97%
Lower 95% confidence interval		NA	NA	98.73%	98.73%
Upper 95% confidence interval		NA	NA	99.21%	99.21%

SNBC-SNP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

SNBC-Non SNP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology					
Eligible member population (i.e. members)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2014				
Data collection methodology (Administrative only)	A				
Eligible member population		292	1447	1201	1939
Numerator events by administrative data		263	1271	1048	1728
Reported rate		90.07%	87.84%	87.26%	89.12%
Lower 95% confidence interval		86.47%	86.12%	85.33%	87.71%
Upper 95% confidence interval		93.67%	89.56%	89.19%	90.53%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2014				
Data collection methodology (Administrative only)	A				
Eligible member population		2155	7911	5083	6345
Numerator events by administrative data		2106	7201	4690	5882
Reported rate		97.73%	91.03%	92.27%	92.70%
Lower 95% confidence interval		97.07%	90.39%	91.52%	92.06%
Upper 95% confidence interval		98.38%	91.66%	93.01%	93.35%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	12-24 months	25 months -	7-11 yrs.	12-19 yrs.
Measurement Year	2014				
Data collection methodology (Administrative only)	A				
Eligible member population		3	18	7	34
Numerator events by administrative data		3	16	7	31
Reported rate		NA	NA	NA	91.18%
Lower 95% confidence interval		NA	NA	NA	80.17%
Upper 95% confidence interval		NA	NA	NA	100.00%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2014						
Data collection methodology (Administrative only)	A						
Eligible member population		6		164		170	
Numerator events by administrative data		3	2	51	24	54	26
Reported rate		NA	NA	31.10%	14.63%	31.76%	15.29%
Lower 95% confidence interval		NA	NA	23.71%	8.92%	24.47%	9.59%
Upper 95% confidence interval		NA	NA	38.49%	20.35%	39.06%	21.00%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2014						
Data collection methodology (Administrative only)	A						
Eligible member population		0		102		102	
Numerator events by administrative data		0	0	38	6	38	6
Reported rate		NA	NA	37.25%	5.88%	37.25%	5.88%
Lower 95% confidence interval		NA	NA	27.38%	0.83%	27.38%	0.83%
Upper 95% confidence interval		NA	NA	47.13%	10.94%	47.13%	10.94%

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2014						
Data collection methodology (Administrative only)	A						
Eligible member population		149		1671		1820	
Numerator events by administrative data		74	33	582	182	656	215
Reported rate		49.66%	22.15%	34.83%	10.89%	36.04%	11.81%
Lower 95% confidence interval		41.30%	15.14%	32.52%	9.37%	33.81%	10.30%
Upper 95% confidence interval		58.03%	29.15%	37.14%	12.42%	38.28%	13.32%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2014						
Data collection methodology (Administrative only)	A						
Eligible member population		1		226		227	
Numerator events by administrative data		0	0	75	29	75	29
Reported rate		NA	NA	33.19%	12.83%	33.04%	12.78%
Lower 95% confidence interval		NA	NA	26.83%	8.25%	26.70%	8.21%
Upper 95% confidence interval		NA	NA	39.55%	17.41%	39.38%	17.34%

Commercial

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2014	2014
Data collection methodology (Administrative or Hybrid)	A	A
Eligible member population	352	352
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	NR	NR
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data	248	156
Numerator events by medical record		
Reported rate	70.45%	44.32%
Lower 95% confidence interval	65.55%	38.99%
Upper 95% confidence interval	75.36%	49.65%

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2014	2014
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	1896	1896
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	NR	NR
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data	255	242
Numerator events by medical record		
Reported rate	NR	NR
Lower 95% confidence interval	NR	NR
Upper 95% confidence interval	NR	NR

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	Timeliness of	Postpartum
Measurement Year	2014	2014
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	44	44
Number of numerator events by administrative data in eligible	27	14
Current year's administrative rate (before exclusions)	61.36%	31.82%
Minimum required sample size (MRSS) or other sample size	44	44
Oversampling rate	0.00%	0.00%
Final sample size (FSS)	44	44
Number of numerator events by administrative data in FSS	27	16
Administrative rate on FSS	61.36%	36.36%
Number of original sample records excluded because of valid	0	0
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	44	44
Numerator events by administrative data	27	16
Numerator events by medical record	11	10
Reported rate	86.36%	59.09%
Lower 95% confidence interval	75.09%	43.43%
Upper 95% confidence interval	97.64%	74.76%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Annual Dental Visit

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	2- 3 Years	4-6 Years	7-10 yrs.	11-14 yrs.	15-18 yrs.	19-21 yrs.	Total
Measurement Year	2014							
Data collection methodology (Administrative only)	A							
Eligible member population		3316	4740	6426	5498	4659	1855	26494
Numerator events by administrative data		1025	2861	4075	3387	2490	758	14596
Reported rate		30.91%	60.36%	63.41%	61.60%	53.44%	40.86%	55.09%
Lower 95% confidence		29.32%	58.96%	62.23%	60.31%	52.00%	38.60%	54.49%
Upper 95% confidence		32.50%	61.76%	64.60%	62.90%	54.89%	43.13%	55.69%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Annual Dental Visit

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	2- 3 Years	4-6 Years	7-10 yrs.	11-14 yrs.	15-18 yrs.	19-21 yrs.	Total
Measurement Year	2014							
Data collection methodology (Administrative only)	A							
Eligible member population		9	9	17	13	11	176	235
Numerator events by administrative data		2	5	12	7	9	80	115
Reported rate		NA	NA	NA	NA	NA	45.45%	48.94%
Lower 95% confidence		NA	NA	NA	NA	NA	37.81%	42.33%
Upper 95% confidence		NA	NA	NA	NA	NA	53.10%	55.54%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2014							
Data Collection Methodology	A							
Eligible Member Population	238							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		25	0	1	3	14	33	162
Numerator Events by Medical Record								
Reported Rate		10.50%	0.00%	0.42%	1.26%	5.88%	13.87%	68.07%
Lower 95% Confidence Interval		6.40%	0.00%	0.00%	0.00%	2.68%	9.26%	61.93%
Upper 95% Confidence Interval		14.61%	0.21%	1.45%	2.89%	9.08%	18.47%	74.20%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2014							
Data Collection Methodology	H							
Eligible Member Population	1738							
Numerator events by admin data in eligible population		33	43	49	117	234	397	865
Current Year's Administrative Rate		1.90%	2.47%	2.82%	6.73%	13.46%	22.84%	49.77%
Minimum Required Sample Size	411							
Oversampling Rate	5.00%							
Final sample size (FSS)	432							
Numerator events by admin data in FSS		9	14	8	22	55	109	215
Administrative rate on FSS		2.08%	3.24%	1.85%	5.09%	12.73%	25.23%	49.77%
Number of Records Excluded Because of Valid Data Errors	0							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Oversample List	0							
Denominator	432							
Numerator Events by Admin Data		4	9	8	6	38	63	228
Numerator Events by Medical Record		0	0	5	3	5	9	54
Reported Rate		0.93%	2.08%	3.01%	2.08%	9.95%	16.67%	65.28%
Lower 95% Confidence Interval		0.00%	0.62%	1.28%	0.62%	7.01%	13.04%	60.67%
Upper 95% Confidence Interval		1.94%	3.55%	4.74%	3.55%	12.89%	20.30%	69.88%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more
Measurement Year	2014							
Data Collection Methodology	A							
Eligible Member Population	0							
Numerator events by admin data in eligible								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of								
Number of employee/dependent medical								
Additional Records Added from the								
Denominator								
Numerator Events by Admin Data		0	0	0	0	0	0	0
Numerator Events by Medical Record								
Reported Rate		NA	NA	NA	NA	NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	MA Expand F&C	MN Care
Measurement Year	2014	2014	2014
Data Collection Methodology	A	H	H
Eligible Member Population	1186	6379	16
Numerator events by admin data in eligible population		3948	9
Current Year's Admin Rate	NR	61.89%	56.25%
Minimum Required Sample Size		411	16
Oversampling Rate		5.00%	0.00%
Final sample size (FSS)		432	16
Numerator events by admin data in FSS		282	9
Administrative rate on FSS	NR	65.28%	56.25%
Records Excluded because of Valid Data Errors		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		432	16
Numerator Events by Admin Data	830	282	9
Numerator Events by Medical Record		6	0
Reported Rate	69.98%	66.67%	NA
Lower 95% Confidence Interval	67.33%	62.11%	NA
Upper 95% Confidence Interval	72.63%	71.23%	NA

Use of Services

Blue Plus (HMO Minnesota)

Adolescent Well-Care Visits

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Data Elements	Commercial	MA Expand F&C	MN Care
Measurement Year	2014	2014	2014
Data Collection Methodology	A	H	H
Eligible Member Population	3191	10536	196
Numerator events by admin data in eligible population		3427	44
Current Year's Admin Rate	NR	32.53%	22.45%
Minimum Required Sample Size		411	196
Oversampling Rate		5.00%	0.00%
Final sample size (FSS)		432	196
Numerator events by admin data in FSS		146	50
Administrative rate on FSS	NR	33.80%	25.51%
Records Excluded because of Valid Data Errors		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		432	196
Numerator Events by Admin Data	1095	146	50
Numerator Events by Medical Record		9	6
Reported Rate	34.32%	35.88%	28.57%
Lower 95% Confidence Interval	32.65%	31.24%	21.99%
Upper 95% Confidence Interval	35.98%	40.52%	35.15%

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Age	Member Months
<1	3584
1-9	35851
10-19	43132
20-44	99130
45-64	93715
65-74	3434
75-84	173
85+	36
Unknown	0
Total	279055

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	2876	802.46	113	31.53
1-9	9846	274.64	578	16.12
10-19	9576	222.02	635	14.72
20-44	22876	230.77	1336	13.48
45-64	29966	319.76	1209	12.90
65-74	1630	474.67	70	20.38
75-84	125	722.54	4	23.12
85+	11	305.56	1	27.78
Unknown	0		0	
Total	76906	275.59	3946	14.14

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	6
65-74	25719
75-84	31941
85+	38928
Unknown	0
Total	96594

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	0	NA	0	NA
20-44	0	NA	0	NA
45-64	4	666.67	0	0.00
65-74	26077	1013.92	1572	61.12
75-84	30136	943.49	1760	55.10
85+	33260	854.40	1928	49.53
Unknown	0		0	
Total	89477	926.32	5260	54.45

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months
<1	32028
1-9	244872
10-19	194687
20-44	250865
45-64	114291
65-74	40
75-84	0
85+	0
Unknown	0
Total	836783

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	27658	863.56	2782	86.86
1-9	84112	343.49	9426	38.49
10-19	56183	288.58	5447	27.98
20-44	112548	448.64	14511	57.84
45-64	63990	559.89	4360	38.15
65-74	17	425.00	2	50.00
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	344508	411.71	36528	43.65

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months
<1	257
1-9	1044
10-19	3033
20-44	64289
45-64	57770
65-74	457
75-84	129
85+	26
Unknown	0
Total	127005

Age	Outpatient Visits (Excludes)		Emergency Room Visits	
	Visits	Visits/ 1,000	Visits	Visits/ 1,000
<1	235	914.40	15	58.37
1-9	369	353.45	51	48.85
10-19	1010	333.00	87	28.68
20-44	23570	366.63	2030	31.58
45-64	28967	501.42	1426	24.68
65-74	217	474.84	4	8.75
75-84	73	565.89	3	23.26
85+	19	730.77	7	269.23
Unknown	0		0	
Total	54460	428.80	3623	28.53

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Age	Member Months
<1	3584
1-9	35851
10-19	43132
20-44	99130
45-64	93715
65-74	3434
75-84	173
85+	36
Unknown	0
Total	279055

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	20	5.58	48	13.39	2.40
1-9	44	1.23	175	4.88	3.98
10-19	49	1.14	131	3.04	2.67
20-44	511	5.15	1338	13.50	2.62
45-64	469	5.00	1631	17.40	3.48
65-74	45	13.10	141	41.06	3.13
75-84	3	17.34	12	69.36	4.00
85+	2	55.56	4	111.11	2.00
Unknown	0		0		NA
Total	1143	4.10	3480	12.47	3.04
Medicine					
<1	15	4.19	43	12.00	2.87
1-9	35	0.98	122	3.40	3.49
10-19	23	0.53	62	1.44	2.70
20-44	73	0.74	279	2.81	3.82
45-64	218	2.33	780	8.32	3.58
65-74	22	6.41	58	16.89	2.64
75-84	2	11.56	10	57.80	5.00
85+	2	55.56	4	111.11	2.00
Unknown	0		0		NA
Total	390	1.40	1358	4.87	3.48
Surgery					
<1	5	1.40	5	1.40	1.00
1-9	9	0.25	53	1.48	5.89
10-19	21	0.49	57	1.32	2.71
20-44	62	0.63	194	1.96	3.13
45-64	250	2.67	848	9.05	3.39
65-74	23	6.70	83	24.17	3.61
75-84	1	5.78	2	11.56	2.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	371	1.33	1242	4.45	3.35
Maternity					
10-19	5	0.12	12	0.28	2.40
20-44	376	3.79	865	8.73	2.30
45-64	1	0.01	3	0.03	3.00
Unknown	0		0		NA
Total	382	1.62	880	3.73	2.30

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	6
65-74	25719
75-84	31941
85+	38928
Unknown	0
Total	96594

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	967	37.60	4576	177.92	4.73
75-84	1223	38.29	5682	177.89	4.65
85+	1323	33.99	5428	139.44	4.10
Unknown	0		0		NA
Total	3513	36.37	15686	162.39	4.47
Medicine					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	790	30.72	3510	136.47	4.44
75-84	1018	31.87	4397	137.66	4.32
85+	1155	29.67	4490	115.34	3.89
Unknown	0		0		NA
Total	2963	30.67	12397	128.34	4.18
Surgery					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	177	6.88	1066	41.45	6.02
75-84	203	6.36	1273	39.85	6.27
85+	163	4.19	923	23.71	5.66
Unknown	0		0		NA
Total	543	5.62	3262	33.77	6.01
Maternity					
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	0	0.00	0	0.00	NA

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months
<1	32028
1-9	244872
10-19	194687
20-44	250865
45-64	114291
65-74	40
75-84	0
85+	0
Unknown	0
Total	836783

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	302	9.43	1586	49.52	5.25
1-9	365	1.49	958	3.91	2.62
10-19	448	2.30	1322	6.79	2.95
20-44	3012	12.01	8364	33.34	2.78
45-64	1138	9.96	4462	39.04	3.92
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	5265	6.29	16692	19.95	3.17
Medicine					
<1	251	7.84	1022	31.91	4.07
1-9	310	1.27	753	3.08	2.43
10-19	178	0.91	467	2.40	2.62
20-44	639	2.55	2197	8.76	3.44
45-64	654	5.72	2502	21.89	3.83
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2032	2.43	6941	8.29	3.42
Surgery					
<1	50	1.56	563	17.58	11.26
1-9	55	0.22	205	0.84	3.73
10-19	80	0.41	343	1.76	4.29
20-44	311	1.24	1124	4.48	3.61
45-64	481	4.21	1938	16.96	4.03
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	977	1.17	4173	4.99	4.27
Maternity					
10-19	189	0.97	490	2.52	2.59
20-44	2062	8.22	5043	20.10	2.45
45-64	2	0.02	4	0.03	2.00
Unknown	0		0		NA
Total	2253	4.02	5537	9.89	2.46

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months
<1	257
1-9	1044
10-19	3033
20-44	64289
45-64	57770
65-74	457
75-84	129
85+	26
Unknown	0
Total	127005

Age	Discharges	Discharges /	Days	Days / 1,000	Average
Total Inpatient					
<1	5	19.46	23	89.49	4.60
1-9	2	1.92	5	4.79	2.50
10-19	10	3.30	30	9.89	3.00
20-44	162	2.52	379	5.90	2.34
45-64	178	3.08	656	11.36	3.69
65-74	3	6.56	6	13.13	2.00
75-84	1	7.75	10	77.52	10.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	361	2.84	1109	8.73	3.07
Medicine					
<1	4	15.56	5	19.46	1.25
1-9	1	0.96	3	2.87	3.00
10-19	2	0.66	4	1.32	2.00
20-44	65	1.01	165	2.57	2.54
45-64	81	1.40	280	4.85	3.46
65-74	2	4.38	3	6.56	1.50
75-84	1	7.75	10	77.52	10.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	156	1.23	470	3.70	3.01
Surgery					
<1	1	3.89	18	70.04	18.00
1-9	1	0.96	2	1.92	2.00
10-19	4	1.32	16	5.28	4.00
20-44	36	0.56	94	1.46	2.61
45-64	96	1.66	375	6.49	3.91
65-74	1	2.19	3	6.56	3.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	139	1.09	508	4.00	3.65
Maternity					
10-19	4	1.32	10	3.30	2.50
20-44	61	0.95	120	1.87	1.97
45-64	1	0.02	1	0.02	1.00
Unknown	0		0		NA
Total	66	0.53	131	1.05	1.98

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	27324	24788	52112	27324	24788	52112	27324	24788	52112	27324	24788	52112
13-17	11226	9984	21210	11226	9984	21210	11226	9984	21210	11226	9984	21210
18-24	15417	15933	31350	15417	15933	31350	15417	15933	31350	15417	15933	31350
25-34	13888	21443	35331	13888	21443	35331	13888	21443	35331	13888	21443	35331
35-64	56995	78414	135409	56995	78414	135409	56995	78414	135409	56995	78414	135409
65+	1906	1737	3643	1906	1737	3643	1906	1737	3643	1906	1737	3643
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	126756	152299	279055	126756	152299	279055	126756	152299	279055	126756	152299	279055

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
13-17	M	8	0.86%	1	0.11%	0	0.00%	8	0.86%
	F	6	0.72%	1	0.12%	0	0.00%	5	0.60%
	Total	14	0.79%	2	0.11%	0	0.00%	13	0.74%
18-24	M	55	4.28%	11	0.86%	0	0.00%	55	4.28%
	F	31	2.33%	6	0.45%	4	0.30%	28	2.11%
	Total	86	3.29%	17	0.65%	4	0.15%	83	3.18%
25-34	M	19	1.64%	6	0.52%	0	0.00%	17	1.47%
	F	13	0.73%	3	0.17%	0	0.00%	13	0.73%
	Total	32	1.09%	9	0.31%	0	0.00%	30	1.02%
35-64	M	80	1.68%	21	0.44%	3	0.06%	74	1.56%
	F	51	0.78%	8	0.12%	1	0.02%	49	0.75%
	Total	131	1.16%	29	0.26%	4	0.04%	123	1.09%
65+	M	5	3.15%	0	0.00%	0	0.00%	5	3.15%
	F	2	1.38%	0	0.00%	0	0.00%	2	1.38%
	Total	7	2.31%	0	0.00%	0	0.00%	7	2.31%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	167	1.58%	39	0.37%	3	0.03%	159	1.51%
	F	103	0.81%	18	0.14%	5	0.04%	97	0.76%
	Total	270	1.16%	57	0.25%	8	0.03%	256	1.10%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0	0	0
35-64	2	4	6	2	4	6	2	4	6	2	4	6
65+	24919	71669	96588	24919	71669	96588	24919	71669	96588	24919	71669	96588
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	24921	71673	96594	24921	71673	96594	24921	71673	96594	24921	71673	96594

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
18-24	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
25-34	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
35-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
65+	M	92	4.43%	32	1.54%	1	0.05%	78	3.76%
	F	95	1.59%	31	0.52%	0	0.00%	73	1.22%
	Total	187	2.32%	63	0.78%	1	0.01%	151	1.88%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	92	4.43%	32	1.54%	1	0.05%	78	3.76%
	F	95	1.59%	31	0.52%	0	0.00%	73	1.22%
	Total	187	2.32%	63	0.78%	1	0.01%	151	1.88%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	175828	168879	344707	175828	168879	344707	175828	168879	344707	175828	168879	344707
13-17	49228	49237	98465	49228	49237	98465	49228	49237	98465	49228	49237	98465
18-24	30868	50665	81533	30868	50665	81533	30868	50665	81533	30868	50665	81533
25-34	39818	78061	117879	39818	78061	117879	39818	78061	117879	39818	78061	117879
35-64	83284	110875	194159	83284	110875	194159	83284	110875	194159	83284	110875	194159
65+	17	23	40	17	23	40	17	23	40	17	23	40
Total	379043	457740	836783	379043	457740	836783	379043	457740	836783	379043	457740	836783

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	13	0.09%	2	0.01%	0	0.00%	12	0.08%
	Total	13	0.05%	2	0.01%	0	0.00%	12	0.04%
13-17	M	160	3.90%	60	1.46%	6	0.15%	156	3.80%
	Total	160	1.95%	60	0.73%	6	0.07%	156	1.90%
18-24	M	295	11.47%	84	3.27%	4	0.16%	280	10.89%
	Total	295	4.34%	84	1.24%	4	0.06%	280	4.12%
25-34	M	673	20.28%	173	5.21%	8	0.24%	653	19.68%
	Total	673	6.85%	173	1.76%	8	0.08%	653	6.65%
35-64	M	1070	15.42%	298	4.29%	12	0.17%	1017	14.65%
	Total	1070	6.61%	298	1.84%	12	0.07%	1017	6.29%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M	0	NR	0	NR	0	NR	0	NR
	Total	0	NR	0	NR	0	NR	0	NR
Total	M	2211	7.00%	617	1.95%	30	0.09%	2118	6.71%
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	2211	3.17%	617	0.88%	30	0.04%	2118	3.04%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	771	779	1550	771	779	1550	771	779	1550	771	779	1550
13-17	187	278	465	187	278	465	187	278	465	187	278	465
18-24	6140	7584	13724	6140	7584	13724	6140	7584	13724	6140	7584	13724
25-34	12388	15612	28000	12388	15612	28000	12388	15612	28000	12388	15612	28000
35-64	34483	48171	82654	34483	48171	82654	34483	48171	82654	34483	48171	82654
65+	257	355	612	257	355	612	257	355	612	257	355	612
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	54226	72779	127005	54226	72779	127005	54226	72779	127005	54226	72779	127005

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
13-17	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	2	8.63%	0	0.00%	0	0.00%	2	8.63%
	Total	2	5.16%	0	0.00%	0	0.00%	2	5.16%
18-24	M	35	6.84%	8	1.56%	1	0.20%	34	6.64%
	F	24	3.80%	6	0.95%	0	0.00%	23	3.64%
	Total	59	5.16%	14	1.22%	1	0.09%	57	4.98%
25-34	M	79	7.65%	11	1.07%	0	0.00%	78	7.56%
	F	59	4.53%	12	0.92%	1	0.08%	56	4.30%
	Total	138	5.91%	23	0.99%	1	0.04%	134	5.74%
35-64	M	172	5.99%	38	1.32%	1	0.03%	166	5.78%
	F	139	3.46%	12	0.30%	1	0.02%	138	3.44%
	Total	311	4.52%	50	0.73%	2	0.03%	304	4.41%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	286	6.33%	57	1.26%	2	0.04%	278	6.15%
	F	224	3.69%	30	0.49%	2	0.03%	219	3.61%
	Total	510	4.82%	87	0.82%	4	0.04%	497	4.70%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	27324	24788	52112	27324	24788	52112	27324	24788	52112	27324	24788	52112
13-17	11226	9984	21210	11226	9984	21210	11226	9984	21210	11226	9984	21210
18-64	86300	115790	202090	86300	115790	202090	86300	115790	202090	86300	115790	202090
65+	1906	1737	3643	1906	1737	3643	1906	1737	3643	1906	1737	3643
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	126756	152299	279055	126756	152299	279055	126756	152299	279055	126756	152299	279055

Age	Any Services			Inpatient		Intensive Outpatient/Partial Hospitalization			Outpatient/ED			
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	142	6.24%		0	0.00%		2	0.09%		142	6.24%
	F	82	3.97%		1	0.05%		2	0.10%		82	3.97%
	Total	224	5.16%		1	0.02%		4	0.09%		224	5.16%
13-17	M	115	12.29%		8	0.86%		5	0.53%		114	12.19%
	F	137	16.47%		13	1.56%		10	1.20%		137	16.47%
	Total	252	14.26%		21	1.19%		15	0.85%		251	14.20%
18-64	M	446	6.20%		20	0.28%		11	0.15%		440	6.12%
	F	892	9.24%		16	0.17%		27	0.28%		888	9.20%
	Total	1338	7.94%		36	0.21%		38	0.23%		1328	7.89%
65+	M	5	3.15%		0	0.00%		0	0.00%		5	3.15%
	F	7	4.84%		0	0.00%		0	0.00%		7	4.84%
	Total	12	3.95%		0	0.00%		0	0.00%		12	3.95%
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
Total	M	708	6.70%		28	0.27%		18	0.17%		701	6.64%
	F	1118	8.81%		30	0.24%		39	0.31%		1114	8.78%
	Total	1826	7.85%		58	0.25%		57	0.25%		1815	7.80%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	2	4	6	2	4	6	2	4	6	2	4	6
65+	24919	71669	96588	24919	71669	96588	24919	71669	96588	24919	71669	96588
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	24921	71673	96594	24921	71673	96594	24921	71673	96594	24921	71673	96594

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
18-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
65+	M	252	12.14%	58	2.79%	4	0.19%	208	10.02%
	F	683	11.44%	137	2.29%	7	0.12%	586	9.81%
	Total	935	11.62%	195	2.42%	11	0.14%	794	9.86%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	252	12.13%	58	2.79%	4	0.19%	208	10.02%
	F	683	11.44%	137	2.29%	7	0.12%	586	9.81%
	Total	935	11.62%	195	2.42%	11	0.14%	794	9.86%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care(MA Expand F&C)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	175828	168879	344707	175828	168879	344707	175828	168879	344707	175828	168879	344707
13-17	49228	49237	98465	49228	49237	98465	49228	49237	98465	49228	49237	98465
18-64	153970	239601	393571	153970	239601	393571	153970	239601	393571	153970	239601	393571
65+	17	23	40	17	23	40	17	23	40	17	23	40
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	379043	457740	836783	379043	457740	836783	379043	457740	836783	379043	457740	836783

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	1933	13.19%	42	0.29%	127	0.87%	1919	13.10%
	F	1286	9.14%	29	0.21%	68	0.48%	1282	9.11%
	Total	3219	11.21%	71	0.25%	195	0.68%	3201	11.14%
13-17	M	846	20.62%	58	1.41%	56	1.37%	837	20.40%
	F	1077	26.25%	130	3.17%	120	2.92%	1061	25.86%
	Total	1923	23.44%	188	2.29%	176	2.14%	1898	23.13%
18-64	M		NR	177	1.38%	91	0.71%	2441	19.02%
	F	5006	25.07%	271	1.36%	223	1.12%	4966	24.87%
	Total	5006	15.26%	448	1.37%	314	0.96%	7407	22.58%
65+	M		NR	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M		NR	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	2779	8.80%	277	0.88%	274	0.87%	5197	16.45%
	F	7369	19.32%	430	1.13%	411	1.08%	7309	19.16%
	Total	10148	14.55%	707	1.01%	685	0.98%	12506	17.93%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care(MN Care)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	771	779	1550	771	779	1550	771	779	1550	771	779	1550
13-17	187	278	465	187	278	465	187	278	465	187	278	465
18-64	53011	71367	124378	53011	71367	124378	53011	71367	124378	53011	71367	124378
65+	257	355	612	257	355	612	257	355	612	257	355	612
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	54226	72779	127005	54226	72779	127005	54226	72779	127005	54226	72779	127005

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	12	18.68%	0	0.00%	1	1.56%	12	18.68%
	F	3	4.62%	0	0.00%	0	0.00%	3	4.62%
	Total	15	11.61%	0	0.00%	1	0.77%	15	11.61%
13-17	M	2	12.83%	0	0.00%	0	0.00%	2	12.83%
	F	9	38.85%	0	0.00%	1	4.32%	9	38.85%
	Total	11	28.39%	0	0.00%	1	2.58%	11	28.39%
18-64	M	464	10.50%	12	0.27%	9	0.20%	462	10.46%
	F	985	16.56%	17	0.29%	23	0.39%	981	16.50%
	Total	1449	13.98%	29	0.28%	32	0.31%	1443	13.92%
65+	M	1	4.67%	0	0.00%	0	0.00%	1	4.67%
	F	1	3.38%	0	0.00%	0	0.00%	1	3.38%
	Total	2	3.92%	0	0.00%	0	0.00%	2	3.92%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	479	10.60%	12	0.27%	10	0.22%	477	10.56%
	F	998	16.46%	17	0.28%	24	0.40%	994	16.39%
	Total	1477	13.96%	29	0.27%	34	0.32%	1471	13.90%

Use of Services

Blue Plus (HMO Minnesota)

Plan All-Cause Readmissions

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
18-44	134	8	5.97%	11.84%	1257.52%	NR	NR	NR
45-54	116	7	6.03%	NR	997.55%	NR	NR	NR
55-64	213	19	8.92%	NR	1624.83%	NR	NR	NR
Total	463	34	7.34%	10.88%	3879.90%	67.49%	43.26%	91.73%

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
65-74	NR	NR	NR	NR	NR	NR	NR	NR
75-84	NR	NR	NR	NR	NR	NR	NR	NR
85+	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Medicare Advantage

Age	Count of Index Stays	Count of 30-Day Readmissions	Observed Readmission	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio	Lower Confidence	Upper Confidence
18-44	NR	NR	NR	NR	NR	NR	NR	NR
45-54	NR	NR	NR	NR	NR	NR	NR	NR
55-64	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Age	Count of Index	Count of 30-Day	Observed	Average Adjusted	Total Variance	Observed-to-	Lower	Upper
65-74	NR	NR	NR	NR	NR	NR	NR	NR
75-84	NR	NR	NR	NR	NR	NR	NR	NR
85+	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Plan All-Cause Readmissions

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
18-44	NR	NR	NR	NR	NR	NR	NR	NR
45-54	NR	NR	NR	NR	NR	NR	NR	NR
55-64	NR	NR	NR	NR	NR	NR	NR	NR
Total	2334	352	15.08%	19.00%	33798.43%	79.38%	71.25%	NR

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
65-74	NR	NR	NR	NR	NR	NR	NR	NR
75-84	NR	NR	NR	NR	NR	NR	NR	NR
85+	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Plan All-Cause Readmissions

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
18-44	NR	NR	NR	NR	NR	NR	NR	NR
45-54	NR	NR	NR	NR	NR	NR	NR	NR
55-64	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
65-74	NR	NR	NR	NR	NR	NR	NR	NR
75-84	NR	NR	NR	NR	NR	NR	NR	NR
85+	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Plan All-Cause Readmissions

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
18-44	NR	NR	NR	NR	NR	NR	NR	NR
45-54	NR	NR	NR	NR	NR	NR	NR	NR
55-64	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Age	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance	Observed-to-Expected Ratio Total Total	Lower Confidence Interval Total	Upper Confidence Interval Total
65-74	NR	NR	NR	NR	NR	NR	NR	NR
75-84	NR	NR	NR	NR	NR	NR	NR	NR
85+	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	3433	3058	89.08%
Internal Medicine	3092	2661	86.06%
Geriatricians	128	124	96.88%
Other practitioner Specialists	7221	6513	90.20%

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine			NR
Internal Medicine			NR
Geriatricians			NR
Other practitioner Specialists			NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine			NR
Internal Medicine			NR
Geriatricians			NR
Other practitioner Specialists			NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Commercial

	Member Months		
	Male	Female	Total
<1	1917	1667	3584
1-4	7816	7808	15624
5-9	10677	9550	20227
10-14	11496	9701	21197
15-17	6644	6046	12690
18-19	4680	4565	9245
0-19 Subtotal	43230	39337	82567
0-19 Subtotal: %	34.10%	25.83%	29.59%
20-24	10737	11368	22105
25-29	6187	10013	16200
30-34	7701	11430	19131
35-39	8513	11221	19734
40-44	9730	12230	21960
20-44 Subtotal	42868	56262	99130
20-44 Subtotal: %	33.82%	36.94%	35.52%
45-49	9726	12907	22633
50-54	10352	13580	23932
55-59	9910	14733	24643
60-64	8764	13743	22507
45-64 Subtotal	38752	54963	93715
45-64 Subtotal: %	30.57%	36.09%	33.58%
65-69	1506	1478	2984
70-74	323	127	450
75-79	59	60	119
80-84	6	48	54
85-89	12	13	25
>=90	0	11	11
>=65 Subtotal	1906	1737	3643
>=65 Subtotal: %	1.50%	1.14%	1.31%
Age Unknown	0	0	0
Total	126756	152299	279055

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Medicare Advantage

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

MSHO

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
0-19 Subtotal	0	0	0
0-19 Subtotal: %	0.00%	0.00%	0.00%
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
20-44 Subtotal	0	0	0
20-44 Subtotal: %	0.00%	0.00%	0.00%
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	2	4	6
45-64 Subtotal	2	4	6
45-64 Subtotal: %	0.01%	0.01%	0.01%
65-69	3898	6578	10476
70-74	5458	9785	15243
75-79	4896	10799	15695
80-84	4459	11787	16246
85-89	3496	13748	17244
>=90	2712	18972	21684
>=65 Subtotal	24919	71669	96588
>=65 Subtotal: %	99.99%	99.99%	99.99%
Age Unknown	0	0	0
Total	24921	71673	96594

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-SNP

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

SNBC-Non SNP

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

	Member Months		
	Male	Female	Total
<1	16668	15360	32028
1-4	56927	54790	111717
5-9	68235	64920	133155
10-14	55059	54286	109345
15-17	28167	28760	56927
18-19	13304	15111	28415
0-19 Subtotal	238360	233227	471587
0-19 Subtotal: %	62.88%	50.95%	56.36%
20-24	17564	35554	53118
25-29	20177	40743	60920
30-34	19641	37318	56959
35-39	17399	27321	44720
40-44	14546	20602	35148
20-44 Subtotal	89327	161538	250865
20-44 Subtotal: %	23.57%	35.29%	29.98%
45-49	13991	18711	32702
50-54	15429	18183	33612
55-59	12973	15228	28201
60-64	8946	10830	19776
45-64 Subtotal	51339	62952	114291
45-64 Subtotal: %	13.54%	13.75%	13.66%
65-69	15	23	38
70-74	2	0	2
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	17	23	40
>=65 Subtotal: %	0.00%	0.01%	0.00%
Age Unknown	0	0	0
Total	379043	457740	836783

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jan 15, 2016 10:58 AM

Minnesota Health Care Programs - Managed Care (MN Care)

	Member Months		
	Male	Female	Total
<1	164	93	257
1-4	262	260	522
5-9	224	298	522
10-14	218	201	419
15-17	90	205	295
18-19	1064	1255	2319
0-19 Subtotal	2022	2312	4334
0-19 Subtotal: %	3.73%	3.18%	3.41%
20-24	5076	6329	11405
25-29	5913	7624	13537
30-34	6475	7988	14463
35-39	5844	6450	12294
40-44	5365	7225	12590
20-44 Subtotal	28673	35616	64289
20-44 Subtotal: %	52.88%	48.94%	50.62%
45-49	5188	7695	12883
50-54	6099	8758	14857
55-59	5879	8987	14866
60-64	6108	9056	15164
45-64 Subtotal	23274	34496	57770
45-64 Subtotal: %	42.92%	47.40%	45.49%
65-69	164	169	333
70-74	26	98	124
75-79	49	50	99
80-84	4	26	30
85-89	14	10	24
>=90	0	2	2
>=65 Subtotal	257	355	612
>=65 Subtotal: %	0.47%	0.49%	0.48%
Age Unknown	0	0	0
Total	54226	72779	127005