

South Country Health Alliance

HEDIS 2011 (Reporting Year 2010)

Data Last Refreshed: 10/24/2011

| General Info | | Page |
|--------------|-------------|------|
| | Disclaimers | 2 |

| Code | Effectiveness of Care Measures | Page |
|---------------------------------|---|------|
| Prevention and Screening | | |
| ABA | Adult BMI Assessment | 3 |
| WCC | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents | 4 |
| CIS | Childhood Immunization Status | 6 |
| IMA | Immunizations for Adolescents | 10 |
| BCS | Breast Cancer Screening | 12 |
| CCS | Cervical Cancer Screening | 13 |
| COL | Colorectal Cancer Screening | 14 |
| CHL | Chlamydia Screening in Women | 15 |
| GSO | Glaucoma Screening in Older Adults | 17 |
| LSC | Lead Screening in Children | 18 |
| COA | Care for Older Adults | 19 |
| Respiratory Conditions | | |
| PCE | Pharmacotherapy Management of COPD Exacerbation | 20 |
| SPR | Use of Spirometry Testing in the Assessment and Diagnosis of COPD | 23 |
| ASM | Use of Appropriate Medications for People with Asthma | 24 |
| Cardiovascular | | |
| CMC | Cholesterol Management for Patients with Cardiovascular Conditions | 26 |
| CBP | Controlling High Blood Pressure | 29 |
| PBH | Persistence of Beta Blocker Treatment After Heart Attack | 30 |
| Diabetes | | |
| CDC | Comprehensive Diabetes Care | 31 |
| Musculoskeletal | | |
| ART | Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis | 36 |
| OMW | Osteoporosis Management in Women Who had a Fracture | 37 |
| Behavioral Health | | |
| AMM | Antidepressant Medication Management | 38 |
| ADD | Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication | 43 |
| FUH | Follow-up After Hospitalization for Mental Illness | 45 |

| Code | Effectiveness of Care Measures | Page |
|------------------------------|--|------|
| Medication Management | | |
| MPM | Annual Monitoring for Patients on Persistent Medications | 48 |
| MRP | Medication Reconciliation Post Discharge | 53 |
| DDE | Potentially Harmful Drug-Disease Interactions in the Elderly | 54 |
| DAE | Use of High Risk Medications in the Elderly | 56 |

| Code | Access / Availability of Care Measures | Page |
|------|--|------|
| AAP | Adult's Access to Preventive/Ambulatory Health Services | 58 |
| CAP | Children's and Adolescents' Access to Primary Care Practitioners | 63 |
| IET | Initiation/Engagement of Alcohol & Other Drug Dependence Treatment | 65 |
| PPC | Prenatal and Postpartum Care | 70 |

| Code | Use of Services Measures | Page |
|------|---|------|
| W15 | Well Child Visits in the First 15 Months of Life | 72 |
| W34 | Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life | 74 |
| AWC | Adolescent Well-Care Visits | 75 |
| AMB | Ambulatory Care | 76 |
| IPU | Inpatient Utilization - General Hospital/Acute Care | 81 |
| IAD | Identification of Alcohol and Other Drug Services | 86 |
| MPT | Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services | 91 |

| Code | Health Plan Descriptive Information Measures | Page |
|------|--|------|
| BCR | Board Certification | 96 |
| ENP | Enrollment by Product Line (Age & Sex) | 98 |

(this page left blank intentionally)

Effectiveness of Care

Adult BMI Assessment

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | Medicare Advantage | MHCP-MC |
|---|------------|--------------------|---------|
| Measurement Year | | | 2010 |
| Data Collection Methodology | | | H |
| Eligible Member Population | | | 2402 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | 113 |
| Current Year's Admin Rate | NR | NR | 4.70% |
| Minimum Required Sample Size | | | 411 |
| Oversampling Rate | | | 5.00% |
| Final Sample Size (FSS) | | | 432 |
| Numerator events by admin data in FSS | | | 29 |
| Admin Rate on FSS | NR | NR | 6.71% |
| Number of Records Excluded Because of Valid Data Errors | | | 0 |
| Number of administrative data records excluded | | | 0 |
| Number of medical record data records excluded | | | 0 |
| Number of employee/dependent medical records excluded | | | 0 |
| Records Added from the Oversample List | | | 0 |
| Denominator | | | 432 |
| Numerator Events by Admin Data | | | 29 |
| Numerator Events by Medical Record | | | 216 |
| Reported Rate | NR | NR | 56.71% |
| Lower 95% Confidence Interval | NR | NR | 51.92% |
| Upper 95% Confidence Interval | NR | NR | 61.50% |

Effectiveness of Care

South Country Health Alliance

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | BMI Percentile | | | Counseling for Nutrition | | | | Counseling for Physical Activity | | | | |
|---|----------------------|-----------|------------|--------------------------|----------------------|-----------|------------|----------------------------------|----------------------|-----------|------------|-------|
| | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total |
| Measurement Year | | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | | |
| Number of medical records excluded | | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | | |
| Denominator | | | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | BMI Percentile | | | Counseling for Nutrition | | | | Counseling for Physical Activity | | | | |
|---|----------------------|-----------|------------|--------------------------|----------------------|-----------|------------|----------------------------------|----------------------|-----------|------------|--------|
| | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total |
| Measurement Year | 2010 | | | | 2010 | | | | 2010 | | | |
| Data Collection Methodology | H | | | | H | | | | H | | | |
| Eligible Member Population | | 3972 | 1902 | 5874 | | 3972 | 1902 | 5874 | | 3972 | 1902 | 5874 |
| Numerator events by admin data in eligible population | | 7 | 6 | 13 | | 17 | 19 | 36 | | 0 | 0 | 0 |
| Current Year's Administrative Rate | | 0.18% | 0.32% | 0.22% | | 0.43% | 1.00% | 0.61% | | 0.00% | 0.00% | 0.00% |
| Minimum Required Sample Size | 411 | | | | 411 | | | | 411 | | | |
| Oversampling Rate | 5.00% | | | | 5.00% | | | | 5.00% | | | |
| Final Sample Size (FSS) | 432 | | | | 432 | | | | 432 | | | |
| Numerator events by admin data in FSS | | 2 | 0 | 2 | | 2 | 2 | 4 | | 0 | 0 | 0 |
| Admin rate on FSS | | 0.46% | 0.00% | 0.46% | | 0.46% | 0.46% | 0.93% | | 0.00% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | 0 | | | | 0 | | | |
| Number of administrative data records excluded | 0 | | | | 0 | | | | 0 | | | |
| Number of medical records excluded | 0 | | | | 0 | | | | 0 | | | |
| Number of employee/dependent records excluded | 0 | | | | 0 | | | | 0 | | | |
| Records Added from the Oversample List | 0 | | | | 0 | | | | 0 | | | |
| Denominator | | 301 | 131 | 432 | | 301 | 131 | 432 | | 301 | 131 | 432 |
| Numerator Events by Admin Data | | 2 | 0 | 2 | | 2 | 2 | 4 | | 0 | 0 | 0 |
| Numerator Events by Medical Record | | 182 | 70 | 252 | | 149 | 60 | 209 | | 134 | 58 | 192 |
| Reported Rate | | 61.13% | 53.44% | 58.80% | | 50.17% | 47.33% | 49.31% | | 44.52% | 44.27% | 44.44% |
| Lower 95% Confidence Interval | | 55.46% | 44.51% | 54.04% | | 44.35% | 38.40% | 44.48% | | 38.74% | 35.39% | 39.64% |
| Upper 95% Confidence Interval | | 66.80% | 62.36% | 63.55% | | 55.98% | 56.26% | 54.14% | | 50.30% | 53.16% | 49.25% |

Commercial

| Data Elements | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|----------------------|------|-----|-----|-----|-------------|-----|-------------------------|-------------|-----------|-----------|
| Measurement Year | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | |
| Number of medical data records excluded | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | |
| Denominator | | | | | | | | | | | |
| Numerator Events by administrative Data | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Childhood Immunization Status

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | General Measure Data | DTaP | Combo 2 | Combo 3 | Combo 4 | Combo 5 | Combo 6 | Combo 7 | Combo 8 | Combo 9 | Combo10 |
|---|----------------------|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Measurement Year | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | |
| Number of medical data records excluded | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | |
| Denominator | | | | | | | | | | | |
| Numerator Events by administrative Data | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Childhood Immunization Status

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|----------------------|--------|--------|--------|--------|-------------|--------|-------------------------|-------------|-----------|-----------|
| Measurement Year | 2010 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 798 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 633 | 724 | 723 | 678 | 707 | 690 | 639 | 259 | 443 | 402 |
| Current Year's Administrative Rate | | 79.32% | 90.73% | 90.60% | 84.96% | 88.60% | 86.47% | 80.08% | 32.46% | 55.51% | 50.38% |
| Minimum Required Sample Size | 411 | | | | | | | | | | |
| Oversampling Rate | 0.05 | | | | | | | | | | |
| Final Sample Size (FSS) | 432 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 352 | 398 | 395 | 378 | 383 | 378 | 359 | 145 | 248 | 210 |
| Admin rate on FSS | | 81.48% | 92.13% | 91.44% | 87.50% | 88.66% | 87.50% | 83.10% | 33.56% | 57.41% | 48.61% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 432 | | | | | | | | | | |
| Numerator Events by administrative Data | | 352 | 398 | 395 | 378 | 383 | 378 | 359 | 145 | 248 | 210 |
| Numerator Events by Medical Record | | 8 | 7 | 3 | 9 | 12 | 1 | 13 | 3 | 8 | 4 |
| Reported Rate | | 83.33% | 93.75% | 92.13% | 89.58% | 91.44% | 87.73% | 86.11% | 34.26% | 59.26% | 49.54% |
| Lower 95% Confidence Interval | | 79.70% | 91.35% | 89.47% | 86.59% | 88.68% | 84.52% | 82.73% | 29.67% | 54.51% | 44.71% |
| Upper 95% Confidence Interval | | 86.96% | 96.15% | 94.78% | 92.58% | 94.19% | 90.94% | 89.49% | 38.85% | 64.01% | 54.37% |

Effectiveness of Care

South Country Health Alliance

Childhood Immunization Status

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | DTaP | Combo 2 | Combo 3 | Combo 4 | Combo 5 | Combo 6 | Combo 7 | Combo 8 | Combo 9 | Combo10 |
|---|----------------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Measurement Year | 2010 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 798 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 633 | 531 | 505 | 214 | 318 | 297 | 164 | 154 | 188 | 116 |
| Current Year's Administrative Rate | | 79.32% | 66.54% | 63.28% | 26.82% | 39.85% | 37.22% | 20.55% | 19.30% | 23.56% | 14.54% |
| Minimum Required Sample Size | 411 | | | | | | | | | | |
| Oversampling Rate | 0.05 | | | | | | | | | | |
| Final Sample Size (FSS) | 432 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 352 | 299 | 285 | 118 | 180 | 160 | 91 | 81 | 98 | 60 |
| Admin rate on FSS | | 81.48% | 69.21% | 65.97% | 27.31% | 41.67% | 37.04% | 21.06% | 18.75% | 22.69% | 13.89% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 432 | | | | | | | | | | |
| Numerator Events by administrative Data | | 352 | 299 | 285 | 118 | 180 | 160 | 91 | 81 | 98 | 60 |
| Numerator Events by Medical Record | | 8 | 14 | 17 | 7 | 12 | 7 | 6 | 4 | 5 | 3 |
| Reported Rate | | 83.33% | 72.45% | 69.91% | 28.94% | 44.44% | 38.66% | 22.45% | 19.68% | 23.84% | 14.58% |
| Lower 95% Confidence Interval | | 79.70% | 68.13% | 65.47% | 24.54% | 39.64% | 33.95% | 18.40% | 15.81% | 19.71% | 11.14% |
| Upper 95% Confidence Interval | | 86.96% | 76.78% | 74.35% | 33.33% | 49.25% | 43.37% | 26.50% | 23.54% | 27.98% | 18.03% |

Commercial

| Data Elements | General Measure Data | Meningococcal | Tdap | Combo 1 |
|---|----------------------|---------------|------|---------|
| Measurement Year | | | | |
| Data Collection Methodology | | | | |
| Eligible Member Population | | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | | |
| Current Year's Admin Rate | | NR | NR | NR |
| Minimum Required Sample Size | | | | |
| Oversampling Rate | | | | |
| Final Sample Size (FSS) | | | | |
| Numerator events by admin data in FSS | | | | |
| Admin Rate on FSS | | NR | NR | NR |
| Records Excluded because of Valid Data Errors | | | | |
| Number of administrative data records excluded | | | | |
| Number of medical data records excluded | | | | |
| Number of employee/dependent medical records excluded | | | | |
| Records Added from the Oversample List | | | | |
| Denominator | | | | |
| Numerator Events by Admin Data | | | | |
| Numerator Events by Medical Record | | | | |
| Reported Rate | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Immunizations for Adolescents

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Meningococcal | Tdap | Combo 1 |
|---|----------------------|---------------|--------|---------|
| Measurement Year | 2010 | | | |
| Data Collection Methodology | H | | | |
| Eligible Member Population | 440 | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 178 | 362 | 171 |
| Current Year's Admin Rate | | 40.45% | 82.27% | 38.86% |
| Minimum Required Sample Size | 411 | | | |
| Oversampling Rate | 5.00% | | | |
| Final Sample Size (FSS) | 432 | | | |
| Numerator events by admin data in FSS | | 179 | 361 | 172 |
| Admin Rate on FSS | | 41.44% | 83.56% | 39.81% |
| Records Excluded because of Valid Data Errors | 0 | | | |
| Number of administrative data records excluded | 0 | | | |
| Number of medical data records excluded | 0 | | | |
| Number of employee/dependent medical records excluded | 0 | | | |
| Records Added from the Oversample List | 0 | | | |
| Denominator | 432 | | | |
| Numerator Events by Admin Data | | 179 | 361 | 172 |
| Numerator Events by Medical Record | | 5 | 6 | 5 |
| Reported Rate | | 42.59% | 84.95% | 40.97% |
| Lower 95% Confidence Interval | | 37.81% | 81.47% | 36.22% |
| Upper 95% Confidence Interval | | 47.37% | 88.44% | 45.73% |

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC | MHCP-MC |
|--------------------------------|------------|--------------------|--------|--------|---------|
| Measurement Year | | | 2010 | 2010 | 2010 |
| Data Collection Methodology | | | A | A | A |
| Eligible Member Population | | | 71 | 265 | 434 |
| Numerator Events by Admin Data | | | 50 | 208 | 248 |
| Reported Rate | NR | NR | 70.42% | 78.49% | 57.14% |
| Lower 95% Confidence Interval | NR | NR | 59.10% | 73.35% | 52.37% |
| Upper 95% Confidence Interval | NR | NR | 81.74% | 83.63% | 61.91% |

| Data Elements | Commercial | MHCP-MC |
|---|------------|---------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | H |
| Eligible Member Population | | 3100 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 2064 |
| Current Year's Admin Rate | NR | 66.58% |
| Minimum Required Sample Size | | 411 |
| Oversampling Rate | | 5.00% |
| Final Sample Size (FSS) | | 432 |
| Numerator events by admin data in FSS | | 295 |
| Admin Rate on FSS | NR | 68.29% |
| Records Excluded because of Valid Data Errors | | 0 |
| Number of administrative data records excluded | | 1 |
| Number of medical record data records excluded | | 3 |
| Number of employee/dependent medical records excluded | | 0 |
| Records Added from the Oversample List | | 0 |
| Denominator | | 428 |
| Numerator Events by Admin Data | | 295 |
| Numerator Events by Medical Record | | 29 |
| Reported Rate | NR | 75.70% |
| Lower 95% Confidence Interval | NR | 71.52% |
| Upper 95% Confidence Interval | NR | 79.88% |

Effectiveness of Care

South Country Health Alliance

Colorectal Cancer Screening

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC |
|--|------------|--------------------|--------|--------|
| Measurement Year | | | 2010 | 2010 |
| Data collection methodology (administrative or hybrid) | | | H | H |
| Eligible population | | | 367 | 306 |
| Number of numerator events by administrative data in eligible population (before exclusions) | | | 131 | 125 |
| Current year's administrative rate (before exclusions) | NR | NR | 35.69% | 40.85% |
| Minimum required sample size (MRSS) or other sample size | | | 362 | 305 |
| Oversampling rate | | | 0.00% | 0.00% |
| Final sample size (FSS) | | | 362 | 305 |
| Number of numerator events by administrative data in FSS | | | 150 | 150 |
| Administrative rate on FSS | NR | NR | 41.44% | 49.18% |
| Number of original sample records excluded because of valid data errors | | | 0 | 0 |
| Number of administrative data records excluded | | | 0 | 0 |
| Number of medical record data records excluded | | | 0 | 1 |
| Number of employee/dependent medical records excluded | | | 0 | 0 |
| Records added from the oversample list | | | 0 | 0 |
| Denominator | | | 362 | 304 |
| Numerator events by administrative data | | | 150 | 150 |
| Numerator events by medical records | | | 28 | 24 |
| Reported rate | NR | NR | 49.17% | 57.24% |
| Lower 95% confidence interval | NR | NR | 43.88% | 51.51% |
| Upper 95% confidence interval | NR | NR | 54.46% | 62.96% |

Effectiveness of Care

South Country Health Alliance

Chlamydia Screening in Women

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | General Measure Data | Ages 16-20 | Ages 21-24 | Total |
|--------------------------------|----------------------|------------|------------|-------|
| Measurement Year | | | | |
| Data Collection Methodology | | | | |
| Eligible Member Population | | | | NR |
| Numerator Events by Admin Data | | | | NR |
| Reported Rate | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Chlamydia Screening in Women

Data Last Refreshed:

Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Ages 16-20 | Ages 21-24 | Total |
|--------------------------------|----------------------|------------|------------|--------|
| Measurement Year | 2010 | | | |
| Data Collection Methodology | A | | | |
| Eligible Member Population | | 468 | 467 | 935 |
| Numerator Events by Admin Data | | 191 | 216 | 407 |
| Reported Rate | | 40.81% | 46.25% | 43.53% |
| Lower 95% Confidence Interval | | 36.25% | 41.62% | 40.30% |
| Upper 95% Confidence Interval | | 45.37% | 50.88% | 46.76% |

| Data Elements | Medicare Advantage | MSHO |
|--------------------------------|--------------------|--------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 1311 |
| Numerator Events by Admin Data | | 931 |
| Reported Rate | NR | 71.01% |
| Lower 95% Confidence Interval | NR | 68.52% |
| Upper 95% Confidence Interval | NR | 73.51% |

Lead Screening in Children

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | MHCP-MC |
|---|------------|---------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 798 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | |
| Current Year's Admin Rate | NR | NR |
| Minimum Required Sample Size | | |
| Oversampling Rate | | |
| Final Sample Size (FSS) | | |
| Numerator events by admin data in FSS | | |
| Admin Rate on FSS | NR | NR |
| Records Excluded because of Valid Data Errors | | |
| Number of administrative data records excluded | | |
| Number of medical record data records excluded | | |
| Number of employee/dependent medical records excluded | | |
| Records Added from the Oversample List | | |
| Denominator | | |
| Numerator Events by Admin Data | | 670 |
| Numerator Events by Medical Record | | |
| Reported Rate | NR | 83.96% |
| Lower 95% Confidence Interval | NR | 81.35% |
| Upper 95% Confidence Interval | NR | 86.57% |

MSHO

| Data Elements | General Measure Data | Advance Care Planning | Medication Review | Functional Status Assessment | Pain Screening |
|---|----------------------|-----------------------|-------------------|------------------------------|----------------|
| Measurement Year | 2010 | | | | |
| Data Collection Methodology | H | | | | |
| Eligible Member Population | 1572 | | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 157 | 1 | 0 | 0 |
| Current Year's Admin Rate | | 9.99% | 0.06% | 0.00% | 0.00% |
| Minimum Required Sample Size | 411 | | | | |
| Oversampling Rate | 0.00% | | | | |
| Final Sample Size (FSS) | 411 | | | | |
| Numerator events by admin data in FSS | | 68 | 0 | 0 | 0 |
| Admin Rate on FSS | | 16.55% | 0.00% | 0.00% | 0.00% |
| Records Excluded because of Valid Data Errors | 0 | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | |
| Records Added from the Oversample List | 0 | | | | |
| Denominator | 411 | | | | |
| Numerator Events by Admin Data | | 68 | 0 | 0 | 0 |
| Numerator Events by Medical Record | | 174 | 338 | 237 | 268 |
| Reported Rate | | 58.88% | 82.24% | 57.66% | 65.21% |
| Lower 95% Confidence Interval | | 54.00% | 78.42% | 52.77% | 60.48% |
| Upper 95% Confidence Interval | | 63.76% | 86.06% | 62.56% | 69.93% |

Medicare Advantage

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 41 | | |
| Numerator Events by Admin Data | | 27 | 36 |
| Reported Rate | | 65.85% | 87.80% |
| Lower 95% Confidence Interval | | 50.12% | 76.57% |
| Upper 95% Confidence Interval | | 81.59% | 99.04% |

SNBC

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 11 | | |
| Numerator Events by Admin Data | | 6 | 10 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Medicare Advantage | MSHO | SNBC |
|--------------------------------|--------------------|--------|------|
| Measurement Year | | 2010 | 2010 |
| Data Collection Methodology | | A | A |
| Eligible Member Population | | 34 | 8 |
| Numerator Events by Admin Data | | 3 | 1 |
| Reported Rate | NR | 8.82% | NA |
| Lower 95% Confidence Interval | NR | 0.00% | NA |
| Upper 95% Confidence Interval | NR | 19.83% | NA |

Commercial

| Data Elements | General Measure Data | Ages 5-11 | Ages 12-50 | Total |
|--------------------------------|----------------------|-----------|------------|-------|
| Measurement Year | | | | |
| Data Collection Methodology | | | | |
| Eligible Member Population | | | | NR |
| Numerator Events by Admin Data | | | | NR |
| Reported Rate | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Ages 5-11 | Ages 12-50 | Total |
|--------------------------------|----------------------|-----------|------------|--------|
| Measurement Year | 2010 | | | |
| Data Collection Methodology | A | | | |
| Eligible Member Population | | 82 | 130 | 212 |
| Numerator Events by Admin Data | | 73 | 107 | 180 |
| Reported Rate | | 89.02% | 82.31% | 84.91% |
| Lower 95% Confidence Interval | | 81.65% | 75.36% | 79.85% |
| Upper 95% Confidence Interval | | 96.40% | 89.25% | 89.96% |

Commercial

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | NR | NR |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Final Sample Size (FSS) | | | |
| Numerator events by admin data in FSS | | | |
| Admin rate on FSS | | NR | NR |
| Records Excluded because of Valid Data Errors | | | |
| Number of employee/dependent medical records excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | NR | NR |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Final Sample Size (FSS) | | | |
| Numerator events by admin data in FSS | | | |
| Admin rate on FSS | | NR | NR |
| Records Excluded because of Valid Data Errors | | | |
| Number of employee/dependent medical records excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | 2009 | | |
| Data Collection Methodology | H | | |
| Eligible Member Population | 43 | | |
| Numerator Events by Admin Data on Eligible Population | | 29 | 0 |
| Current Year's Admin Rate | | 67.44% | 0.00% |
| Minimum Required Sample Size | 43 | | |
| Oversampling Rate | 0.00% | | |
| Final Sample Size (FSS) | 43 | | |
| Numerator events by admin data in FSS | | 30 | 0 |
| Admin rate on FSS | | 69.77% | 0.00% |
| Records Excluded because of Valid Data Errors | 0 | | |
| Number of employee/dependent medical records excluded | 0 | | |
| Records Added from the Oversample List | 0 | | |
| Denominator | 43 | | |
| Numerator Events by Admin Data | | 30 | 0 |
| Numerator Events by Medical Record | | 1 | 20 |
| Reported Rate | | 72.09% | 46.51% |
| Lower 95% Confidence Interval | | 57.52% | 30.44% |
| Upper 95% Confidence Interval | | 86.66% | 62.58% |

Effectiveness of Care

South Country Health Alliance

Controlling High Blood Pressure

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC | MHCP-MC |
|---|------------|--------------------|--------|--------|---------|
| Measurement Year | | | 2010 | 2010 | 2010 |
| Data Collection Methodology (Hybrid) | | | H | H | H |
| Eligible Member Population | | | 333 | 133 | 330 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | 0 | 0 | 0 |
| Current Year's Admin Rate | NR | NR | 0.00% | 0.00% | 0.00% |
| Minimum Required Sample Size | | | 257 | 116 | 325 |
| Oversampling Rate | | | 0.00% | 0.00% | 0.00% |
| Final Sample Size (FSS) | | | 257 | 116 | 325 |
| Numerator events by admin data in FSS | | | 0 | 0 | 0 |
| Admin rate on FSS | NR | NR | 0.00% | 0.00% | 0.00% |
| Records Excluded because of Valid Data Errors | | | 0 | 0 | 2 |
| Number of records excluded because of false positive diagnoses | | | 0 | 0 | 2 |
| Number of administrative data records excluded | | | 1 | 0 | 0 |
| Number of medical record data records excluded | | | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | | | 0 | 0 | 0 |
| Records Added from the OverSample List | | | 0 | 0 | 0 |
| Denominator | | | 256 | 116 | 323 |
| Numerator Events by Admin Data | | | 0 | 0 | 0 |
| Numerator Events by Medical Record | | | 193 | 92 | 210 |
| Reported Rate | NR | NR | 75.39% | 79.31% | 65.02% |
| Lower 95% Confidence Interval | NR | NR | 69.92% | 71.51% | 59.66% |
| Upper 95% Confidence Interval | NR | NR | 80.86% | 87.11% | 70.37% |

Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC | MHCP-MC |
|---|------------|--------------------|------|------|---------|
| Measurement Year | | | 2010 | 2010 | 2010 |
| Data Collection Methodology | | | A | A | A |
| Eligible Member Population | | | 20 | 2 | 6 |
| Numerator Events by Admin Data on Eligible Population | | | 15 | 2 | 3 |
| Reported Rate | NR | NR | NA | NA | NA |
| Lower 95% Confidence Interval | NR | NR | NA | NA | NA |
| Upper 95% Confidence Interval | NR | NR | NA | NA | NA |

Effectiveness of Care

South Country Health Alliance

Comprehensive Diabetes Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | HbA1c Testing | Poor HbA1c Control (>9.0%) | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <130/80 mm Hg |
|---|---------------|----------------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | |
| Current Year's Administrative Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | |
| Admin rate on FSS | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | |
| Number of medical record data records excluded | | | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | | | |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | | | |
| Denominator | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | |
| Reported Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Comprehensive Diabetes Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Medicare Advantage

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <130/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | |
| Current Year's Administrative Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | |
| Admin rate on FSS | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | |
| Number of medical record data records excluded | | | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | | | |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | | | |
| Denominator | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | |
| Reported Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

South Country Health Alliance

Comprehensive Diabetes Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <130/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2010 | 2010 | | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 |
| Data Collection Methodology | H | H | | H | H | H | H | H | H | H |
| Eligible Member Population | 157 | 157 | | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| Numerator events by admin data in eligible population | 148 | 157 | | 0 | 105 | 137 | 0 | 141 | 0 | 0 |
| Current Year's Administrative Rate | 94.27% | 100.00% | NR | 0.00% | 66.88% | 87.26% | 0.00% | 89.81% | 0.00% | 0.00% |
| Minimum Required Sample Size | 157 | 157 | | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 157 | 157 | | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| Numerator events by admin data in FSS | 148 | 157 | | 0 | 109 | 139 | 0 | 141 | 0 | 0 |
| Admin rate on FSS | 94.27% | 100.00% | NR | 0.00% | 69.43% | 88.54% | 0.00% | 89.81% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 157 | 157 | | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| Numerator Events by Admin Data | 148 | 26 | | 0 | 109 | 139 | 0 | 141 | 0 | 0 |
| Numerator Events by Medical Record | 2 | 4 | | 116 | 10 | 1 | 98 | 2 | 128 | 120 |
| Reported Rate | 95.54% | 19.11% | NR | 73.89% | 75.80% | 89.17% | 62.42% | 91.08% | 81.53% | 76.43% |
| Lower 95% Confidence Interval | 91.99% | 12.64% | NR | 66.70% | 68.78% | 83.99% | 54.53% | 86.31% | 75.14% | 69.48% |
| Upper 95% Confidence Interval | 99.09% | 25.58% | NR | 81.07% | 82.81% | 94.35% | 70.31% | 95.86% | 87.92% | 83.39% |

Effectiveness of Care

South Country Health Alliance

Comprehensive Diabetes Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <130/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2010 | 2010 | | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 |
| Data Collection Methodology | H | H | | H | H | H | H | H | H | H |
| Eligible Member Population | 167 | 167 | | 167 | 167 | 167 | 167 | 167 | 167 | 167 |
| Numerator events by admin data in eligible population | 150 | 167 | | 0 | 119 | 133 | 0 | 127 | 1 | 1 |
| Current Year's Administrative Rate | 89.82% | 100.00% | NR | 0.00% | 71.26% | 79.64% | 0.00% | 76.05% | 0.60% | 0.60% |
| Minimum Required Sample Size | 166 | 166 | | 166 | 166 | 166 | 166 | 166 | 166 | 166 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 166 | 166 | | 166 | 166 | 166 | 166 | 166 | 166 | 166 |
| Numerator events by admin data in FSS | 150 | 166 | | 0 | 119 | 137 | 0 | 129 | 0 | 0 |
| Admin rate on FSS | 90.36% | 100.00% | NR | 0.00% | 71.69% | 82.53% | 0.00% | 77.71% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 166 | 166 | | 166 | 166 | 166 | 166 | 166 | 166 | 166 |
| Numerator Events by Admin Data | 150 | 28 | | 0 | 119 | 137 | 0 | 129 | 0 | 0 |
| Numerator Events by Medical Record | 4 | 12 | | 113 | 14 | 1 | 89 | 7 | 133 | 120 |
| Reported Rate | 92.77% | 24.10% | NR | 68.07% | 80.12% | 83.13% | 53.61% | 81.93% | 80.12% | 72.29% |
| Lower 95% Confidence Interval | 88.53% | 17.29% | NR | 60.68% | 73.75% | 77.13% | 45.73% | 75.77% | 73.75% | 65.18% |
| Upper 95% Confidence Interval | 97.01% | 30.90% | NR | 75.47% | 86.49% | 89.13% | 61.50% | 88.08% | 86.49% | 79.40% |

Effectiveness of Care

South Country Health Alliance

Comprehensive Diabetes Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <130/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 | 2010 |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 337 | 337 | 307 | 337 | 337 | 337 | 337 | 337 | 337 | 337 |
| Numerator events by admin data in eligible population | 272 | 337 | 0 | 0 | 188 | 210 | 1 | 217 | 1 | 0 |
| Current Year's Administrative Rate | 80.71% | 100.00% | 0.00% | 0.00% | 55.79% | 62.31% | 0.30% | 64.39% | 0.30% | 0.00% |
| Minimum Required Sample Size | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 |
| Oversampling Rate | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 | 311 |
| Numerator events by admin data in FSS | 263 | 311 | 0 | 0 | 174 | 215 | 1 | 217 | 1 | 0 |
| Admin rate on FSS | 84.57% | 100.00% | 0.00% | 0.00% | 55.95% | 69.13% | 0.32% | 69.77% | 0.32% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | 34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | 33 | | | | | | | |
| Number of Hybrid required exclusions | | | 1 | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 311 | 311 | 277 | 311 | 311 | 311 | 311 | 311 | 311 | 311 |
| Numerator Events by Admin Data | 263 | 61 | 0 | 0 | 174 | 215 | 1 | 217 | 1 | 0 |
| Numerator Events by Medical Record | 8 | 58 | 96 | 160 | 21 | 6 | 89 | 12 | 254 | 204 |
| Reported Rate | 87.14% | 38.26% | 34.66% | 51.45% | 62.70% | 71.06% | 28.94% | 73.63% | 81.99% | 65.59% |
| Lower 95% Confidence Interval | 83.26% | 32.70% | 28.87% | 45.73% | 57.17% | 65.86% | 23.74% | 68.58% | 77.56% | 60.15% |
| Upper 95% Confidence Interval | 91.02% | 43.83% | 40.44% | 57.16% | 68.24% | 76.26% | 34.14% | 78.69% | 86.42% | 71.04% |

Effectiveness of Care

South Country Health Alliance

Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Medicare Advantage |
|--------------------------------|--------------------|
| Measurement Year | |
| Data Collection Methodology | |
| Eligible Member Population | |
| Numerator Events by Admin Data | |
| Reported Rate | NR |
| Lower 95% Confidence Interval | NR |
| Upper 95% Confidence Interval | NR |

Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Medicare Advantage | MSHO |
|--------------------------------|--------------------|--------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 77 |
| Numerator Events by Admin Data | | 10 |
| Reported Rate | NR | 12.99% |
| Lower 95% Confidence Interval | NR | 4.83% |
| Upper 95% Confidence Interval | NR | 21.14% |

Commercial

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 17 | | |
| Numerator Events by Admin Data | | 12 | 11 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

SNBC

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 3 | | |
| Numerator Events by Admin Data | | 1 | 0 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 232 | | |
| Numerator Events by Admin Data | | 121 | 81 |
| Reported Rate | | 52.16% | 34.91% |
| Lower 95% Confidence Interval | | 45.51% | 28.56% |
| Upper 95% Confidence Interval | | 58.80% | 41.26% |

Effectiveness of Care

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | General Measure Data | Initiation Phase | Continuation and Maintenance Phase |
|--------------------------------|----------------------|------------------|------------------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Effectiveness of Care

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Initiation Phase | Continuation and Maintenance Phase |
|--------------------------------|----------------------|------------------|------------------------------------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | | 163 | 61 |
| Numerator Events by Admin Data | | 80 | 31 |
| Reported Rate | | 49.08% | 50.82% |
| Lower 95% Confidence Interval | | 41.10% | 37.45% |
| Upper 95% Confidence Interval | | 57.06% | 64.19% |

Medicare Advantage

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 11 | | |
| Numerator Events by Admin Data | | 5 | 3 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

SNBC

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 38 | | |
| Numerator Events by Admin Data | | 29 | 25 |
| Reported Rate | | 76.32% | 65.79% |
| Lower 95% Confidence Interval | | 61.48% | 49.39% |
| Upper 95% Confidence Interval | | 91.15% | 82.19% |

Commercial

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|-------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | | | | | | |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|-------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | | | | | | |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR |

MSHO

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2010 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 649 | 95 | 763 | 94 | 1601 |
| Numerator Events by Admin Data | | 599 | 93 | 727 | 84 | 1503 |
| Reported Rate | | 92.30% | 97.89% | 95.28% | 89.36% | 93.88% |
| Lower 95% Confidence Interval | | 90.17% | 94.48% | 93.71% | 82.60% | 92.67% |
| Upper 95% Confidence Interval | | 94.42% | 100.00% | 96.85% | 96.13% | 95.08% |

SNBC

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2010 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 134 | 7 | 121 | 121 | 383 |
| Numerator Events by Admin Data | | 121 | 6 | 109 | 99 | 335 |
| Reported Rate | | 90.30% | NA | 90.08% | 81.82% | 87.47% |
| Lower 95% Confidence Interval | | 84.91% | NA | 84.34% | 74.53% | 84.02% |
| Upper 95% Confidence Interval | | 95.68% | NA | 95.82% | 89.10% | 90.91% |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2010 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 273 | 2 | 206 | 42 | 523 |
| Numerator Events by Admin Data | | 230 | 2 | 168 | 28 | 428 |
| Reported Rate | | 84.25% | NA | 81.55% | 66.67% | 81.84% |
| Lower 95% Confidence Interval | | 79.74% | NA | 76.01% | 51.22% | 78.44% |
| Upper 95% Confidence Interval | | 88.75% | NA | 87.09% | 82.11% | 85.24% |

Medication Reconciliation Post Discharge

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | MSHO |
|--|--------|
| Measurement Year | 2010 |
| Data collection methodology (Administrative or Hybrid) | H |
| Eligible member population | 1025 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 0 |
| Current year's administrative rate (before exclusions) | 0.00% |
| Minimum required sample size (MRSS) or other sample size | 432 |
| Oversampling rate | 5% |
| Final sample size (FSS) | 432 |
| Number of numerator events by administrative data in FSS | 0 |
| Administrative rate on FSS | 0.00% |
| Number of original sample records excluded because of valid data errors | 19 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 413 |
| Numerator events by administrative data | 0 |
| Numerator events by medical record | 39 |
| Reported rate | 9.44% |
| Lower 95% confidence interval | 6.50% |
| Upper 95% confidence interval | 12.38% |

Medicare Advantage

| Data Elements | General Measure Data | Drug-Disease Interactions | | | |
|--------------------------------|----------------------|--|--|---|-------|
| | | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Measurement Year | | | | | |
| Data Collection Methodology | | | | | |
| Eligible Member Population | | | | | |
| Numerator Events by Admin Data | | | | | |
| Reported Rate | | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR |

MSHO

| Data Elements | General Measure Data | Drug-Disease Interactions | | | |
|--------------------------------|----------------------|--|--|---|--------|
| | | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Measurement Year | 2010 | | | | |
| Data Collection Methodology | A | | | | |
| Eligible Member Population | | 120 | 453 | 20 | 593 |
| Numerator Events by Admin Data | | 25 | 109 | 1 | 135 |
| Reported Rate | | 20.83% | 24.06% | NA | 22.77% |
| Lower 95% Confidence Interval | | 13.15% | 20.02% | NA | 19.31% |
| Upper 95% Confidence Interval | | 28.52% | 28.11% | NA | 26.22% |

Medicare Advantage

| Data Elements | General Measure Data | At least 1 Prescription | At least 2 Prescriptions |
|--------------------------------|----------------------|-------------------------|--------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | At least 1 Prescription | At least 2 Prescriptions |
|--------------------------------|----------------------|-------------------------|--------------------------|
| Measurement Year | 2010 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 1574 | | |
| Numerator Events by Admin Data | | 337 | 47 |
| Reported Rate | | 21.41% | 2.99% |
| Lower 95% Confidence Interval | | 19.35% | 2.11% |
| Upper 95% Confidence Interval | | 23.47% | 3.86% |

Commercial

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|-------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | | | | NR |
| Numerator events by administrative data | | | | | NR |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|-------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | | | | NR |
| Numerator events by administrative data | | | | | NR |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

MSHO

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2010 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 0 | 0 | 1574 | 1574 |
| Numerator events by administrative data | | 0 | 0 | 1540 | 1540 |
| Reported rate | | NA | NA | 97.84% | 97.84% |
| Lower 95% confidence interval | | NA | NA | 97.09% | 97.09% |
| Upper 95% confidence interval | | NA | NA | 98.59% | 98.59% |

SNBC

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2010 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 235 | 472 | 21 | 728 |
| Numerator events by administrative data | | 231 | 466 | 20 | 717 |
| Reported rate | | 98.30% | 98.73% | NA | 98.49% |
| Lower 95% confidence interval | | 96.43% | 97.61% | NA | 97.53% |
| Upper 95% confidence interval | | 100.00% | 99.85% | NA | 99.44% |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2010 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 4052 | 1066 | 1 | 5119 |
| Numerator events by administrative data | | 3640 | 938 | 1 | 4579 |
| Reported rate | | 89.83% | 87.99% | NA | 89.45% |
| Lower 95% confidence interval | | 88.89% | 85.99% | NA | 88.60% |
| Upper 95% confidence interval | | 90.78% | 89.99% | NA | 90.30% |

Commercial

| Data Elements | General Measure Data | 12-24 months | 25 months - 6 yrs. | 7-11 yrs. | 12-19 yrs. |
|---|----------------------|--------------|--------------------|-----------|------------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population | | | | | |
| Numerator events by administrative data | | | | | |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

Access/Availability of Care

South Country Health Alliance

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | 12-24 months | 25 months - 6 yrs. | 7-11 yrs. | 12-19 yrs. |
|---|----------------------|--------------|--------------------|-----------|------------|
| Measurement Year | 2010 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population | | 1018 | 3091 | 1698 | 1880 |
| Numerator events by administrative data | | 986 | 2715 | 1487 | 1687 |
| Reported rate | | 96.86% | 87.84% | 87.57% | 89.73% |
| Lower 95% confidence interval | | 95.74% | 86.67% | 85.98% | 88.34% |
| Upper 95% confidence interval | | 97.98% | 89.00% | 89.17% | 91.13% |

Commercial

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | | | | | | | |
| Data collection methodology (Administrative only) | | | | | | | |
| Eligible member population | | | | | | NR | |
| Numerator events by administrative data | | | | | | NR | NR |
| Reported rate | | NR | NR | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR | NR | NR |

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Medicare Advantage

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | | | | | | | |
| Data collection methodology (Administrative only) | | | | | | | |
| Eligible member population | | | | | | NR | |
| Numerator events by administrative data | | | | | | NR | NR |
| Reported rate | | NR | NR | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR | NR | NR |

Access/Availability of Care

South Country Health Alliance

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | 2010 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 0 | | 31 | | 31 | |
| Numerator events by administrative data | | 0 | 0 | 11 | 2 | 11 | 2 |
| Reported rate | | NA | NA | 35.48% | 6.45% | 35.48% | 6.45% |
| Lower 95% confidence interval | | NA | NA | 17.03% | 0.00% | 17.03% | 0.00% |
| Upper 95% confidence interval | | NA | NA | 53.94% | 16.71% | 53.94% | 16.71% |

SNBC

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | 2010 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 0 | | 66 | | 66 | |
| Numerator events by administrative data | | 0 | 0 | 27 | 5 | 27 | 5 |
| Reported rate | | NA | NA | 40.91% | 7.58% | 40.91% | 7.58% |
| Lower 95% confidence interval | | NA | NA | 28.29% | 0.43% | 28.29% | 0.43% |
| Upper 95% confidence interval | | NA | NA | 53.53% | 14.72% | 53.53% | 14.72% |

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | 2010 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 41 | | 472 | | 513 | |
| Numerator events by administrative data | | 23 | 12 | 199 | 88 | 222 | 100 |
| Reported rate | | 56.10% | 29.27% | 42.16% | 18.64% | 43.27% | 19.49% |
| Lower 95% confidence interval | | 39.69% | 14.12% | 37.60% | 15.02% | 38.89% | 15.97% |
| Upper 95% confidence interval | | 72.51% | 44.42% | 46.72% | 22.26% | 47.66% | 23.02% |

Commercial

| Data Elements | Timeliness of Prenatal Care | Postpartum Care |
|--|-----------------------------|-----------------|
| Measurement Year | | |
| Data collection methodology (Administrative or Hybrid) | | |
| Eligible member population | | |
| Number of numerator events by administrative data in eligible population (before exclusions) | | |
| Current year's administrative rate (before exclusions) | NR | NR |
| Minimum required sample size (MRSS) or other sample size | | |
| Oversampling rate | | |
| Final sample size (FSS) | | |
| Number of numerator events by administrative data in FSS | | |
| Administrative rate on FSS | NR | NR |
| Number of original sample records excluded because of valid data errors | | |
| Number of employee/dependent medical records excluded | | |
| Records added from the oversample list | | |
| Denominator | | |
| Numerator events by administrative data | | |
| Numerator events by medical record | | |
| Reported rate | NR | NR |
| Lower 95% confidence interval | NR | NR |
| Upper 95% confidence interval | NR | NR |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | Timeliness of Prenatal Care | Postpartum Care |
|--|-----------------------------|-----------------|
| Measurement Year | 2010 | 2010 |
| Data collection methodology (Administrative or Hybrid) | H | H |
| Eligible member population | 1298 | 1298 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 787 | 741 |
| Current year's administrative rate (before exclusions) | 60.63% | 57.09% |
| Minimum required sample size (MRSS) or other sample size | 411 | 411 |
| Oversampling rate | 5% | 5% |
| Final sample size (FSS) | 432 | 432 |
| Number of numerator events by administrative data in FSS | 263 | 249 |
| Administrative rate on FSS | 60.88% | 57.64% |
| Number of original sample records excluded because of valid data errors | 2 | 2 |
| Number of employee/dependent medical records excluded | 0 | 0 |
| Records added from the oversample list | 0 | 0 |
| Denominator | 430 | 430 |
| Numerator events by administrative data | 263 | 249 |
| Numerator events by medical record | 97 | 64 |
| Reported rate | 83.72% | 72.79% |
| Lower 95% confidence interval | 80.12% | 68.47% |
| Upper 95% confidence interval | 87.33% | 77.11% |

Use of Services

South Country Health Alliance

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Data Elements | General Measure Data | Zero Visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more visits |
|---|----------------------|-------------|---------|----------|----------|----------|----------|------------------|
| Measurement Year | | | | | | | | |
| Data Collection Methodology | | | | | | | | |
| Eligible Member Population | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | |
| Oversampling Rate | | | | | | | | |
| Final sample size (FSS) | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | |
| Administrative rate on FSS | | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | |
| Denominator | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Data Elements | General Measure Data | Zero Visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more visits |
|---|----------------------|-------------|---------|----------|----------|----------|----------|------------------|
| Measurement Year | 2009 | | | | | | | |
| Data Collection Methodology | H | | | | | | | |
| Eligible Member Population | 807 | | | | | | | |
| Numerator events by admin data in eligible population | | 29 | 21 | 25 | 47 | 105 | 166 | 414 |
| Current Year's Administrative Rate | | 3.59% | 2.60% | 3.10% | 5.82% | 13.01% | 20.57% | 51.30% |
| Minimum Required Sample Size | 411 | | | | | | | |
| Oversampling Rate | 0.00% | | | | | | | |
| Final sample size (FSS) | 411 | | | | | | | |
| Numerator events by admin data in FSS | | 19 | 13 | 11 | 27 | 47 | 75 | 219 |
| Administrative rate on FSS | | 4.62% | 3.16% | 2.68% | 6.57% | 11.44% | 18.25% | 53.28% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | | | | |
| Additional Records Added from the Oversample List | 0 | | | | | | | |
| Denominator | 411 | | | | | | | |
| Numerator Events by Admin Data | | 8 | 6 | 9 | 16 | 25 | 39 | 230 |
| Numerator Events by Medical Record | | 0 | 1 | 3 | 2 | 6 | 13 | 53 |
| Reported Rate | | 1.95% | 1.70% | 2.92% | 4.38% | 7.54% | 12.65% | 68.86% |
| Lower 95% Confidence Interval | | 0.49% | 0.33% | 1.17% | 2.28% | 4.87% | 9.32% | 64.26% |
| Upper 95% Confidence Interval | | 3.40% | 3.08% | 4.67% | 6.48% | 10.22% | 15.99% | 73.46% |

Use of Services

South Country Health Alliance

Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | MHCP-MC |
|---|------------|---------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 2452 |
| Numerator events by admin data in eligible population | | |
| Current Year's Admin Rate | NR | NR |
| Minimum Required Sample Size | | |
| Oversampling Rate | | |
| Final sample size (FSS) | | |
| Numerator events by admin data in FSS | | |
| Administrative rate on FSS | NR | NR |
| Records Excluded because of Valid Data Errors | | |
| Number of employee/dependent medical records excluded | | |
| Records Added from the Oversample List | | |
| Denominator | | |
| Numerator Events by Admin Data | | 1470 |
| Numerator Events by Medical Record | | |
| Reported Rate | NR | 59.95% |
| Lower 95% Confidence Interval | NR | 57.99% |
| Upper 95% Confidence Interval | NR | 61.91% |

Use of Services

South Country Health Alliance

Adolescent Well-Care Visits

Data Last Refreshed:
Oct 24, 2011 8:53 AM

| Data Elements | Commercial | MHCP-MC |
|---|------------|---------|
| Measurement Year | | 2010 |
| Data Collection Methodology | | H |
| Eligible Member Population | | 3241 |
| Numerator events by admin data in eligible population | | 952 |
| Current Year's Admin Rate | NR | 29.37% |
| Minimum Required Sample Size | | 411 |
| Oversampling Rate | | 0.00% |
| Final sample size (FSS) | | 411 |
| Numerator events by admin data in FSS | | 130 |
| Administrative rate on FSS | NR | 31.63% |
| Records Excluded because of Valid Data Errors | | 0 |
| Number of employee/dependent medical records excluded | | 0 |
| Records Added from the Oversample List | | 0 |
| Denominator | | 411 |
| Numerator Events by Admin Data | | 130 |
| Numerator Events by Medical Record | | 46 |
| Reported Rate | NR | 42.82% |
| Lower 95% Confidence Interval | NR | 37.92% |
| Upper 95% Confidence Interval | NR | 47.73% |

Use of Services

Ambulatory Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | | NR | | NR |
| 1-9 | | NR | | NR |
| 10-19 | | NR | | NR |
| 20-44 | | NR | | NR |
| 45-64 | | NR | | NR |
| 65-74 | | NR | | NR |
| 75-84 | | NR | | NR |
| 85+ | | NR | | NR |
| Unknown | | | | |
| Total | NR | NR | NR | NR |

Medicare Advantage

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | | NR | | NR |
| 1-9 | | NR | | NR |
| 10-19 | | NR | | NR |
| 20-44 | | NR | | NR |
| 45-64 | | NR | | NR |
| 65-74 | | NR | | NR |
| 75-84 | | NR | | NR |
| 85+ | | NR | | NR |
| Unknown | | | | |
| Total | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Ambulatory Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 0 |
| 45-64 | 0 |
| 65-74 | 5781 |
| 75-84 | 6647 |
| 85+ | 10003 |
| Unknown | 0 |
| Total | 22431 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 0 | NA | 0 | NA |
| 1-9 | 0 | NA | 0 | NA |
| 10-19 | 0 | NA | 0 | NA |
| 20-44 | 0 | NA | 0 | NA |
| 45-64 | 0 | NA | 0 | NA |
| 65-74 | 5727 | 990.66 | 465 | 80.44 |
| 75-84 | 6403 | 963.29 | 355 | 53.41 |
| 85+ | 7817 | 781.47 | 427 | 42.69 |
| Unknown | 0 | | 0 | |
| Total | 19947 | 889.26 | 1247 | 55.59 |

Use of Services

Ambulatory Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 17 |
| 20-44 | 3135 |
| 45-64 | 6110 |
| 65-74 | 196 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 9458 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 0 | NA | 0 | NA |
| 1-9 | 0 | NA | 0 | NA |
| 10-19 | 3 | 176.47 | 0 | 0.00 |
| 20-44 | 2655 | 846.89 | 239 | 76.24 |
| 45-64 | 5840 | 955.81 | 428 | 70.05 |
| 65-74 | 126 | 642.86 | 7 | 35.71 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 8624 | 911.82 | 674 | 71.26 |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Age | Member Months |
|--------------|---------------|
| <1 | 19850 |
| 1-9 | 116571 |
| 10-19 | 77920 |
| 20-44 | 104611 |
| 45-64 | 21969 |
| 65-74 | 9 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 340930 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 18267 | 920.25 | 1958 | 98.64 |
| 1-9 | 45297 | 388.58 | 5725 | 49.11 |
| 10-19 | 25532 | 327.67 | 3035 | 38.95 |
| 20-44 | 61981 | 592.49 | 8406 | 80.35 |
| 45-64 | 13080 | 595.38 | 926 | 42.15 |
| 65-74 | 4 | 444.44 | 0 | 0.00 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 164161 | 481.51 | 20050 | 58.81 |

Commercial

| Age | Member Months |
|---------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity | | | | | |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |

Medicare Advantage

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-----------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity | | | | | |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 0 |
| 45-64 | 0 |
| 65-74 | 5781 |
| 75-84 | 6647 |
| 85+ | 10003 |
| Unknown | 0 |
| Total | 22431 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | NA | 0 | NA | NA |
| 65-74 | 240 | 41.52 | 1007 | 174.19 | 4.20 |
| 75-84 | 268 | 40.32 | 1099 | 165.34 | 4.10 |
| 85+ | 364 | 36.39 | 1504 | 150.35 | 4.13 |
| Unknown | 0 | | 0 | | NA |
| Total | 872 | 38.87 | 3610 | 160.94 | 4.14 |
| Medicine | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | NA | 0 | NA | NA |
| 65-74 | 184 | 31.83 | 661 | 114.34 | 3.59 |
| 75-84 | 208 | 31.29 | 739 | 111.18 | 3.55 |
| 85+ | 312 | 31.19 | 1199 | 119.86 | 3.84 |
| Unknown | 0 | | 0 | | NA |
| Total | 704 | 31.39 | 2599 | 115.87 | 3.69 |
| Surgery | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | NA | 0 | NA | NA |
| 65-74 | 56 | 9.69 | 346 | 59.85 | 6.18 |
| 75-84 | 60 | 9.03 | 360 | 54.16 | 6.00 |
| 85+ | 52 | 5.20 | 305 | 30.49 | 5.87 |
| Unknown | 0 | | 0 | | NA |
| Total | 168 | 7.49 | 1011 | 45.07 | 6.02 |
| Maternity | | | | | |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 0 | NA | 0 | NA | NA |

Use of Services

South Country Health Alliance

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 17 |
| 20-44 | 3135 |
| 45-64 | 6110 |
| 65-74 | 196 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 9458 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 34 | 10.85 | 120 | 38.28 | 3.53 |
| 45-64 | 170 | 27.82 | 758 | 124.06 | 4.46 |
| 65-74 | 4 | 20.41 | 19 | 96.94 | 4.75 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 208 | 21.99 | 897 | 94.84 | 4.31 |
| Medicine | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 23 | 7.34 | 92 | 29.35 | 4.00 |
| 45-64 | 113 | 18.49 | 400 | 65.47 | 3.54 |
| 65-74 | 3 | 15.31 | 6 | 30.61 | 2.00 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 139 | 14.70 | 498 | 52.65 | 3.58 |
| Surgery | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 8 | 2.55 | 22 | 7.02 | 2.75 |
| 45-64 | 57 | 9.33 | 358 | 58.59 | 6.28 |
| 65-74 | 1 | 5.10 | 13 | 66.33 | 13.00 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 66 | 6.98 | 393 | 41.55 | 5.95 |
| Maternity | | | | | |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 3 | 0.96 | 6 | 1.91 | 2.00 |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 3 | 0.32 | 6 | 0.65 | 2.00 |

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Age | Member Months |
|--------------|---------------|
| <1 | 19850 |
| 1-9 | 116571 |
| 10-19 | 77920 |
| 20-44 | 104611 |
| 45-64 | 21969 |
| 65-74 | 9 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 340930 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|-------------|----------------------------------|-------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 165 | 8.31 | 696 | 35.06 | 4.22 |
| 1-9 | 232 | 1.99 | 557 | 4.78 | 2.40 |
| 10-19 | 321 | 4.12 | 817 | 10.49 | 2.55 |
| 20-44 | 2020 | 19.31 | 4994 | 47.74 | 2.47 |
| 45-64 | 264 | 12.02 | 887 | 40.38 | 3.36 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 3002 | 8.81 | 7951 | 23.32 | 2.65 |
| Medicine | | | | | |
| <1 | 134 | 6.75 | 499 | 25.14 | 3.72 |
| 1-9 | 172 | 1.48 | 367 | 3.15 | 2.13 |
| 10-19 | 64 | 0.82 | 147 | 1.89 | 2.30 |
| 20-44 | 261 | 2.49 | 713 | 6.82 | 2.73 |
| 45-64 | 117 | 5.33 | 331 | 15.07 | 2.83 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 748 | 2.19 | 2057 | 6.03 | 2.75 |
| Surgery | | | | | |
| <1 | 31 | 1.56 | 197 | 9.92 | 6.35 |
| 1-9 | 60 | 0.51 | 190 | 1.63 | 3.17 |
| 10-19 | 56 | 0.72 | 159 | 2.04 | 2.84 |
| 20-44 | 366 | 3.50 | 941 | 9.00 | 2.57 |
| 45-64 | 146 | 6.65 | 554 | 25.22 | 3.79 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 659 | 1.93 | 2041 | 5.99 | 3.10 |
| Maternity | | | | | |
| 10-19 | 201 | 2.58 | 511 | 6.56 | 2.54 |
| 20-44 | 1393 | 13.32 | 3340 | 31.93 | 2.40 |
| 45-64 | 1 | 0.05 | 2 | 0.09 | 2.00 |
| Unknown | 0 | | 0 | | NA |
| Total | 1595 | 7.80 | 3853 | 18.84 | 2.42 |

Use of Services

South Country Health Alliance

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-24 | | | NR | | | NR | | | NR | | | NR |
| 25-34 | | | NR | | | NR | | | NR | | | NR |
| 35-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Medicare Advantage

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-24 | | | NR | | | NR | | | NR | | | NR |
| 25-34 | | | NR | | | NR | | | NR | | | NR |
| 35-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65+ | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|--------------|-----------|--------------|--|--------------|---------------|--------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-24 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 25-34 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 35-64 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 65+ | M | 24 | 4.86% | 11 | 2.23% | 0 | 0.00% | 18 | 3.64% |
| | F | 23 | 1.67% | 14 | 1.02% | 0 | 0.00% | 10 | 0.73% |
| | Total | 47 | 2.51% | 25 | 1.34% | 0 | 0.00% | 28 | 1.50% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 24 | 4.86% | 11 | 2.23% | 0 | 0.00% | 18 | 3.64% |
| | F | 23 | 1.67% | 14 | 1.02% | 0 | 0.00% | 10 | 0.73% |
| | Total | 47 | 2.51% | 25 | 1.34% | 0 | 0.00% | 28 | 1.50% |

Use of Services

South Country Health Alliance

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|-------------|---------------------------|-------------|-------------|--|-------------|-------------|-------------------------------|-------------|-------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-24 | 146 | 133 | 279 | 146 | 133 | 279 | 146 | 133 | 279 | 146 | 133 | 279 |
| 25-34 | 480 | 622 | 1102 | 480 | 622 | 1102 | 480 | 622 | 1102 | 480 | 622 | 1102 |
| 35-64 | 3366 | 4515 | 7881 | 3366 | 4515 | 7881 | 3366 | 4515 | 7881 | 3366 | 4515 | 7881 |
| 65+ | 67 | 129 | 196 | 67 | 129 | 196 | 67 | 129 | 196 | 67 | 129 | 196 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-24 | M | 2 | 16.44% | 1 | 8.22% | 0 | 0.00% | 2 | 16.44% |
| | F | 2 | 18.05% | 0 | 0.00% | 0 | 0.00% | 2 | 18.05% |
| | Total | 4 | 17.20% | 1 | 4.30% | 0 | 0.00% | 4 | 17.20% |
| 25-34 | M | 2 | 5.00% | 0 | 0.00% | 0 | 0.00% | 2 | 5.00% |
| | F | 4 | 7.72% | 1 | 1.93% | 0 | 0.00% | 4 | 7.72% |
| | Total | 6 | 6.53% | 1 | 1.09% | 0 | 0.00% | 6 | 6.53% |
| 35-64 | M | 41 | 14.62% | 17 | 6.06% | 0 | 0.00% | 31 | 11.05% |
| | F | 52 | 13.82% | 26 | 6.91% | 0 | 0.00% | 46 | 12.23% |
| | Total | 93 | 14.16% | 43 | 6.55% | 0 | 0.00% | 77 | 11.72% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 1 | 9.30% | 0 | 0.00% | 0 | 0.00% | 1 | 9.30% |
| | Total | 1 | 6.12% | 0 | 0.00% | 0 | 0.00% | 1 | 6.12% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 45 | 13.30% | 18 | 5.32% | 0 | 0.00% | 35 | 10.35% |
| | F | 59 | 13.11% | 27 | 6.00% | 0 | 0.00% | 53 | 11.78% |
| | Total | 104 | 13.20% | 45 | 5.71% | 0 | 0.00% | 88 | 11.17% |

Use of Services

South Country Health Alliance

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|---------------|---------------|---------------------------|---------------|---------------|--|---------------|---------------|-------------------------------|---------------|---------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 |
| 13-17 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 |
| 18-24 | 11656 | 27273 | 38929 | 11656 | 27273 | 38929 | 11656 | 27273 | 38929 | 11656 | 27273 | 38929 |
| 25-34 | 14358 | 35756 | 50114 | 14358 | 35756 | 50114 | 14358 | 35756 | 50114 | 14358 | 35756 | 50114 |
| 35-64 | 20136 | 29729 | 49865 | 20136 | 29729 | 49865 | 20136 | 29729 | 49865 | 20136 | 29729 | 49865 |
| 65+ | 3 | 6 | 9 | 3 | 6 | 9 | 3 | 6 | 9 | 3 | 6 | 9 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|------------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 3 | 0.04% | 2 | 0.03% | 0 | 0.00% | 2 | 0.03% |
| | F | 3 | 0.05% | 2 | 0.03% | 0 | 0.00% | 1 | 0.02% |
| | Total | 6 | 0.04% | 4 | 0.03% | 0 | 0.00% | 3 | 0.02% |
| 13-17 | M | 77 | 4.85% | 7 | 0.44% | 0 | 0.00% | 72 | 4.54% |
| | F | 59 | 3.73% | 7 | 0.44% | 0 | 0.00% | 54 | 3.41% |
| | Total | 136 | 4.29% | 14 | 0.44% | 0 | 0.00% | 126 | 3.98% |
| 18-24 | M | 150 | 15.44% | 12 | 1.24% | 0 | 0.00% | 145 | 14.93% |
| | F | 192 | 8.45% | 50 | 2.20% | 1 | 0.04% | 172 | 7.57% |
| | Total | 342 | 10.54% | 62 | 1.91% | 1 | 0.03% | 317 | 9.77% |
| 25-34 | M | 221 | 18.47% | 32 | 2.67% | 0 | 0.00% | 212 | 17.72% |
| | F | 335 | 11.24% | 76 | 2.55% | 1 | 0.03% | 308 | 10.34% |
| | Total | 556 | 13.31% | 108 | 2.59% | 1 | 0.02% | 520 | 12.45% |
| 35-64 | M | 259 | 15.44% | 48 | 2.86% | 0 | 0.00% | 246 | 14.66% |
| | F | 237 | 9.57% | 56 | 2.26% | 0 | 0.00% | 214 | 8.64% |
| | Total | 496 | 11.94% | 104 | 2.50% | 0 | 0.00% | 460 | 11.07% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 710 | 5.68% | 101 | 0.81% | 0 | 0.00% | 677 | 5.42% |
| | F | 826 | 5.19% | 191 | 1.20% | 2 | 0.01% | 749 | 4.71% |
| | Total | 1536 | 5.41% | 292 | 1.03% | 2 | 0.01% | 1426 | 5.02% |

Use of Services

South Country Health Alliance

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Medicare Advantage

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

South Country Health Alliance

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65+ | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 | 5926 | 16505 | 22431 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|--------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-64 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 65+ | M | 66 | 13.36% | 25 | 5.06% | 2 | 0.40% | 44 | 8.91% |
| | F | 175 | 12.72% | 67 | 4.87% | 2 | 0.15% | 122 | 8.87% |
| | Total | 241 | 12.89% | 92 | 4.92% | 4 | 0.21% | 166 | 8.88% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 66 | 13.36% | 25 | 5.06% | 2 | 0.40% | 44 | 8.91% |
| | F | 175 | 12.72% | 67 | 4.87% | 2 | 0.15% | 122 | 8.87% |
| | Total | 241 | 12.89% | 92 | 4.92% | 4 | 0.21% | 166 | 8.88% |

Use of Services

South Country Health Alliance

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|-------------|---------------------------|-------------|-------------|--|-------------|-------------|-------------------------------|-------------|-------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-64 | 3992 | 5270 | 9262 | 3992 | 5270 | 9262 | 3992 | 5270 | 9262 | 3992 | 5270 | 9262 |
| 65+ | 67 | 129 | 196 | 67 | 129 | 196 | 67 | 129 | 196 | 67 | 129 | 196 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 | 4059 | 5399 | 9458 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|---------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-64 | M | 176 | 52.91% | 13 | 3.91% | 3 | 0.90% | 175 | 52.61% |
| | F | 270 | 61.48% | 31 | 7.06% | 1 | 0.23% | 270 | 61.48% |
| | Total | 446 | 57.78% | 44 | 5.70% | 4 | 0.52% | 445 | 57.65% |
| 65+ | M | 1 | 17.91% | 1 | 17.91% | 0 | 0.00% | 1 | 17.91% |
| | F | 5 | 46.51% | 1 | 9.30% | 0 | 0.00% | 5 | 46.51% |
| | Total | 6 | 36.73% | 2 | 12.24% | 0 | 0.00% | 6 | 36.73% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 177 | 52.33% | 14 | 4.14% | 3 | 0.89% | 176 | 52.03% |
| | F | 275 | 61.12% | 32 | 7.11% | 1 | 0.22% | 275 | 61.12% |
| | Total | 452 | 57.35% | 46 | 5.84% | 4 | 0.51% | 451 | 57.22% |

Use of Services

South Country Health Alliance

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care(MHCP-MC)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|---------------|---------------|---------------------------|---------------|---------------|--|---------------|---------------|-------------------------------|---------------|---------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 | 84834 | 79162 | 163996 |
| 13-17 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 | 19034 | 18983 | 38017 |
| 18-64 | 46150 | 92758 | 138908 | 46150 | 92758 | 138908 | 46150 | 92758 | 138908 | 46150 | 92758 | 138908 |
| 65+ | 3 | 6 | 9 | 3 | 6 | 9 | 3 | 6 | 9 | 3 | 6 | 9 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 | 150021 | 190909 | 340930 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|------------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 1001 | 14.16% | 12 | 0.17% | 1 | 0.01% | 999 | 14.13% |
| | F | 658 | 9.97% | 7 | 0.11% | 2 | 0.03% | 657 | 9.96% |
| | Total | 1659 | 12.14% | 19 | 0.14% | 3 | 0.02% | 1656 | 12.12% |
| 13-17 | M | 397 | 25.03% | 18 | 1.13% | 1 | 0.06% | 395 | 24.90% |
| | F | 466 | 29.46% | 33 | 2.09% | 1 | 0.06% | 462 | 29.21% |
| | Total | 863 | 27.24% | 51 | 1.61% | 2 | 0.06% | 857 | 27.05% |
| 18-64 | M | 721 | 18.75% | 39 | 1.01% | 2 | 0.05% | 709 | 18.44% |
| | F | 2111 | 27.31% | 101 | 1.31% | 6 | 0.08% | 2096 | 27.12% |
| | Total | 2832 | 24.47% | 140 | 1.21% | 8 | 0.07% | 2805 | 24.23% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 2119 | 16.95% | 69 | 0.55% | 4 | 0.03% | 2103 | 16.82% |
| | F | 3235 | 20.33% | 141 | 0.89% | 9 | 0.06% | 3215 | 20.21% |
| | Total | 5354 | 18.84% | 210 | 0.74% | 13 | 0.05% | 5318 | 18.72% |

Board Certification

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| Type of Physician | Number of Physicians in Each Practice Area | Active Board Certification | |
|--------------------------------|--|----------------------------|---------|
| | | Number | Percent |
| Family Medicine | 1164 | 751 | 64.52% |
| Internal Medicine | 548 | 402 | 73.36% |
| Geriatricians | 37 | 15 | 40.54% |
| Other practitioner Specialists | 1579 | 1148 | 72.70% |

Board Certification

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| Type of Physician | Number of Physicians in Each Practice Area | Active Board Certification | |
|--------------------------------|--|----------------------------|---------|
| | | Number | Percent |
| Family Medicine | 1164 | 751 | 64.52% |
| Internal Medicine | 548 | 402 | 73.36% |
| Geriatricians | 37 | 15 | 40.54% |
| Other practitioner Specialists | 1579 | 1148 | 72.70% |

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Commercial

| | Member Months | | |
|----------------------------|---------------|--------|-------|
| | Male | Female | Total |
| <1 | | | NR |
| 1-4 | | | NR |
| 5-9 | | | NR |
| 10-14 | | | NR |
| 15-17 | | | NR |
| 18-19 | | | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | | | NR |
| 25-29 | | | NR |
| 30-34 | | | NR |
| 35-39 | | | NR |
| 40-44 | | | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | | | NR |
| 50-54 | | | NR |
| 55-59 | | | NR |
| 60-64 | | | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | | | NR |
| 70-74 | | | NR |
| 75-79 | | | NR |
| 80-84 | | | NR |
| 85-89 | | | NR |
| >=90 | | | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | | | NR |
| Total | NR | NR | NR |

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Medicare Advantage

| | Member Months | | |
|----------------------------|---------------|--------|-------|
| | Male | Female | Total |
| <1 | | | NR |
| 1-4 | | | NR |
| 5-9 | | | NR |
| 10-14 | | | NR |
| 15-17 | | | NR |
| 18-19 | | | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | | | NR |
| 25-29 | | | NR |
| 30-34 | | | NR |
| 35-39 | | | NR |
| 40-44 | | | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | | | NR |
| 50-54 | | | NR |
| 55-59 | | | NR |
| 60-64 | | | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | | | NR |
| 70-74 | | | NR |
| 75-79 | | | NR |
| 80-84 | | | NR |
| 85-89 | | | NR |
| >=90 | | | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | | | NR |
| Total | NR | NR | NR |

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Oct 24, 2011 8:53 AM

MSHO

| | Member Months | | |
|----------------------------|----------------|----------------|----------------|
| | Male | Female | Total |
| <1 | 0 | 0 | 0 |
| 1-4 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 |
| 15-17 | 0 | 0 | 0 |
| 18-19 | 0 | 0 | 0 |
| 0-19 Subtotal | 0 | 0 | 0 |
| 0-19 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 20-24 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 |
| 20-44 Subtotal | 0 | 0 | 0 |
| 20-44 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 45-49 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 |
| 45-64 Subtotal | 0 | 0 | 0 |
| 45-64 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 65-69 | 858 | 1560 | 2418 |
| 70-74 | 1326 | 2037 | 3363 |
| 75-79 | 1012 | 1817 | 2829 |
| 80-84 | 938 | 2880 | 3818 |
| 85-89 | 816 | 3455 | 4271 |
| >=90 | 976 | 4756 | 5732 |
| >=65 Subtotal | 5926 | 16505 | 22431 |
| >=65 Subtotal: % | 100.00% | 100.00% | 100.00% |
| Age Unknown | 0 | 0 | 0 |
| Total | 5926 | 16505 | 22431 |

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Oct 24, 2011 8:53 AM

SNBC

| | Member Months | | |
|----------------------------|---------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 0 | 0 | 0 |
| 1-4 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 |
| 15-17 | 0 | 0 | 0 |
| 18-19 | 14 | 3 | 17 |
| 0-19 Subtotal | 14 | 3 | 17 |
| 0-19 Subtotal: % | 0.34% | 0.06% | 0.18% |
| 20-24 | 132 | 130 | 262 |
| 25-29 | 197 | 349 | 546 |
| 30-34 | 283 | 273 | 556 |
| 35-39 | 333 | 460 | 793 |
| 40-44 | 475 | 503 | 978 |
| 20-44 Subtotal | 1420 | 1715 | 3135 |
| 20-44 Subtotal: % | 34.98% | 31.77% | 33.15% |
| 45-49 | 724 | 948 | 1672 |
| 50-54 | 680 | 904 | 1584 |
| 55-59 | 616 | 838 | 1454 |
| 60-64 | 538 | 862 | 1400 |
| 45-64 Subtotal | 2558 | 3552 | 6110 |
| 45-64 Subtotal: % | 63.02% | 65.79% | 64.60% |
| 65-69 | 67 | 129 | 196 |
| 70-74 | 0 | 0 | 0 |
| 75-79 | 0 | 0 | 0 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 0 | 0 |
| >=65 Subtotal | 67 | 129 | 196 |
| >=65 Subtotal: % | 1.65% | 2.39% | 2.07% |
| Age Unknown | 0 | 0 | 0 |
| Total | 4059 | 5399 | 9458 |

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Oct 24, 2011 8:53 AM

Minnesota Health Care Programs - Managed Care (MHCP-MC)

| | Member Months | | |
|----------------------------|---------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 10596 | 9254 | 19850 |
| 1-4 | 30995 | 29133 | 60128 |
| 5-9 | 29220 | 27223 | 56443 |
| 10-14 | 22188 | 21834 | 44022 |
| 15-17 | 10869 | 10701 | 21570 |
| 18-19 | 5084 | 7244 | 12328 |
| 0-19 Subtotal | 108952 | 105389 | 214341 |
| 0-19 Subtotal: % | 72.62% | 55.20% | 62.87% |
| 20-24 | 6572 | 20029 | 26601 |
| 25-29 | 7654 | 21045 | 28699 |
| 30-34 | 6704 | 14711 | 21415 |
| 35-39 | 5463 | 10682 | 16145 |
| 40-44 | 4224 | 7527 | 11751 |
| 20-44 Subtotal | 30617 | 73994 | 104611 |
| 20-44 Subtotal: % | 20.41% | 38.76% | 30.68% |
| 45-49 | 4431 | 5379 | 9810 |
| 50-54 | 3002 | 3221 | 6223 |
| 55-59 | 1910 | 1702 | 3612 |
| 60-64 | 1106 | 1218 | 2324 |
| 45-64 Subtotal | 10449 | 11520 | 21969 |
| 45-64 Subtotal: % | 6.97% | 6.03% | 6.44% |
| 65-69 | 3 | 6 | 9 |
| 70-74 | 0 | 0 | 0 |
| 75-79 | 0 | 0 | 0 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 0 | 0 |
| >=65 Subtotal | 3 | 6 | 9 |
| >=65 Subtotal: % | 0.00% | 0.00% | 0.00% |
| Age Unknown | 0 | 0 | 0 |
| Total | 150021 | 190909 | 340930 |